




2021 Annual Report



Southeast
Saskatchewan Airshed
Association

Prepared by:
Wood Environment & Infrastructure Solutions
5681 - 70 Street
Edmonton, Alberta
T6B 3P6

For more information, please contact:
Ken Cross
Executive Director
Southeast Saskatchewan Airshed Association
Phone: (306) 861-0186
E-mail: tg4air@sasktel.net

TABLE OF CONTENTS

	Page
List of Tables	iii
List of Figures.....	iv
List of Appendices.....	v
List of Terms and Definitions	vi
Units of Measurement.....	vi
 MESSAGE FROM THE EXECUTIVE DIRECTOR.....	 VII
EXECUTIVE SUMMARY	IX
1.0 INTRODUCTION	1
1.1 SESAA MISSION	1
1.2 SESAA AIR MONITORING NETWORK	1
2.0 AIR QUALITY MONITORING.....	5
2.1 SUMMARY OF EXCEEDANCES ABOVE THE SAAQS.....	5
2.2 WIND	6
2.3.1 Sulphur Dioxide (SO ₂).....	8
2.3.2 Hydrogen Sulphide (H ₂ S)	13
2.3.3 Nitrogen Dioxide (NO ₂).....	19
2.3.4 Ozone (O ₃).....	24
2.3.5 Fine Particulate Matter (PM _{2.5})	28
2.4 AIR QUALITY HEALTH INDEX (AQHI)	34
2.5 AIR QUALITY INDEX (AQI)	36
3.0 AUDITED FINANCIAL STATEMENT	38

TABLE OF CONTENTS (Cont'd)

LIST OF TABLES

	Page
Table 1. SESAA airpointer® continuous monitoring stations and the measurement parameters...	4
Table 2. Number of exceedance events for 2021.....	5
Table 3. Summary statistics for SO ₂	9
Table 4. Number of exceedance events for SO ₂	9
Table 5. Summary statistics for H ₂ S	15
Table 6. Number of exceedance events for H ₂ S.....	15
Table 7. Summary statistics for NO ₂	20
Table 8. Number of exceedance events for NO ₂	20
Table 9. Summary statistics for O ₃	25
Table 10. Number of SAAQS exceedance events for O ₃	25
Table 12. Number of exceedance events for PM _{2.5}	30
Table 13. Summary of occurrence statistics for AQHI health risk rating	34
Table 14. AQI rating and effect description	37
Table 15. Summary of occurrence statistics for AQI rating.....	37
Table 16. SESAA financial summary for the year of 2021.....	38

TABLE OF CONTENTS (Cont'd)

LIST OF FIGURES

	Page
Figure 1. Ambient air monitoring network for the Southeast Saskatchewan Airshed Association .	3
Figure 2. Wind roses for the SESAA continuous monitoring stations for 2021	7
Figure 3. Pollutant rose for 1-hour average SO ₂ data at the Weyburn Station	10
Figure 4. Pollutant rose for 1-hour average SO ₂ data at the Glen Ewen Station	10
Figure 5. Pollutant rose for 1-hour average SO ₂ data at the Stoughton Station	11
Figure 6. Pollutant rose for 1-hour average SO ₂ data at the Torquay Station	11
Figure 7. Pollutant rose for 1-hour average SO ₂ data at the Wauchope Station	12
Figure 7. Pollutant rose for 1-hour average SO ₂ data at the Oxbow Station	12
Figure 8. Pollutant rose for 1-hour average H ₂ S data at the Weyburn Station	16
Figure 9. Pollutant rose for 1-hour average H ₂ S data at the Glen Ewen Station	16
Figure 11. Pollutant rose for 1-hour average H ₂ S data at the Stoughton Station	17
Figure 12. Pollutant rose for 1-hour average H ₂ S data at the Torquay Station	17
Figure 13. Pollutant rose for 1-hour average H ₂ S data at the Wauchope Station	18
Figure 14. Pollutant rose for 1-hour average H ₂ S data at the Oxbow Station	18
Figure 15. Pollutant rose for 1-hour average NO ₂ data at the Weyburn Station	21
Figure 16. Pollutant rose for 1-hour average NO ₂ data at the Glen Ewen Station	21
Figure 17. Pollutant rose for 1-hour average NO ₂ data at the Stoughton Station	22
Figure 18. Pollutant rose for 1-hour average NO ₂ data at the Esterhazy Station	22
Figure 19. Pollutant rose for 1-hour average NO ₂ data at the Oxbow Station	23
Figure 20. Pollutant rose for 1-hour average O ₃ data at the Weyburn Station	26
Figure 21. Pollutant rose for 1-hour average O ₃ data at the Glen Ewen Station	26
Figure 22. Pollutant rose for 1-hour average O ₃ data at the Esterhazy Station	27

Figure 23. Pollutant rose for 1-hour average PM _{2.5} data at the Weyburn Station.....	31
Figure 24. Pollutant rose for 1-hour average PM _{2.5} data at the Stoughton Station	31
Figure 25. Pollutant rose for 1-hour average PM _{2.5} data at the Esterhazy Station	32
Figure 26. Pollutant rose for 1-hour average PM _{2.5} data at the Torquay Station	32
Figure 27. Pollutant rose for 1-hour average PM _{2.5} data at the Wauchope Station.....	33
Figure 28. Pollutant rose for 1-hour average PM _{2.5} data at the Oxbow Station	33
Figure 29. Risk classification and health messages for Air Quality Health IndexTable 15. Summary of occurrence statistics for AQHI health risk rating.....	34

LIST OF APPENDICES

APPENDIX A. Saskatchewan Ambient Air Quality Standards
APPENDIX B. Weyburn Station: Continuous Monitoring Data
APPENDIX C. Glen Ewen Station: Continuous Monitoring Data
APPENDIX D. Stoughton Station: Continuous Monitoring Data
APPENDIX E. Esterhazy Station: Continuous Monitoring Data
APPENDIX F. Torquay Station: Continuous Monitoring Data
APPENDIX G. Wauchope Station: Continuous Monitoring Data
APPENDIX H. Oxbow Station: Continuous Monitoring Data
APPENDIX I. Weyburn Station: Exceedance Summary
APPENDIX J. Glen Ewen Station: Exceedance Summary
APPENDIX K. Stoughton Station: Exceedance Summary
APPENDIX L. Esterhazy Station: Exceedance Summary
APPENDIX M. Torquay Station: Exceedance Summary
APPENDIX N. Wauchope Station: Exceedance Summary
APPENDIX O. Oxbow Station: Exceedance Summary
APPENDIX P. 2021 Financial Statements
APPENDIX Q. SESAA Board of Directors
APPENDIX R. SESAA Member Companies

List of Terms and Definitions

24-hour	A calendar day, average is calculated midnight-to-midnight.
30-day	Passive monitoring data is based on a 30-day average concentration
8-Hour	Using for the 8-hour running average for O ₃ Canada-Wide Standard.
SAAQS	Saskatchewan Ambient Air Quality Standards
AIC	Automatic Instrument Check (instrument self-verification process)
AMG	Air Monitoring Guidelines for Saskatchewan, March 2012
Calm	1-hour average wind speed lower than 1 km/hour
CWS	Canada-Wide-Standards
ET	Ambient temperature
H ₂ S	Hydrogen sulphide
NO ₂	Nitrogen dioxide
NO	Nitric oxide
NO _x	Oxides of nitrogen
O ₃	Ozone
PM _{2.5}	Particulate matter with aerodynamic diameter less than 2.5 µm, referred to as fine or respirable particles
QA/QC	Quality Assurance / Quality Control
RH	Relative humidity
SO ₂	Sulphur dioxide
WD	Wind direction
WS	Wind speed

Units of Measurement

average	arithmetic average = $\sum X_i / n$
m/s	meter per second, or mps
µg/m ³	microgram per cubic meter
ppb	part per billion by volume
mm	millimeter of accumulated precipitation
°C	degree centigrade
%	percent of relative humidity, instrument uptime, etc.
Degree	angle of wind direction from the north

MESSAGE FROM THE EXECUTIVE DIRECTOR

2021 was a recovering year for the Southeast Saskatchewan Airshed Association (SESAA) and for air quality monitoring in the south east region of Saskatchewan. The Covid pandemic crashed oil and gas prices and caused a world-wide economic slowdown in 2020. Even though the turbulence caused by the pandemic was significant we did receive very good financial support. The oil and gas prices are rebounding and surpassing expectations. SESAA is very pleased to inform our members that eight (8) continuous air monitoring sites are now operating in the region and providing real-time data on the airshed's website. SESAA will continue to explore every opportunity to collaborate with other agencies in bringing additional air quality monitoring into the region. In summary, SESAA now manages a continuous air monitoring network which consists of eight monitoring sites, including the new NAPS Station in the City of Estevan.

This monitoring initiative is multi-purpose it: a) collects real time air quality data throughout the SESAA region, b) demonstrates companies are operating in a safe, environmentally sound manner that is enabling sustainable growth, and c) provides companies considering to invest in operations in Saskatchewan with data that shows it is a safe place to invest being that the air quality is well understood and not an impediment to growth. The credibility and strength of the continuous monitoring network is scientifically and financially sound. The continuous data is available live on the internet; it includes hourly concentrations of SO₂, H₂S, NO/NO₂/NO_x, PM_{2.5} and O₃ as well as meteorological data at about two metres above the ground. The data is available on the SESAA website: <http://www.sesaa.ca>

Our goal is to collect credible and defensible air quality data and provide excellent service to our members. The credibility and strength of the continuous monitoring network is scientifically and financially sound. We have and are continuing to communicate the work we do in many ways. When we do a presentation or place an article or a story in a newspaper, we highlight our members wherever possible. We list our members on our website and do as much as we can to inform the public the names of our member companies. This communication work is very important to SESAA and to its members.

In the past three years our communication initiatives included:

- News articles in the Regina Leader Post; the Saskatoon Star Phoenix; the Weyburn Review; the Estevan Mercury; CTV Regina News Interviews; Saskatchewan Oil and Gas Show, Weyburn
- Saskatchewan Association of Rural Municipalities (SARM) the Councillor Newsletter Article
- Quarterly SESAA E-bulletins to all members to keep them informed of any new developments, meeting dates and any other pertinent air quality information.
- Quarterly meetings of Board of Directors meetings at which anyone is welcome to attend.
- We have reviewed our website and are improving our communication abilities.
- SESAA had a booth at Saskatchewan Oil Show in June 2019 which was very well attended. We gave away printed material with information about our Association as well as pens,

frisbees and balloons; all with the SESAA website address. We are booked for the Oil Show in 2022.

- SESAA has reviewed its communication plan and has decided to redesign our website. It will have all of the data for each site by month since July of 2015. There will also be a feature that will allow our members and the public to search for raw data for the past 120 days. The new website was launched the week of Clean air Day June 4 to 8, 2018.
- The SESAA Board is working with the Science Fairs in our area. We will be providing the winner of the science Fair with the SESAA Environmental Award to the best science fair entry with an environmental theme. We did present the award in 2019 to Anna Tronson and was prepared to present the Award in 2020 and every year after. Unfortunately, due to the pandemic the 2020 Science Fair was cancelled. We will participate when possible.

All of these showcase the work we do and our members' involvement. It is important that the public is comfortable and welcoming of well-run industry in their municipalities as public acceptance plays a large role in helping to foster a business-friendly environment that promotes future industrial growth. Future plans include determining the need for additional air monitoring stations and the development of more communication materials.

As a part of Clean Air Day on June 8, 2016, the SESAA announced the winners of its first ever Clean Air Poster Awards. The winners received a Family Day Pass to the Estevan Swimming Pool. The winning poster were scanned and posted on the SESAA Website. The posters were judged by an independent panel of the City of Estevan Council. SESAA thanks all students that submitted posters.

SESAA is pleased with the excellent response we received from our members. We have had a very good year financially and with our data monitoring capabilities. This is excellent news for the people of the southeast area of Saskatchewan and for all of our valued members. We now have data to help inform our decision-making process. The Science committee will review all of this data and bring recommendations to the Board as to how we should proceed with managing our monitoring capabilities. The data will direct our decisions as to how to improve our monitoring network.

Although 2021 was a challenging year for the SESAA, the Association continues to maintain a high level of membership support in the region, allowing us to collect and report good air quality information to the citizens of southeast Saskatchewan. SESAA plans to continue building on its success in 2022. Future plans include reviewing and maintaining our network monitoring needs and continuing the development and delivery of a strong communications program that reaches out to organizations such as municipalities, Chambers of Commerce, high school classes, and School Community Council meetings. SESAA thanks all of our members for their committed participation.

Our goal is to collect credible and defensible air quality data and provide excellent service to our members. SESAA thanks all of our members for their participation.

EXECUTIVE SUMMARY

The Southeast Saskatchewan Airshed Association (SESAA), established in October 2005, is Saskatchewan's first airshed association with a mandate to monitor ambient air quality in the southeast region of the province. SESAA is a collaborative group of industry, government, non-government organizations, and private citizens. The airshed covers an area of 36,800 square kilometres and includes 45 municipalities. Major economic activities in the region include agriculture, oil and gas, mining, power generation, and transportation.

SESAA manages a continuous air monitoring network, as shown in Figure 1 of the main report. The passive sampling network has been discontinued indefinitely. The continuous air monitoring network consists of seven airpointers® at the Weyburn, Glen Ewen, Stoughton, Esterhazy, Wauchope, Oxbow and Torquay stations. All stations monitored for the entire year of 2021, with the exception of the Wauchope station which was not operational following a station shutdown in June. Routine calibration was performed quarterly. The SESAA continuous air monitoring network measures real-time data for sulphur dioxide (SO₂), hydrogen sulphide (H₂S), nitrogen oxides (NO, NO₂, NO_x), ozone (O₃), fine particulate matter (PM_{2.5}), ambient temperature (ET), relative humidity (RH), precipitation, wind speed (WS) and wind direction (WD).

The continuous data is available live on the internet; it includes hourly concentrations of SO₂, H₂S, NO/NO₂/NO_x, PM_{2.5} and O₃. The first airshed site monitoring data was originally made available in early 2011 on the SESAA website: <http://www.sesaa.ca/AirQuality/index.php>

The installation of continuous monitors throughout the region is helping SESAA meet its monitoring goal. Monitoring also allows the Association to show companies already operating or considering operating in the area that this is a good place to invest because we know the air quality is being monitored, and it is of relatively good quality. SESAA is very excited about what the WEDC initiative, the Ministry of the Economy grant and the Sask Power Station have brought to the Association's monitoring capabilities.

Table ES-1 summarizes the annual averages of continuous air quality data; the measured air quality was within the Saskatchewan Ambient Air Quality Standards (SAAQS), with the exception of H₂S and PM_{2.5}. There was a total of 7 exceedance events for 1-hour average H₂S, 0 exceedance events for 24-hour average H₂S, and 578 exceedance events for 24-hour average PM_{2.5}. The air quality within the SESAA network was rated Low Risk or Good for more than 95% of the time according to the Air Quality Health Index and Air Quality Index.

All airpointers® were greater than 90% operational for the year 2021, with the exception of the Wauchope and Stoughton stations. Detailed monthly and annual instrument uptimes can be found in the station summary tables in Appendix B-H.

Table ES-1. Annual average concentrations for continuous parameters for 2021

Parameter	Conc. Unit	Annual Average Concentration for Continuous Measurement Data						
		Weyburn	Glen Ewen	Stoughton	Esterhazy	Torquay	Wauchope ^b	Oxbow
SO ₂	ppb	1.1	0.5	0.3	^a	0.2	0.4	0.7
H ₂ S	ppb	0.3	0.2	0.3	^a	0.2	0.2	0.2
NO	ppb	0.8	0.4	0.8	0.6	^a	^a	0.3
NO ₂	ppb	1.7	1.9	1.2	1.3	^a	^a	0.8
NO _x	ppb	2.5	2.2	1.6	1.9	^a	^a	0.8
O ₃	ppb	28	27	^a	30	^a	^a	^a
PM _{2.5}	µg/m ³	10	^a	6	8	7	6	7

a. Parameter was not monitored.

b. Wauchope station only operational January 1 to June 5, 2021.

1.0 Introduction

The Southeast Saskatchewan Airshed Association (SESAA) is a collaborative group of industry, non-government organizations, government, and private citizens. SESAA was established in 2005 with a mandate to collect credible, scientifically defensible air quality data and to make this data available to the public. We also provide a forum for open communication of air quality concerns among all sectors of society. Membership in the airshed association is currently voluntary, with emitting members sharing funding responsibilities for monitoring programs and studies. SESAA covers an area of 36,800 square kilometres, including 45 municipalities. The airshed boundaries were established based on common history, meteorology, and funding considerations. Major economic activities in the region include agriculture, oil and gas, mining, power generation, and transportation.

Membership in the SESAA is voluntary. The current membership includes members of the agriculture, oil and gas, mining and power generation sectors. The Government of Saskatchewan Ministries of Environment, Energy and Resources, and Health, as well as representatives of the City of Estevan and Rural Municipality of Enniskillen Number 3 also participate as members of the Board of Directors. SESAA's operating budget consists of membership fees, environmental footprint, and emissions-based fees assessed to facilities operating within the airshed zone.

1.1 SESAA Mission

The SESAA mission is to collect credible, scientifically defensible air quality data for the southeast Saskatchewan region, and to make this data freely available to all stakeholders. Our objective is to bring together stakeholders from all backgrounds to identify local air quality issues and to develop innovative solutions for managing these issues

1.2 SESAA Air Monitoring Network

Figure 1 illustrates spatial distribution of the SESAA air monitoring stations. The SESAA air monitoring network includes seven continuous airpointers® monitoring stations at the Weyburn, Glen Ewen, Stoughton, Esterhazy, Torquay, Wauchope, and Oxbow stations. The Weyburn station has been in place and operating since March 2010. The Glen Ewen station started operations in May 2012. The Stoughton, Esterhazy, and Wauchope stations began operation in 2013. The Oxbow station began operation in December 2014. Torquay began operations in November 2018.

Table 1 presents a combination matrix of the monitoring stations and the measured parameters. The SESAA continuous air monitoring network measures sulphur dioxide (SO₂), hydrogen sulphide (H₂S), nitrogen oxides (NO, NO₂, NO_x), ozone (O₃), fine particulate matter (PM_{2.5}), ambient temperature (ET), relative humidity (RH), precipitation, wind speed (WS) and wind direction (WD). Real-time air monitoring data is available on the SESAA website at: www.sesaa.ca.




Figure 1. Ambient air monitoring network for the Southeast Saskatchewan Airshed Association

Table 1. SESAA airpointer® continuous monitoring stations and the measurement parameters

Monitoring Parameters	Continuous air quality parameters measured in the SESAA network						
	Weyburn	Glen Ewen	Stoughton	Esterhazy	Torquay	Wauchope	Oxbow
SO ₂	√	√	√	-	√	√	√
H ₂ S	√	√	√	-	√	√	√
NO	√	√	√	√	-	-	√
NO ₂	√	√	√	√	-	-	√
NO _x	√	√	√	√	-	-	√
O ₃	√	√	-	√	-	-	-
PM _{2.5}	√	-	√	√	√	√	√
Ambient Temp.	√	√	√	√	√	√	√
Relative Humidity	√	√	√	√	√	√	√
Wind Speed	√	√	√	√	√	√	√
Wind Direction	√	√	√	√	√	√	√

- : Parameter was not monitored

2.0 Air Quality Monitoring

2.1 Summary of Exceedances above the SAAQS

The SESAA air monitoring network measures air pollutant concentrations to indicate the quality of air in the airshed. Air quality data is used to investigate the trends in air quality resulting from emissions of anthropogenic sources (industry, motor vehicles, etc) and natural processes (such as forest fires, decomposition of organic matter, etc).

Table 2 summarizes the Saskatchewan Ambient Air Quality Standards (SAAQS) and the number of exceedances recorded in 2021. A total of 7 exceedance events for 1-hour average H₂S, no exceedance events for 24-hour average H₂S, and 57 exceedance events for 24-hour average PM_{2.5} were recorded. The detailed exceedance summaries are presented in Appendix I-O.

Table 2. Number of exceedance events for 2021

Parameter	No. of Stations	Average Type	SAAQS	No. of Exceedance
SO ₂	5	1-hour	172 ppb	0
		24-hour	48 ppb	0
		Annual	8 ppb	0
H ₂ S	5	1-hour	11 ppb	7
		24-hour	3.6 ppb	0
NO ₂	6	1-hour	159 ppb	0
		Annual	24 ppb	0
O ₃	4	1-hour	82 ppb	0
		8-Hour	63 ppb CWS	0
PM _{2.5}	6	24-hour	28 µg/m ³	57

2.2 Wind

Wind speed and wind direction are important factors that influence regional air quality. The diffusion and dispersion of air pollutant emissions are greatly impacted by variations in wind speed and corresponding air turbulence. Different degrees of turbulence are created by variable mixing conditions due to the vertical gradient of ambient temperatures and terrain roughness unique to each station.

Figure 2 presents the wind roses for the SESAA stations. According to the international wind classification system, the prevailing winds in SESAA was typically classified as Light Air (<1.4 m/s), Light Breeze (<3.1 m/s), and Moderate Breeze (<7.8 m/s). Strong wind (>7.8 m/s) was slightly more frequent at the Weyburn (6.7%) and Oxbow (7.4%) stations. The occurrence frequency of calm wind ranged from 0.7% (Oxbow) to 2.6% (Esterhazy). Esterhazy had the lowest average windspeeds, with 97.4% below 7.8 m/s.

The prevailing wind direction varied among the seven air monitoring stations. Generally, the prevailing wind direction was from the northwest and southeast quadrants. The Wauchope station exhibited a higher frequency of west and west-southwest winds. The Stoughton station recorded a higher frequency of east-southeast winds (15.9%) while Glen Ewen was primarily from the west-northwest (14.2%). The Esterhazy station exhibited a higher frequency of west winds 24.5%. Weyburn and Torquay had primarily winds from the northwest (13.2% and 12.2% respectively).

The detailed frequency distribution tables and wind roses are presented in the Appendices: Table B-12, Table C-11, Table D-11, Table E-10, Table F-10, Table G-8, and Table H-11.




Figure 2. Wind roses for the SESAA continuous monitoring stations for 2021

2.3 Continuous Air Quality Data

2.3.1 Sulphur Dioxide (SO₂)

Sulphur dioxide (SO₂) is a colourless gas with a strong suffocating odour. It smells like burnt matches. At concentrations above 300 ppb, it can be detected by taste and odour. The health effects caused by exposure to high levels of SO₂ include breathing problems, respiratory illness, changes in lung function, and worsening respiratory and cardiovascular disease. People with asthma or chronic lung or heart disease are the most susceptible to SO₂. SO₂ also damages trees and crops.

SO₂, along with nitrogen oxides, are the main precursors of photochemical smog and acid rain, which contributes to the acidification of lakes and streams, accelerated corrosion of buildings, and reduced visibility. SO₂ in the air can form microscopic acid aerosols, which have serious health implications, as well as, contributing to climate change.

Anthropogenic SO₂ emission sources are primarily from combustion of sulphur containing fuels (e.g. gasoline, natural gas and coal) and processing of sulphur containing ores. The major emission sources for SO₂ include large industrial sources such as power plants, petroleum refineries, iron and steel mills, fertilizer plants, pulp and paper mills, and smelters, as well as small industries, such as small oil and gas plants, battery and well flares.

The Saskatchewan Ambient Air Quality Standards (SAAQS) for sulphur dioxide are:

- 1-hour average SAAQS = 172 ppb
- 24-hour average SAAQS = 48 ppb
- annual average SAAQS = 8 ppb

Table 3 presents the summary statistics for SO₂. The annual average concentration range was from 0.2 ppb to 1.1 ppb among the five stations. The maximum 1-hour concentration of 31.8 ppb and the maximum 24-hour concentration of 10.6 ppb were detected at the Weyburn and Wauchope stations, respectively. There were no exceedance events for the 1-hour, 24-hour, and annual average concentrations in 2021 (see Table 4).

Figures 3 to 8 present the pollutant roses for 1-hour average concentration for SO₂. The measured concentration at all stations was low; greater than 90% of the data was less than 5 ppb (the blue and dark green petals). The pollutant roses indicate that the

Weyburn, Glen Ewen, Wauchope and Oxbow stations detected more high concentration events (>5 ppb) than the other stations. At the Weyburn station, the high concentration events were associated with the winds from the southeast quadrant, where more industrial activities exist, such as coal-fired power plants and upstream oil and gas industry. At the Glen Ewen station, the high concentration events were associated with the winds from the northwest quadrant, where more industrial activities exist, such as upstream oil and gas industry. The high concentration events at the Oxbow station tended to be associated with the winds from the southeast quadrant.

The detailed frequency distribution tables for 1-hour average SO₂ data are presented in the Appendices: Table B-2, Table C-2, Table D-2, Table G-2, and H-2.

Table 3. Summary statistics for SO₂

Monitoring Station	Annual Average	Instrument Uptime	Maximum SO ₂ Conc. and Occurrence Time			
			1-hour Max.		24-hour Max.	
	ppb	%	ppb	Time	ppb	Date
Weyburn	1.1	99.5	31.8	Jan 31 12:00	4.7	Jan 27
Glen Ewen	0.5	98.1	26.2	Aug 13 09:00	5.5	Feb 09
Stoughton	0.3	79.0	14.3	Jan 31 17:00	2.2	Jan 31
Torquay	0.2	99.7	29.5	Oct 09 12:00	2.7	Oct 20
Wauchope ^a	0.5	35.7	26.1	Jan 06 13:00	10.6	Jan 06
Oxbow	0.7	100.0	17.3	Dec 12 05:00	4.5	Jan 09

a. Wauchope station only operational January 1 to June 5, 2021.

Table 4. Number of exceedance events for SO₂

Monitoring Station	No. of Exceedance to Saskatchewan Ambient Air Quality Standards (SAAQS)		
	1-hr SAAQS	24-hr SAAQS	Annual SAAQS
	172 ppb	57 ppb	11 ppb
Weyburn	0	0	0
Glen Ewen	0	0	0
Stoughton	0	0	0
Torquay	0	0	0
Wauchope ^a	0	0	0
Oxbow	0	0	0

a. Wauchope station only operational January 1 to June 5, 2021.




Figure 3. Pollutant rose for 1-hour average SO₂ data at the Weyburn Station




Figure 4. Pollutant rose for 1-hour average SO₂ data at the Glen Ewen Station




Figure 5. Pollutant rose for 1-hour average SO₂ data at the Stoughton Station




Figure 6. Pollutant rose for 1-hour average SO₂ data at the Torquay Station




Figure 7. Pollutant rose for 1-hour average SO₂ data at the Wauchope Station




Figure 8. Pollutant rose for 1-hour average SO₂ data at the Oxbow Station

2.3.2 Hydrogen Sulphide (H_2S)

Hydrogen sulphide (H_2S) is a colourless gas with a characteristic “rotten egg” odour. It is produced both naturally and through anthropogenic emission sources. H_2S occurs naturally in coal, crude oil, natural gas, oil, sulphur hot springs, volcanic gases, sloughs, swamps and lakes. The major anthropogenic emission sources include natural gas and petroleum production, wastewater treatment, pulp and paper mills, rayon textile manufacturing, and tar and asphalt manufacturing. Decomposition of organic matter by bacteria under anaerobic conditions releases H_2S as well, forming the characteristic odour commonly associated with sewers, sewage lagoons, and swamps.

Hydrogen sulfide is a highly toxic and flammable gas. It is heavier than air and tends to accumulate at the bottom of poorly ventilated spaces. Although very pungent at first, it quickly deadens the sense of smell. Potential victims may be unaware of its presence until it is too late.

The Saskatchewan Ambient Air Quality Standards (SAAQS) for hydrogen sulphide are:

- 1-hour average SAAQS = 11 ppb
- 24-hour average SAAQS = 3.6 ppb

Table 5 presents summary statistics for H_2S . The annual average concentration ranged from 0.2 ppb to 0.3 ppb among the six stations. The maximum 1-hour concentration of 79.9 ppb was detected at the Wauchope station and the maximum 24-hour concentration of 2.9 ppb was detected at the Weyburn station.

Although H_2S concentrations were generally low at all stations in comparison with the SAAQS for the majority of the time, there were occasional spikes causing exceedances of the 1-hour SAAQS. Table 6 summarizes the number of exceedance events for H_2S . The complete lists of exceedances can be found in Appendix I-O.

Figures 9 through 14 present the pollutant roses for 1-hour average concentration of H_2S . The measured concentration was low at all stations for the majority of the time; greater than 94% of the data was less than 3.6 ppb (the blue and dark green petals). There was a general trend where most of the high concentration events (>5 ppb) were associated with Light Air wind conditions (≤ 1.4 m/s).

At the Weyburn station, the exceedances and high concentration events (>5 ppb) were primarily associated with the SE-S (southeast to south) directions. The projected area is where more industrial activities exist, such as upstream oil and gas industry. 95% of the

1-hour exceedance events were detected during Light Air wind conditions. At the Glen Ewen station, the high concentration events (>5 ppb) were primarily associated with the west. At the Torquay station, the exceedances and high concentration events (>5 ppb) were associated with the NW direction. 99% of the 1-hour exceedance events were associated with Light Air wind conditions. At the Stoughton station, the high concentration events (>5 ppb) were associated with the SE direction. At the Wauchope station, the exceedances and high concentration events (>5 ppb) were detected the west and southeast. 97% of the 1-hour exceedance events were associated with Light Air wind conditions. At the Oxbow station, the high concentration events (>5 ppb) were primarily associated with winds from the west.

The detailed frequency distribution tables for 1-hour average H₂S data are presented in the Appendices: Table B-7, Table C-7, Table D-6, Table G-3, and H-2.

Table 5. Summary statistics for H₂S

Monitoring Station	Annual Average	Instrument Uptime	Maximum H ₂ S Conc. and Occurrence Time			
			1-hour Max.		24-hour Max.	
			ppb	Time	ppb	Date
Weyburn	0.3	99.5	27.6	Apr 06 08:00	2.9	Apr 06
Glen Ewen	0.2	98.1	3.0	Apr 27 05:00	0.8	Apr 27
Stoughton	0.3	80.5	18.4	Nov 20 08:00	2.3	Nov 18
Torquay	0.2	99.6	23.1	Apr 05 21:00	1.9	Oct 22
Wauchope ^a	0.2	35.7	79.9	Jan 25 15:00	0.5	Apr 12
Oxbow	0.2	100.0	18.2	July 23 09:00	1.1	July 17

a. Wauchope station only operational January 1 to June 5, 2021.

Table 6. Number of exceedance events for H₂S

Monitoring Station	No. of Exceedance to Saskatchewan H ₂ S Ambient Air Quality Standards (SAAQS)	
	1-hr SAAQS	24-hr SAAQS
	11 ppb	3.6 ppb
Weyburn	3	0
Glen Ewen	0	0
Stoughton	0	0
Torquay	3	0
Wauchope ^a	1	0
Oxbow	0	0

a. Wauchope station only operational January 1 to June 5, 2021




Figure 9. Pollutant rose for 1-hour average H₂S data at the Weyburn Station




Figure 10. Pollutant rose for 1-hour average H₂S data at the Glen Ewen Station




Figure 11. Pollutant rose for 1-hour average H₂S data at the Stoughton Station




Figure 12. Pollutant rose for 1-hour average H₂S data at the Torquay Station




Figure 13. Pollutant rose for 1-hour average H₂S data at the Wauchope Station




Figure 14. Pollutant rose for 1-hour average H₂S data at the Oxbow Station

2.3.3 Nitrogen Dioxide (NO₂)

Nitrogen oxides, also known as oxides of nitrogen (NO_x), is a collective term for nitric oxide (NO) and nitrogen dioxide (NO₂). Nitric oxide is a colorless, flammable gas with a slight odour. Nitrogen dioxide is a reddish brown, non-flammable gas with a pungent irritating odour. NO₂ is of more interest than NO from both a health and acid rain perspective.

NO_x can cause respiratory disease, damage vegetation, and reduce visibility. The primary concern with NO_x emissions is their contribution to formation of ground-level ozone, smog and acid rain. To a lesser extent, some NO_x compounds (e.g. N₂O) contribute to stratospheric ozone layer depletion and global warming.

NO_x emissions are mainly produced by fossil fuel combustion. High temperature conditions during combustion result in the formation of NO_x as a by-product. The major anthropogenic emission sources for NO_x are associated with fuel combustion, including both stationary sources, such as power plants, oil and gas industries, incinerators, as well as mobile sources such as automobiles. Non-combustion sources, for example nitric acid manufacture, welding processes and the use of explosives, comprise the smaller emission sources. In large cities, motor vehicle emission is the major source of NO_x.

The Saskatchewan Ministry of Environment regulates ambient air concentration for nitrogen dioxide. The Saskatchewan Ambient Air Quality Standards (SAAQS) for nitrogen dioxide are:

- 1-hour average SAAQS = 159 ppb
- annual average SAAQS = 24 ppb

Table 7 presents summary statistics for NO₂ for 2021. The measured NO₂ concentration was low at all stations in comparison with the SAAQS. The annual average concentration ranged from 0.8 ppb to 1.9 ppb. The maximum 1-hour concentration of 42.6 ppb and the maximum 24-hour concentration of 13.8 ppb were both detected at the Weyburn station. There was no exceedance of the 1-hour or annual SAAQS in 2021 (see Table 8).

Figures 15 through 98 present the pollutant roses for 1-hour average NO₂. The concentration at all stations was generally low; greater than 90% of the data was less than 5 ppb (the blue color petals). The Weyburn, Glen Ewen, Stoughton, and Oxbow pollutant roses reveal a higher percent of concentration events greater than 5 ppb than the other two stations. While industrial activities, such as upstream oil and gas industry

and/or coal-fired power plants, could be the potential sources, vehicular emissions may not be excluded. Some stations detected a diurnal trend showing a double-crest pattern with the peak NO₂ concentrations during the morning and afternoon/evening commuting hours.

The detailed frequency distribution tables for 1-hour NO₂ data are presented in Appendices: Table B-4, Table C-4, Table D-4, Table E-3, Table F-3, and Table H-2. The summary tables for NO and NO_x are in Tables B-3, B-5, C-3, C-5, D-3, D-5, E-2, E-4, F-2, F-4, and H-2.

Table 7. Summary statistics for NO₂

Monitoring Station	Annual Average	Instrument Uptime	Maximum NO ₂ Conc. and Occurrence Time			
			1-hour Max.		24-hour Max.	
			ppb	Time	ppb	Date
Weyburn	1.7	99.3	42.6	Jun 03 21:00	13.8	Jun 03
Glen Ewen	1.9	98.1	22.6	Apr 06 22:00	6.9	Jun 04
Stoughton	1.3	82.1	21.4	Jun 07 03:00	7.0	Feb 19
Esterhazy	1.3	100.0	30.0	Feb 15 07:00	8.1	Jan 08
Oxbow	0.8	100.0	17.9	Jun 4 01:00	5.1	Jun 04

Table 8. Number of exceedance events for NO₂

Monitoring Station	No. of Exceedance to Saskatchewan NO ₂ Ambient Air Quality Standards (SAAQS)	
	1-hr SAAQS	Annual SAAQS
	159 ppb	24 ppb
Weyburn	0	0
Glen Ewen	0	0
Stoughton	0	0
Esterhazy	0	0
Oxbow	0	0




Figure 15. Pollutant rose for 1-hour average NO₂ data at the Weyburn Station




Figure 16. Pollutant rose for 1-hour average NO₂ data at the Glen Ewen Station




Figure 17. Pollutant rose for 1-hour average NO₂ data at the Stoughton Station




Figure 18. Pollutant rose for 1-hour average NO₂ data at the Esterhazy Station




Figure 19. Pollutant rose for 1-hour average NO₂ data at the Oxbow Station

2.3.4 Ozone (O₃)

Ozone (O₃) is a pale blue gas, slightly soluble in water. Most people can detect a sharp odour resembling chlorine bleach at about 10 ppb concentration. Ozone can be formed by electrical discharges and high energy electromagnetic radiation. In the indoor environments, ozone can be present as a result of electronic equipment such as ionic air purifiers, laser printers, photocopiers, and arc welders.

In the ambient air, O₃ is a "secondary" pollutant, meaning it is not directly emitted from a source. Instead, ozone is produced from photochemical reactions between oxides of nitrogen (NO_x) and volatile organic compounds (VOC) in the presence of sunlight. Some research suggests that ground-level ozone could be from intrusion of ozone from the stratosphere, mixing from the upper troposphere, local photochemistry and the medium and long-range transport. There are split opinions regarding relative importance of these mechanisms. A study in Regina suggested that high ozone events could be due to downward transport from the stratosphere.

Exposure to ozone has been linked to premature mortality and a range of morbidity health end-points, such as hospital admissions and asthma symptoms. Acute exposure to high concentrations of ozone can cause eye irritation and breathing difficulty. Ozone can significantly impact vegetation and decrease the productivity of some crops. It damages cotton, acetate, nylon, polyester and other textile materials. Ozone can also damage other synthetic materials, cause cracks in rubber, accelerate fading of dyes, and speed deterioration of some paints and coatings.

The Saskatchewan Ambient Air Quality Standard (SAAQS) for ozone is:

- 1-hour average SAAQS = 82 ppb

The Canada-Wide Standard (CWS) for ozone is:

- 8-hour average CWS = 63 ppb; achievement assessment is based on the 4th highest measurement annually, averaged over three consecutive years.

Table 9 presents summary statistics for O₃. The annual average concentration ranged from 27 ppb to 30 ppb. The maximum 1-hour concentration of 73 ppb was detected at the Glen Ewen station. The maximum of the 4th highest 8-hour running average of 68 ppb was detected at the Esterhazy station. There was no exceedance of the 1-hour SAAQS (Table 10).

Figures 20 through 22 present the pollutant roses for 1-hour average concentration of O₃. The pollutant roses for all stations showed a higher west-northwest apparent directional trend for high concentration events.

The detailed frequency distribution table for the pollutant roses are presented in Appendices: Table B-6, Table C-6, Table E-5, and Table F-5.

Table 9. Summary statistics for O₃

Monitoring Station	Annual Average	Instrument Uptime	Maximum O ₃ Conc. and Occurrence Time			
			1-hour Max.		8-hour 4 th Highest	
	ppb	%	ppb	Time	ppb	Time
Weyburn	28	99.5	71	Jul 16 15:00	66	Jul 27 12:00
Glen Ewen	27	98.1	73	Aug 16 17:00	63	Aug 16 12:00
Esterhazy	30	99.9	72	Jul 16 16:00	68	Jul 16 10:00

Table 10. Number of SAAQS exceedance events for O₃

Monitoring Station	No. of Exceedance to Saskatchewan O ₃ Ambient Air Quality Standards (SAAQS)	
	1-hr SAAQS 82 ppb	
Weyburn	0	
Glen Ewen	0	
Esterhazy	0	




Figure 20. Pollutant rose for 1-hour average O₃ data at the Weyburn Station




Figure 21. Pollutant rose for 1-hour average O₃ data at the Glen Ewen Station




Figure 22. Pollutant rose for 1-hour average O₃ data at the Esterhazy Station

2.3.5 Fine Particulate Matter (PM_{2.5})

Particulate matter is unique among air pollutants, as it is identified by its size rather than by its composition. The major concern for particulate matter deals with small particles referred to as inhalable particulate, or PM₁₀. PM₁₀ is defined as particles that have an aerodynamic diameter less than 10 microns (or 0.01 mm). PM₁₀ can be divided into two groups of particles based on size: fine particles and coarse particles. The fine particles are those particles with an aerodynamic diameter smaller than 2.5 microns (0.0025 mm) and are identified as PM_{2.5}. In contrast, coarse particles are those with aerodynamic diameter greater than 2.5 microns and less than 10 microns.

Fine particles are generally emitted from activities such as industrial and residential combustion, and from vehicle exhaust. Fine particles are also formed in the atmosphere when gases such as sulphur dioxide, nitrogen oxides, and volatile organic compounds, emitted by combustion activities, are transformed by chemical reactions in the air.

Adverse health effects from breathing air with a high PM_{2.5} concentration include: premature death, increased respiratory symptoms and disease, chronic bronchitis, and decreased lung function particularly for individuals with asthma. Particulate matter can clog stomatal openings of plants and interfere with photosynthesis functions, leading to growth stunting or mortality in some plant species.

Saskatchewan endorses the Canada-Wide Standards (CWS) for fine particulate matter (PM_{2.5}):

- 28 µg/m³ averaged over a 24-hour period from midnight to midnight; the standard is based on the 98th percentile annually, averaged over three consecutive years.

Table 11 presents the summary statistics for PM_{2.5}. The annual average concentration ranged from 6 µg/m³ to 10 µg/m³. The maximum 1-hour concentration of 472 µg/m³ and the maximum 24-hour concentration of 92 µg/m³ were detected at the Stoughton and Esterhazy stations, respectively.

There were 57 exceedances of the 28 µg/m³ standard (see Table 13). Some exceedances were due to wildfire smoke and agricultural activities, while other events could not be identified. The complete lists of exceedances can be found in Appendix I-O.

Figures 23 through 28 present the pollutant roses for 1-hour average concentration of PM_{2.5}. Generally, the high concentration events (e.g. >10 µg/m³ in the yellow, orange

and red petals) were associated with all wind directions. There were no apparent directional trend identifiable from the pollutant roses. The potential sources for the SESAA monitoring stations included wildfire, agricultural activities, vehicular emissions, and industrial emissions.

The detailed frequency distribution tables for the pollutant roses are presented in Appendices: Table B-8, Table D-7, Table E-6, Table F-6, Table G-4, and Table H-2.

Table 11. Summary statistics for PM_{2.5}

Monitoring Station	Annual Average	Instrument Uptime	Maximum PM _{2.5} Conc. and Occurrence Time			
			1-hour Max.		24-hour Max.	
			µg/m ³	Time	µg/m ³	Date
Weyburn	10	96.3	187	Oct 02 11:00	65	Jul 19
Stoughton	6	88.0	472	Oct 02 13:00	55	Oct 02
Esterhazy	8	86.8	354	Oct 02 10:00	92	Oct 02
Torquay	7	99.6	335	Aug 03 17:00	62	Aug 05
Wauchope ^a	6	35.8	64	May 17 03:00	19	Jan 29
Oxbow	7	100.0	154	Oct 02 19:00	65	Oct 02

a. Wauchope station only operational January 1 to June 5, 2021

Table 112. Number of exceedance events for PM_{2.5}

Monitoring Station	No. of Exceedance to Canada-Wide PM _{2.5} Standards (CWS)	
	24-hr CWS	
	28 µg/m ³	
Weyburn	22	
Stoughton	3	
Esterhazy	16	
Torquay	12	
Wauchope ^a	0	
Oxbow	5	

Wauchope station only operational January 1 to June 5, 2021




Figure 23. Pollutant rose for 1-hour average $\text{PM}_{2.5}$ data at the Weyburn Station




Figure 24. Pollutant rose for 1-hour average $\text{PM}_{2.5}$ data at the Stoughton Station




Figure 25. Pollutant rose for 1-hour average PM_{2.5} data at the Esterhazy Station




Figure 26. Pollutant rose for 1-hour average PM_{2.5} data at the Torquay Station




Figure 27. Pollutant rose for 1-hour average PM_{2.5} data at the Wauchope Station





Figure 28. Pollutant rose for 1-hour average PM_{2.5} data at the Oxbow Station

2.4 Air Quality Health Index (AQHI)

The Air Quality Health Index (AQHI) is a health protection tool that is designed to help the public make decisions to protect their health by limiting short-term exposure to air pollution, and adjusting their activity levels during increased levels of air pollution. The AQHI uses readings from three air pollutants to calculate a single numerical value as the indicator of health risk. The three pollutants are fine particulate matter (PM_{2.5}), nitrogen dioxide (NO₂), and ground-level ozone (O₃). All three pollutants are required to calculate the AQHI.

Figure 29 summarizes the AQHI rating and the health messages for the at-risk population and the general population. The health risk is classified in categories by AQHI: Low Risk (1 to 3), Moderate Risk (4 to 6), High Risk (7 to 10), and Very High Risk (higher than 10).

The Weyburn and Esterhazy stations are eligible for AQHI reporting. Table 13 summarizes the occurrence statistics for AQHI by the health risk categories. Generally, the air quality was good from health risk perspectives; more than 95.4% of time the AQHI was rated in the Low-Risk category. The frequency of Moderate Risk category ranged from 4.4% to 6.6% for the stations. High Risk air quality was detected at both stations in October due to high PM_{2.5} concentrations attributed to wildfire smoke in the area.



Source: Environment Canada. <http://www.ec.gc.ca/cas-aqhi/default.asp?Lang=En>

Figure 29. Risk classification and health messages for Air Quality Health Index

Table 123. Summary of occurrence statistics for AQHI health risk rating

Monitoring Station	Occurrence Statistics	Occurrence Statistics by AQHI Health Risk Rating			
		Low Risk	Moderate Risk	High Risk	Very High Risk
Weyburn	Occurrence Hours	8120	570	2	0
	Occurrence Frequency	93.4%	6.6%	0.0%	0.0%
Esterhazy	Occurrence Hours	7368	333	13	3
	Occurrence Frequency	95.4%	4.4%	0.2%	0.0%

2.5 Air Quality Index (AQI)

The Glen Ewen, Stoughton, and Oxbow stations do not meet the reporting requirements for AQHI. The Air Quality Index (AQI) is used as an alternative index. The AQI index system is developed to provide the public with a meaningful and comparable measure of outdoor air quality. The AQI index is calculated from readings of five major air pollutants: SO₂, NO₂, O₃, PM_{2.5}, and carbon monoxide (CO). A minimum of three pollutants is required to calculate AQI. Air quality is rated in four categories according to AQI value: Good (0 to 25), Fair (26 to 50), Poor (51 to 100), and Very Poor (> 100). Table 14 summarizes the effects associated with the AQI ratings.

Table 15 summarizes the occurrence statistics for AQI rating. The Glen Ewen AQI was calculated from SO₂, NO₂, and O₃, as the airpointer® does not measure CO or PM_{2.5}. The Stoughton and Oxbow AQI was calculated from SO₂, NO₂, and PM_{2.5}, as the airpointer® does not measure CO or O₃.

The Air Quality Index at the Glen Ewen station was rated Good for 97.4% of time and was rated Fair 2.6% of time. In 2021, the AQI rating never fell in the Poor or Very Poor categories. The air quality was always Good during the winter months; Fair air quality was mostly detected between March and September.

The Air Quality Index at the Stoughton station was rated Good for 98.7% of time and was rated Fair 1.2% of time. There was 0.1% of the time in the Poor category; an increase in PM_{2.5} concentration was the major cause for these events. Generally, the AQI rating was Good during the winter months; deteriorated air quality tended to occur between March and September.

The Air Quality Index at the Oxbow station was rated Good for 98.1% of time and was rated Fair 1.5% of time. There was 0.1% of time in the Poor category. An increased PM_{2.5} concentration was associated with the Poor and Very Poor events.

Table 134. AQI rating and effect description

AQI	Air Quality Rating	Effect Description
0 – 25	Good	<u>Desirable Range</u> : No known harmful effects to soil, water, vegetation, animals, materials, visibility or human health. The long-term goal is for air quality to be in this range all of the time in Canada.
26 – 50	Fair	<u>Acceptable Range</u> : Adequate protection against harmful effects to soil, water, vegetation, animals, materials, visibility and human health.
51 – 100	Poor	<u>Tolerable Range</u> : Not all aspects of human health or the environment are adequately protected from possible adverse effects. Long-term control action may be necessary, depending on the frequency, duration and circumstances of the readings.
> 100	Very Poor	<u>Intolerable Range</u> : Continued high readings could pose a risk to public health.

Source: Clean Air Strategic Alliance (CASA) - www.casadata.org/airqualityindex/aqi/whatis.asp

Table 14. Summary of occurrence statistics for AQI rating



Monitoring Station	Occurrence Statistics	Number of Occurrence Hours and Frequency by AQI Rating			
		Good	Fair	Poor	Very Poor
Glen Ewen	Occurrence Hours	7984	209	0	0
	Occurrence Frequency	97.4%	2.6%	0.0%	0.0%
Stoughton	Occurrence Hours	6362	75	5	3
	Occurrence Frequency	98.7%	1.2%	0.1%	0.0%
Oxbow ^a	Occurrence Hours	6480	102	21	0
	Occurrence Frequency	-	1.5%	0.1%	0.0%

a. Oxbow station began operation December 1, 2021.

3.0 Audited Financial Statement

The 2021 audited financial summary for the SESAA is presented in the following table. The complete audited report is presented in Appendix P.

Table 15. SESAA financial summary for the year of 2021

As at December 31, 2014		
	2014	2013
Assets		
Current		
Cash	64,903	47,473
Prepaid expenses	7,227	8,287
Goods and Services Tax receivable	3,371	22,803
	75,501	78,583
Equipment (Note 3)	594,128	548,733
	669,629	627,296
Liabilities		
Current		
Accounts payable and accruals	21,889	105,164
Deferred contributions (Note 4)	279,049	180,000
	300,938	285,164
Net Assets		
Unrestricted net assets	368,691	342,132
	669,629	627,296
Approved on behalf of the Board		
 Director	 Director	
Daylene Sakires	D. Nielsen	

APPENDIX A. SASKATCHEWAN AMBIENT AIR QUALITY STANDARDS

Table A-1. Saskatchewan Ambient Air Quality Standards

TABLE 20: SASKATCHEWAN AMBIENT AIR QUALITY STANDARDS ($\mu\text{g}/\text{m}^3$)				
Air Pollutant	1 Hour	8 Hours	24 Hours	Annual
Particulate Matter ($\text{PM}_{2.5}$)			28 ^a	10
Particulate Matter (PM_{10})			50	
Total Suspended Particulates (TSP)			100	60 ^b
Nitrogen Dioxide (NO_2)	300 (159 ppb)		200 (106 ppb)	45 ^c (24 ppb)
Sulphur Dioxide (SO_2)	450 (172 ppb)		125 (48 ppb)	20 ^c (8 ppb)
Hydrogen Sulphide (H_2S)	15 (11 ppb)		5 (3.6 ppb)	
Ozone (O_3)	160 (82 ppb)	124 ^d (63 ppb)		
Carbon Monoxide (CO)	15,000 (13,000 ppb)	6,000 (5,000 ppb)		

Footnotes

(a) The 3-year average of the annual 98th percentile of the daily 24-hour average concentrations.

(b) Geometric means

(c) Arithmetic means

(d) The 3-year average of the annual 4th-highest daily maximum 8-hour average concentrations.

APPENDIX B. WEYBURN STATION: CONTINUOUS MONITORING DATA

Table B-1. Weyburn Station: Summary of airpointer® monitoring results for the year 2021

Parameter	Unit	Hours of Calibration & AIC ^a	Hours of Valid Data	Annual Percent Uptime	Summary Statistics for 1-Hour Average Data		
					Average	Minimum	Maximum
SO ₂	ppb	411	8307	99.5%	1.1	< 0.1	31.8
NO	ppb	408	8292	99.3%	0.8	< 0.1	153.6
NO ₂	ppb	408	8292	99.3%	1.7	< 0.1	42.6
NO _x	ppb	408	8292	99.3%	2.5	< 0.1	168.1
O ₃	ppb	412	8331	99.5%	28	< 1	71
H ₂ S	ppb	411	8307	99.5%	0.3	< 0.1	27.6
PM _{2.5}	µg/m ³	9	8715	99.6%	10	< 1	187
Ambient Temperature	°C	0	8724	99.6%	4.7	-38.7	35.7
Relative Humidity	%	0	8724	99.6%	60	< 1	91
Wind Speed	m/s	0	8731	99.7%	3.5	Calm	20.2

a. Automatic Instrument Check

Table B-2. Weyburn Station: Summary of airpointer® SO₂ monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤1	1 ~ 5	5 ~ 11	11 ~ 48	48 ~ 172	>172
January	704	98.9%	1.6	31.8	0	4.7	0	67.6	23.4	7.4	1.6	0.0	0.0
February	643	100.0%	1.0	15.8	0	4.0	0	76.0	18.7	4.2	1.1	0.0	0.0
March	704	100.0%	1.2	23.9	0	3.5	0	72.2	21.4	5.5	0.9	0.0	0.0
April	689	100.0%	0.9	18.8	0	3.0	0	80.3	14.8	3.9	1.0	0.0	0.0
May	698	97.9%	0.7	16.5	0	2.2	0	83.0	14.5	2.3	0.3	0.0	0.0
June	672	99.0%	0.9	14.7	0	2.7	0	78.4	16.4	4.2	1.0	0.0	0.0
July	711	99.7%	1.0	17.8	0	4.1	0	73.8	21.8	3.7	0.7	0.0	0.0
August	708	99.4%	1.1	17.2	0	4.3	0	79.5	13.6	5.4	1.6	0.0	0.0
September	677	99.6%	1.2	24.3	0	3.6	0	75.2	18.9	4.6	1.3	0.0	0.0
October	711	99.9%	1.1	19.2	0	3.8	0	74.0	20.3	5.1	0.7	0.0	0.0
November	689	100.0%	1.0	17.2	0	4.2	0	73.9	21.8	3.9	0.4	0.0	0.0
December	701	100.0%	1.3	13.4	0	3.2	0	64.3	30.2	5.1	0.3	0.0	0.0
Annual ^c	8307	99.5%	1.1	31.8	0	4.7	0	74.8	19.7	4.6	0.9	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 172 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 48 ppb

c. Annual Saskatchewan Ambient Air Quality Standard = 8 ppb

Table B-3. Weyburn Station: Summary of airpointer® NO monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	>159
January	705	98.9%	0.4	5.2	-	1.6	-	99.7	0.3	0.0	0.0	0.0	0.0
February	643	100.0%	0.6	4.8	-	1.0	-	100.0	0.0	0.0	0.0	0.0	0.0
March	704	100.0%	0.3	8.3	-	1.4	-	99.7	0.3	0.0	0.0	0.0	0.0
April	689	100.0%	0.2	5.6	-	0.5	-	99.9	0.1	0.0	0.0	0.0	0.0
May	698	97.9%	0.8	29.3	-	5.4	-	98.1	1.1	0.7	0.0	0.0	0.0
June	658	96.3%	3.8	153.6	-	29.0	-	89.5	4.7	4.1	1.2	0.5	0.0
July	710	99.6%	0.8	87.1	-	4.2	-	98.7	1.0	0.1	0.1	0.0	0.0
August	708	99.4%	0.3	3.5	-	0.6	-	100.0	0.0	0.0	0.0	0.0	0.0
September	677	99.6%	0.4	5.9	-	0.9	-	99.6	0.4	0.0	0.0	0.0	0.0
October	711	99.9%	0.4	15.8	-	1.6	-	98.5	1.4	0.1	0.0	0.0	0.0
November	688	99.9%	0.9	16.5	-	4.8	-	96.4	3.5	0.1	0.0	0.0	0.0
December	701	100.0%	0.5	10.6	-	1.2	-	99.7	0.3	0.0	0.0	0.0	0.0
Annual ^c	8292	99.3%	0.8	153.6	-	29.0	-	98.4	1.1	0.4	0.1	0.0	0.0

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. No 24-hour Saskatchewan Ambient Air Quality Standard

c. No annual Saskatchewan Ambient Air Quality Standard

Table B-4. Weyburn Station: Summary of airpointer® NO₂ monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	> 159
January	705	98.9%	1.9	15.9	0	7.8	-	94.0	5.9	0.1	0.0	0.0	0.0
February	643	100.0%	2.2	7.1	0	5.4	-	94.6	5.4	0.0	0.0	0.0	0.0
March	704	100.0%	1.8	11.6	0	4.8	-	97.6	2.4	0.0	0.0	0.0	0.0
April	689	100.0%	1.4	7.6	0	2.6	-	99.0	1.0	0.0	0.0	0.0	0.0
May	698	97.9%	2.8	25.2	0	6.5	-	84.2	14.6	1.1	0.0	0.0	0.0
June	658	96.3%	5.1	42.6	0	13.8	-	65.8	25.8	8.4	0.0	0.0	0.0
July	710	99.6%	2.3	22.4	0	5.7	-	91.7	7.7	0.6	0.0	0.0	0.0
August	708	99.4%	0.9	11.5	0	2.5	-	99.4	0.6	0.0	0.0	0.0	0.0
September	677	99.6%	0.8	9.9	0	1.9	-	97.6	2.4	0.0	0.0	0.0	0.0
October	711	99.9%	0.4	7.4	0	1.2	-	99.4	0.6	0.0	0.0	0.0	0.0
November	688	99.9%	0.4	8.9	0	1.7	-	99.3	0.7	0.0	0.0	0.0	0.0
December	701	100.0%	0.8	13.6	0	3.2	-	98.3	1.7	0.0	0.0	0.0	0.0
Annual ^c	8292	99.3%	1.7	42.6	0	13.8	-	93.5	5.7	0.8	0.0	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 159 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 106 ppb

c. Annual Saskatchewan Ambient Air Quality Standard = 24 ppb

Table B-5. Weyburn Station: Summary of airpointer® NOx monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	>159
January	705	98.9%	2.3	16.2	-	9.4	-	89.3	10.4	0.3	0.0	0.0	0.0
February	643	100.0%	2.8	8.7	-	6.4	-	88.5	11.5	0.0	0.0	0.0	0.0
March	704	100.0%	2.1	19.9	-	5.6	-	95.9	4.0	0.1	0.0	0.0	0.0
April	689	100.0%	1.6	10.4	-	2.9	-	98.8	1.2	0.0	0.0	0.0	0.0
May	698	97.9%	3.6	49.6	-	11.9	-	80.2	17.5	2.3	0.0	0.0	0.0
June	658	96.3%	8.9	168.1	-	38.4	-	54.4	33.0	9.6	2.6	0.3	0.2
July	710	99.6%	3.0	89.0	-	7.4	-	86.2	12.4	1.3	0.1	0.0	0.0
August	708	99.4%	1.2	12.9	-	2.8	-	98.2	1.8	0.0	0.0	0.0	0.0
September	677	99.6%	1.1	15.6	-	2.9	-	96.6	3.2	0.1	0.0	0.0	0.0
October	711	99.9%	0.9	22.6	-	1.8	-	97.5	2.4	0.1	0.0	0.0	0.0
November	688	99.9%	1.1	22.7	-	5.2	-	93.6	6.3	0.1	0.0	0.0	0.0
December	701	100.0%	1.2	20.9	-	4.4	-	96.6	3.0	0.4	0.0	0.0	0.0
Annual ^c	8292	99.3%	2.5	168.1	-	38.4	-	89.8	8.8	1.2	0.2	0.0	0.0

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. No 24-hour Saskatchewan Ambient Air Quality Standard

c. No annual Saskatchewan Ambient Air Quality Standard

Table B-6. Weyburn Station: Summary of airpointer® O₃ monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 8-Hr Conc. (ppb)	8-Hour Conc. Above CWS ^b (no.)	Percent of Data in each Concentration Range					
								≤10	10 ~ 20	20 ~ 40	40 ~ 63	63 ~ 82	>82
January	727	98.8%	27	43	0	39	0	4.1	7.7	87.8	0.4	0.0	0.0
February	643	100.0%	30	45	0	41	0	0.0	9.3	87.7	3.0	0.0	0.0
March	704	100.0%	28	47	0	43	0	0.4	17.5	72.9	9.2	0.0	0.0
April	689	100.0%	33	54	0	52	0	0.9	9.6	59.1	30.5	0.0	0.0
May	698	97.9%	29	59	0	57	0	4.9	23.8	46.6	24.8	0.0	0.0
June	673	99.0%	30	66	0	63	0	14.6	15.0	39.7	29.3	1.5	0.0
July	711	99.7%	33	71	0	66	4	5.6	19.8	38.3	34.2	2.1	0.0
August	708	99.4%	30	62	0	56	0	2.0	21.0	55.9	21.0	0.0	0.0
September	677	99.6%	27	55	0	50	0	4.6	27.6	54.8	13.0	0.0	0.0
October	711	99.9%	21	52	0	43	0	6.9	43.0	46.7	3.4	0.0	0.0
November	689	100.0%	20	37	0	33	0	11.0	39.0	49.9	0.0	0.0	0.0
December	701	100.0%	27	40	0	39	0	1.1	11.0	87.9	0.0	0.0	0.0
Annual ^c	8307	99.5%	28	71	0	66	4	4.7	20.4	60.6	14.1	0.3	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 82 ppb

b. 8-hour Canada-Wide Standard = 63 ppb

c. No annual Saskatchewan Ambient Air Quality Standard

Table B-7. Weyburn Station: Summary of airpointer® H₂S monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤1	1 ~ 3.6	3.6 ~ 5	5 ~ 8	8 ~ 11	>11
January	702	98.6%	0.3	3.4	0	0.8	0	97.9	2.1	0.0	0.0	0.0	0.0
February	643	100.0%	0.2	6.1	0	0.7	0	98.6	1.2	0.0	0.2	0.0	0.0
March	705	100.0%	0.3	2.8	0	0.8	0	99.6	0.4	0.0	0.0	0.0	0.0
April	689	100.0%	0.3	27.6	2	2.9	0	98.4	1.2	0.0	0.1	0.0	0.3
May	698	97.9%	0.3	3.4	0	0.6	0	98.0	2.0	0.0	0.0	0.0	0.0
June	673	99.0%	0.5	4.4	0	1.4	0	89.7	10.1	0.1	0.0	0.0	0.0
July	711	99.7%	0.3	5.6	0	1.2	0	92.4	7.3	0.1	0.1	0.0	0.0
August	708	99.4%	0.4	10.8	0	1.2	0	90.0	9.3	0.4	0.1	0.1	0.0
September	677	99.6%	0.3	4.7	0	1.2	0	93.9	5.0	1.0	0.0	0.0	0.0
October	711	99.9%	0.3	8.0	0	1.1	0	94.4	4.9	0.4	0.3	0.0	0.0
November	689	100.0%	0.2	6.8	0	1.0	0	96.1	3.5	0.0	0.4	0.0	0.0
December	701	100.0%	0.2	12.0	1	0.8	0	97.6	2.0	0.1	0.1	0.0	0.1
Annual ^c	8307	99.5%	0.3	27.6	3	2.9	0	95.5	4.1	0.2	0.1	0.0	0.0

- a. 1-hour Saskatchewan Ambient Air Quality Standard = 11 ppb
b. 24-hour Saskatchewan Ambient Air Quality Standard = 3.6 ppb
c. No annual Saskatchewan Ambient Air Quality Standard

Table B-8. Weyburn Station: Summary of airpointer® PM_{2.5} monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (µg/m ³)	Maximum 1-Hr Conc. (µg/m ³)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (µg/m ³)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 10	10 ~ 15	15 ~ 28	28 ~ 80	>80
January	736	99.0%	7	33	-	22	0	30	59	6	5	1	0
February	672	100.0%	6	16	-	12	0	24	70	5	1	0	0
March	744	100.0%	7	20	-	14	0	0	91	8	1	0	0
April	720	100.0%	8	36	-	13	0	0	90	8	1	0	0
May	729	98.0%	8	48	-	11	0	11	77	10	2	1	0
June	705	99.2%	12	34	-	18	0	1	31	48	19	1	0
July	742	99.7%	27	107	-	65	11	0	0	0	67	32	1
August	740	99.5%	27	98	-	60	9	0	0	8	64	28	0
September	720	100.0%	9	52	-	21	0	52	13	11	23	2	0
October	743	99.9%	6	187	-	35	2	75	12	4	3	6	0
November	720	100.0%	1	14	-	6	0	96	3	1	0	0	0
December	744	100.0%	1	10	-	7	0	95	5	0	0	0	0
Annual ^c	8715	99.6%	10	187	-	65	22	32.2	37.4	8.8	15.6	5.9	0.1

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. 24-hour Canada-Wide Standard = 28 µg/m³

c. No annual Saskatchewan Ambient Air Quality Standard

Table B-9. Weyburn Station: Summary of airpointer® ambient temperature monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Temp. (°C)	Minimum 1-Hr Temp. (°C)	Maximum 1-Hr Temp. (°C)	Percent of Data in each Temperature Range					
						≤-30	-30 ~ -15	-15 ~ 0	0 ~ 15	15 ~ 30	>30
January	760	99.0%	-8.2	-30.3	6.8	0.4	17.6	69.9	12.1	0.0	0.0
February	672	100.0%	-17.3	-38.7	4.4	12.5	48.2	30.1	9.2	0.0	0.0
March	744	100.0%	0.4	-23.1	19.8	0.0	2.3	44.5	51.7	1.5	0.0
April	720	100.0%	4.1	-10.3	26.2	0.0	0.0	34.3	55.1	10.6	0.0
May	729	98.0%	10.4	-6.7	30.0	0.0	0.0	6.2	67.6	26.1	0.1
June	714	99.2%	18.9	3.0	34.3	0.0	0.0	0.0	31.2	63.3	5.5
July	742	99.7%	21.8	7.9	35.1	0.0	0.0	0.0	14.7	74.0	11.3
August	740	99.5%	18.6	5.5	35.7	0.0	0.0	0.0	37.2	55.9	6.9
September	720	100.0%	14.9	-0.8	33.7	0.0	0.0	0.4	54.0	43.2	2.4
October	743	99.9%	6.9	-8.6	30.7	0.0	0.0	11.2	73.5	14.8	0.5
November	720	100.0%	-1.3	-18.9	16.6	0.0	1.5	55.8	41.9	0.7	0.0
December	744	100.0%	-13.7	-36.1	8.3	7.7	37.8	45.0	9.5	0.0	0.0
Annual	8724	99.6%	4.7	-38.7	35.7	1.6	8.8	24.9	38.2	24.2	2.2


Table B-10. Weyburn Station: Summary of airpointer® relative humidity monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average RH (%)	Minimum 1-Hr RH (%)	Maximum 1-Hr RH (%)	Percent of Data in each Relative Humidity Range					
						≤15	15 ~ 30	30 ~ 60	60 ~ 80	80 ~ 90	>90
January	760	99.0%	70	52	84	3.2	0.0	3.8	82.8	10.3	0.0
February	672	100.0%	67	49	85	0.0	0.0	10.9	85.0	4.2	0.0
March	744	100.0%	63	23	88	0.0	3.9	31.6	47.3	17.2	0.0
April	720	100.0%	51	16	86	0.0	21.4	40.4	26.4	11.8	0.0
May	729	98.0%	48	12	90	2.7	25.9	39.4	20.2	11.8	0.0
June	714	99.2%	54	14	90	0.7	14.8	43.7	25.4	15.4	0.0
July	742	99.7%	59	19	91	0.0	9.6	38.1	31.1	19.9	1.2
August	740	99.5%	57	13	89	1.6	13.2	37.2	29.6	18.4	0.0
September	720	100.0%	48	0	88	1.7	20.8	43.8	27.8	6.0	0.0
October	743	99.9%	60	12	88	1.1	8.6	34.2	38.1	18.0	0.0
November	720	100.0%	69	7	89	0.3	0.8	19.3	67.1	12.5	0.0
December	744	100.0%	69	28	85	0.0	0.1	7.9	81.0	10.9	0.0
Annual	8760	99.6%	60	0	91	0.9	9.9	29.2	46.7	13.1	0.1

Table B-11. Weyburn Station: airpointer® wind frequency table for the year 2021

Wind Direction Sector	Percent of Data in each Wind Speed Range, wind speed unit m/s						Totals
	0.3 ~ 1.4	1.4 ~ 3.1	3.1 ~ 7.8	7.8 ~ 10.6	10.6 ~ 13.6	>13.6	
North NorthEast	0.5%	0.8%	2.1%	0.2%	0.0%	0.0%	3.6%
NorthEast	0.4%	0.7%	0.8%	0.2%	0.0%	0.0%	2.1%
East NorthEast	0.5%	0.8%	0.6%	0.1%	0.0%	0.0%	2.1%
East	0.4%	0.7%	1.2%	0.0%	0.0%	0.0%	2.4%
East SouthEast	1.3%	2.9%	4.4%	0.3%	0.0%	0.0%	8.9%
SouthEast	2.2%	3.5%	1.6%	0.0%	0.0%	0.0%	7.4%
South SouthEast	3.6%	4.5%	0.7%	0.0%	0.0%	0.0%	8.9%
South	3.0%	1.8%	0.2%	0.0%	0.0%	0.0%	4.9%
South SouthWest	1.9%	1.9%	0.6%	0.0%	0.0%	0.0%	4.4%
SouthWest	1.6%	1.9%	1.9%	0.0%	0.0%	0.0%	5.4%
West SouthWest	1.2%	3.0%	3.1%	0.1%	0.0%	0.0%	7.5%
West	1.2%	3.0%	3.8%	0.2%	0.2%	0.1%	8.5%
West NorthWest	1.2%	2.6%	5.0%	1.2%	0.4%	0.1%	10.6%
NorthWest	1.0%	2.3%	7.0%	2.0%	0.8%	0.2%	13.2%
North NorthWest	0.6%	1.8%	3.0%	0.3%	0.0%	0.0%	5.8%
North	0.5%	1.1%	1.8%	0.1%	0.0%	0.0%	3.4%
Total	21.3%	33.2%	37.8%	4.8%	1.4%	0.5%	99.1%

Percent Calm (≤ 0.3 m/s)	0.9%
Number of Valid Hourly-Average Data	8731
Total Workable Hours in Time Period	8760



APPENDIX C. GLEN EWEN STATION: CONTINUOUS MONITORING DATA

Table C-1. Glen Ewen Station: Summary of airpointer® monitoring results for the year 2021

Parameter	Unit	Hours of Calibration & AIC ^a	Hours of Valid Data	Annual Percent Uptime	Summary Statistics for 1-Hour Average Data		
					Average	Minimum	Maximum
SO ₂	ppb	406	8193	98.1%	0.5	< 0.1	26.2
NO	ppb	406	8192	98.1%	0.4	< 0.1	32.4
NO ₂	ppb	406	8192	98.1%	1.9	< 0.1	22.6
NO _x	ppb	406	8192	98.1%	2.2	< 0.1	44.9
O ₃	ppb	406	8192	98.1%	27	< 1	73
H ₂ S	ppb	406	8193	98.1%	0.2	< 0.1	3.0
Ambient Temperature	°C	0	8600	98.2%	4.4	-36.9	37.5
Relative Humidity	%	0	8599	98.2%	65	< 1	96
Wind Speed	m/s	0	8600	98.2%	3.3	Calm	23.8

a. Automatic Instrument Check

Table C-2. Glen Ewen Station: Summary of airpointer® SO₂ monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤1	1 ~ 5	5 ~ 11	11 ~ 48	48 ~ 172	>172
January	722	100.0%	0.9	9.7	0	2.6	0	76.4	21.2	2.4	0.0	0.0	0.0
February	642	100.0%	1.4	14.2	0	5.5	0	64.6	28.2	6.4	0.8	0.0	0.0
March	707	100.0%	0.4	11.6	0	1.4	0	89.3	10.3	0.3	0.1	0.0	0.0
April	685	99.4%	0.3	13.5	0	2.1	0	93.6	5.1	1.2	0.1	0.0	0.0
May	705	99.2%	0.2	9.3	0	1.2	0	92.5	6.7	0.9	0.0	0.0	0.0
June	677	99.6%	0.5	14.2	0	2.2	0	86.1	12.3	1.3	0.3	0.0	0.0
July	570	79.4%	0.2	5.8	0	1.1	0	95.1	4.7	0.2	0.0	0.0	0.0
August	711	100.0%	0.3	26.2	0	1.9	0	91.1	8.4	0.3	0.1	0.0	0.0
September	680	100.0%	0.4	10.6	0	1.7	0	88.1	10.6	1.3	0.0	0.0	0.0
October	712	100.0%	0.3	11.7	0	2.0	0	93.5	5.2	1.1	0.1	0.0	0.0
November	689	100.0%	0.3	11.7	0	2.8	0	89.6	9.3	1.0	0.1	0.0	0.0
December	703	100.0%	1.0	15.2	0	3.2	0	73.3	21.9	4.4	0.4	0.0	0.0
Annual ^c	8193	98.1%	0.5	26.2	0	5.5	0	86.1	12.0	1.7	0.2	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 172 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 48 ppb

c. Annual Saskatchewan Ambient Air Quality Standard = 8 ppb

Table C-3. Glen Ewen Station: Summary of airpointer® NO monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	>159
January	711	99.9%	0.7	3.4	-	1.1	-	100.0	0.0	0.0	0.0	0.0	0.0
February	642	100.0%	0.4	5.1	-	1.4	-	99.8	0.2	0.0	0.0	0.0	0.0
March	707	100.0%	0.2	5.3	-	0.5	-	99.9	0.1	0.0	0.0	0.0	0.0
April	685	99.4%	0.3	17.5	-	1.7	-	99.9	0.0	0.1	0.0	0.0	0.0
May	705	99.2%	0.4	22.5	-	1.8	-	99.3	0.6	0.1	0.0	0.0	0.0
June	677	99.6%	0.3	6.3	-	1.0	-	99.7	0.3	0.0	0.0	0.0	0.0
July	570	79.4%	0.2	3.2	-	0.7	-	100.0	0.0	0.0	0.0	0.0	0.0
August	711	100.0%	0.2	7.0	-	0.6	-	99.7	0.3	0.0	0.0	0.0	0.0
September	680	100.0%	0.2	3.1	-	0.5	-	100.0	0.0	0.0	0.0	0.0	0.0
October	712	100.0%	0.3	6.7	-	0.9	-	99.6	0.4	0.0	0.0	0.0	0.0
November	689	100.0%	0.5	32.4	-	3.7	-	98.5	0.7	0.7	0.0	0.0	0.0
December	703	100.0%	0.4	6.9	-	0.9	-	99.7	0.3	0.0	0.0	0.0	0.0
Annual ^c	8192	98.1%	0.4	32.4	-	3.7	-	99.7	0.2	0.1	0.0	0.0	0.0

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. No 24-hour Saskatchewan Ambient Air Quality Standard

c. No annual Saskatchewan Ambient Air Quality Standard

Table C-4. Glen Ewen Station: Summary of airpointer® NO₂ monitoring results for the year

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	>159
January	711	99.9%	2.0	11.2	0	5.0	-	93.5	6.5	0.0	0.0	0.0	0.0
February	642	100.0%	0.8	17.4	0	4.0	-	98.9	0.9	0.2	0.0	0.0	0.0
March	707	100.0%	0.9	9.8	0	2.4	-	98.4	1.6	0.0	0.0	0.0	0.0
April	685	99.4%	2.0	22.6	0	5.0	-	90.1	9.3	0.6	0.0	0.0	0.0
May	705	99.2%	3.2	22.4	0	6.2	-	79.9	19.3	0.9	0.0	0.0	0.0
June	677	99.6%	2.9	14.8	0	6.9	-	81.8	18.2	0.0	0.0	0.0	0.0
July	570	79.4%	1.4	7.8	0	2.8	-	97.4	2.6	0.0	0.0	0.0	0.0
August	711	100.0%	1.2	19.5	0	3.3	-	96.8	3.1	0.1	0.0	0.0	0.0
September	680	100.0%	1.5	16.0	0	2.6	-	96.8	2.9	0.3	0.0	0.0	0.0
October	712	100.0%	1.9	10.0	0	2.9	-	94.9	5.1	0.0	0.0	0.0	0.0
November	689	100.0%	2.5	10.2	0	5.5	-	92.9	7.1	0.0	0.0	0.0	0.0
December	703	100.0%	2.4	11.5	0	4.9	-	93.6	6.4	0.0	0.0	0.0	0.0
Annual ^c	8192	98.1%	1.9	22.6	0	6.9	-	92.8	7.0	0.2	0.0	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 159 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 106 ppb

c. Annual Saskatchewan Ambient Air Quality Standard = 24 ppb

Table C-5. Glen Ewen Station: Summary of airpointer® NOx monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	>159
January	711	99.9%	2.4	12.2	-	6.3	-	89.5	10.5	0.0	0.0	0.0	0.0
February	642	100.0%	1.1	19.7	-	4.7	-	98.0	1.9	0.2	0.0	0.0	0.0
March	707	100.0%	1.1	13.1	-	2.5	-	98.4	1.6	0.0	0.0	0.0	0.0
April	685	99.4%	2.3	26.0	-	6.8	-	89.2	10.1	0.7	0.0	0.0	0.0
May	705	99.2%	3.6	44.9	-	7.7	-	76.3	22.0	1.7	0.0	0.0	0.0
June	677	99.6%	3.3	16.8	-	7.6	-	77.1	22.3	0.6	0.0	0.0	0.0
July	570	79.4%	1.6	9.2	-	3.0	-	96.3	3.7	0.0	0.0	0.0	0.0
August	711	100.0%	1.4	19.6	-	3.3	-	96.3	3.4	0.3	0.0	0.0	0.0
September	680	100.0%	1.7	18.5	-	2.8	-	95.4	4.3	0.3	0.0	0.0	0.0
October	712	100.0%	2.1	15.0	-	3.7	-	92.6	7.3	0.1	0.0	0.0	0.0
November	689	100.0%	2.9	39.9	-	9.2	-	89.8	9.1	1.0	0.0	0.0	0.0
December	703	100.0%	2.7	14.6	-	5.4	-	92.2	7.8	0.0	0.0	0.0	0.0
Annual ^c	8192	98.1%	2.2	44.9	-	9.2	-	90.8	8.8	0.4	0.0	0.0	0.0

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. No 24-hour Saskatchewan Ambient Air Quality Standard

c. No annual Saskatchewan Ambient Air Quality Standard

Table C-6. Glen Ewen Station: Summary of airpointer® O₃ monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 8-Hr Conc. (ppb)	8-Hr Conc. Above CWS ^b (no.)	Percent of Data in each Concentration Range					
								≤10	10 ~ 20	20 ~ 40	40 ~ 63	63 ~ 82	>82
January	711	99.9%	26	38	0	37	0	3.8	13.2	83.0	0.0	0.0	0.0
February	642	100.0%	27	41	0	40	0	1.1	13.9	84.0	1.1	0.0	0.0
March	707	100.0%	27	46	0	42	0	2.4	16.8	72.3	8.5	0.0	0.0
April	685	99.4%	32	55	0	53	0	1.2	8.8	69.5	20.6	0.0	0.0
May	705	99.2%	30	59	0	58	0	4.7	21.4	46.2	27.7	0.0	0.0
June	677	99.6%	31	71	0	63	0	2.8	16.0	57.5	23.0	0.7	0.0
July	570	79.4%	31	59	0	54	0	1.1	19.3	51.4	28.2	0.0	0.0
August	711	100.0%	29	73	0	62	0	5.2	24.9	49.2	20.1	0.6	0.0
September	680	100.0%	28	57	0	50	0	2.9	22.2	62.9	11.9	0.0	0.0
October	712	100.0%	22	51	0	47	0	7.4	43.3	43.3	6.0	0.0	0.0
November	689	100.0%	19	37	0	33	0	13.6	41.7	44.7	0.0	0.0	0.0
December	703	100.0%	26	36	0	34	0	0.6	12.2	87.2	0.0	0.0	0.0
Annual ^c	8192	98.1%	27	73	0	63	0	4.0	21.2	62.7	12.0	0.1	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 82 ppb

b. 8-hour Canada-Wide Standard = 63 ppb

c. No annual Saskatchewan Ambient Air Quality Standard

Table C-7. Glen Ewen Station: Summary of airpointer® H₂S monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤1	1 ~ 3.6	3.6 ~ 5	5 ~ 8	8 ~ 11	>11
January	712	100.0%	0.3	1.4	0	0.5	0	99.9	0.1	0.0	0.0	0.0	0.0
February	642	100.0%	0.2	0.7	0	0.5	0	100.0	0.0	0.0	0.0	0.0	0.0
March	707	100.0%	0.3	1.1	0	0.5	0	99.9	0.1	0.0	0.0	0.0	0.0
April	685	99.4%	0.3	3.0	0	0.8	0	98.8	1.2	0.0	0.0	0.0	0.0
May	705	99.2%	0.3	1.4	0	0.6	0	99.4	0.6	0.0	0.0	0.0	0.0
June	677	99.6%	0.2	1.0	0	0.4	0	100.0	0.0	0.0	0.0	0.0	0.0
July	570	79.4%	0.1	1.0	0	0.5	0	99.8	0.2	0.0	0.0	0.0	0.0
August	711	100.0%	< 0.1	0.6	0	0.1	0	100.0	0.0	0.0	0.0	0.0	0.0
September	680	100.0%	< 0.1	1.0	0	0.2	0	99.7	0.3	0.0	0.0	0.0	0.0
October	712	100.0%	< 0.1	1.0	0	0.3	0	99.9	0.1	0.0	0.0	0.0	0.0
November	689	100.0%	< 0.1	1.1	0	0.2	0	99.9	0.1	0.0	0.0	0.0	0.0
December	703	100.0%	< 0.1	1.2	0	0.1	0	99.7	0.3	0.0	0.0	0.0	0.0
Annual ^c	8193	98.1%	0.2	3.0	0	0.8	0	99.7	0.3	0.0	0.0	0.0	0.0

- a. 1-hour Saskatchewan Ambient Air Quality Standard = 11 ppb
b. 24-hour Saskatchewan Ambient Air Quality Standard = 3.6 ppb
c. No annual Saskatchewan Ambient Air Quality Standard

Table C-8. Glen Ewen Station: Summary of airpointer® ambient temperature results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Temp. (°C)	Minimum 1-Hr Temp. (°C)	Maximum 1-Hr Temp. (°C)	Percent of Data in each Temperature Range					
						≤-30	-30~ -15	≥15-0	>0-15	>15-30	>30
January	768	100.0%	-8.2	-30.8	4.7	0.7	16.1	74.6	8.6	0.0	0.0
February	672	100.0%	-17.4	-36.9	4.6	15.2	44.5	32.1	8.2	0.0	0.0
March	744	100.0%	0.3	-22.5	17.9	0.0	2.0	47.6	49.2	1.2	0.0
April	716	99.4%	4.2	-9.6	26.2	0.0	0.0	31.8	57.8	10.3	0.0
May	739	99.3%	10.6	-6.1	28.0	0.0	0.0	6.9	67.7	25.4	0.0
June	717	99.6%	19.0	4.4	33.8	0.0	0.0	0.0	28.9	67.4	3.8
July	596	80.1%	21.4	6.8	33.7	0.0	0.0	0.0	14.8	79.4	5.9
August	744	100.0%	18.4	5.7	37.5	0.0	0.0	0.0	38.4	55.2	6.3
September	720	100.0%	15.1	0.6	31.2	0.0	0.0	0.0	51.8	47.2	1.0
October	744	100.0%	7.3	-7.8	31.9	0.0	0.0	11.7	72.4	15.3	0.5
November	720	100.0%	-1.8	-20.5	16.8	0.0	2.2	61.5	35.1	1.1	0.0
December	744	100.0%	-13.6	-34.4	6.7	5.4	42.7	44.1	7.8	0.0	0.0
Annual	8600	98.2%	4.4	-36.9	37.5	1.7	9.0	26.4	37.2	24.4	1.4


Table C-9. Glen Ewen Station: Summary of airpointer® relative humidity results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average RH (%)	Minimum 1-Hr RH (%)	Maximum 1-Hr RH (%)	Percent of Data in each Relative Humidity Range					
						≤15	15 ~ 30	30 ~ 60	60 ~ 80	80 ~ 90	>90
January	768	100.0%	76	60	90	3.0	0.0	0.0	51.8	45.2	0.0
February	672	100.0%	72	52	89	0.0	0.0	4.0	76.6	19.3	0.0
March	744	100.0%	65	26	93	0.0	2.2	32.1	44.2	18.8	2.7
April	716	99.4%	53	14	91	0.3	20.9	39.1	21.6	16.5	1.5
May	738	99.2%	53	16	95	0.0	21.0	40.0	23.3	13.6	2.2
June	717	99.6%	60	18	95	0.0	8.2	42.5	28.2	12.1	8.9
July	596	80.1%	68	22	96	0.0	3.9	28.5	33.2	24.7	9.7
August	744	100.0%	65	14	95	0.4	7.0	32.7	25.3	25.0	9.7
September	720	100.0%	55	19	94	0.0	13.9	43.2	27.1	13.1	2.8
October	744	100.0%	65	12	94	1.2	7.0	26.7	34.9	25.9	4.2
November	720	100.0%	74	26	93	0.0	1.0	13.2	48.9	30.6	6.4
December	744	100.0%	75	46	91	0.0	0.0	1.9	73.1	24.1	0.9
Annual	8599	98.2%	65	12	96	0.4	7.1	25.3	40.7	22.5	4.0

Table C-10. Glen Ewen Station: airpointer® wind frequency table for the year 2021

Wind Direction Sector	Percent of Data in each Wind Speed Range, wind speed unit m/s						Totals
	0.3 ~ 1.4	1.4 ~ 3.1	3.1 ~ 7.8	7.8 ~ 10.6	10.6 ~ 13.6	>13.6	
North NorthEast	1.6%	1.4%	0.9%	0.0%	0.0%	0.0%	4.0%
NorthEast	1.9%	1.2%	0.3%	0.0%	0.0%	0.0%	3.4%
East NorthEast	1.5%	1.2%	0.1%	0.0%	0.0%	0.0%	2.7%
East	1.9%	2.5%	1.4%	0.0%	0.0%	0.0%	5.8%
East SouthEast	0.9%	2.1%	4.4%	0.0%	0.0%	0.0%	7.5%
SouthEast	0.6%	1.8%	4.7%	0.3%	0.0%	0.0%	7.5%
South SouthEast	0.8%	1.5%	1.7%	0.2%	0.0%	0.0%	4.2%
South	0.7%	1.2%	1.1%	0.1%	0.0%	0.0%	3.2%
South SouthWest	0.8%	1.5%	0.7%	0.0%	0.0%	0.0%	2.9%
SouthWest	1.1%	1.9%	1.1%	0.0%	0.0%	0.0%	4.2%
West SouthWest	1.3%	2.7%	2.9%	0.1%	0.0%	0.0%	6.9%
West	1.6%	4.7%	4.9%	0.2%	0.1%	0.0%	11.6%
West NorthWest	1.1%	2.8%	8.7%	1.1%	0.4%	0.0%	14.2%
NorthWest	1.0%	2.2%	4.8%	0.5%	0.3%	0.0%	8.7%
North NorthWest	1.3%	1.9%	2.6%	0.1%	0.0%	0.0%	5.9%
North	1.8%	1.8%	1.4%	0.0%	0.0%	0.0%	5.0%
Total	20.0%	32.3%	41.8%	2.7%	0.9%	0.1%	97.7%

Percent Calm (≤ 0.3 m/s)	2.3%
Number of Valid Hourly-Average Data	8600
Total Workable Hours in Time Period	8760



APPENDIX D. STOUGHTON STATION: CONTINUOUS MONITORING DATA

Table D-1. Stoughton Station: Summary of airpointer® monitoring results for the year 2021

Parameter	Unit	Hours of Calibration & AIC ^a	Hours of Valid Data	Annual Percent Uptime	Summary Statistics for 1-Hour Average Data		
					Average	Minimum	Maximum
SO ₂	ppb	336	6655	79.0%	0.3	< 0.1	14.3
NO	ppb	344	6909	82.1%	0.8	< 0.1	55.4
NO ₂	ppb	344	6909	82.1%	1.3	< 0.1	21.4
NO _x	ppb	326	7288	82.1%	1.6	< 0.1	40.5
H ₂ S	ppb	336	6780	79.0%	0.2	< 0.1	8.6
PM _{2.5}	µg/m ³	4	7699	88.0%	6	< 1	472
Ambient Temperature	°C	0	7763	88.6%	2.2	-37.4	35.0
Relative Humidity	%	0	7763	88.6%	63	< 1	90
Wind Speed	m/s	0	7750	87.8%	3.1	Calm	18.1

a. Automatic Instrument Check

Table D-2. Stoughton Station: Summary of airpointer® SO₂ monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤1	1 ~ 5	5 ~ 11	11 ~ 48	48 ~ 172	>172
January	712	100.0%	0.4	14.3	0	2.2	0	94.8	4.8	0.3	0.1	0.0	0.0
February	643	100.0%	0.4	6.2	0	2.1	0	91.0	8.7	0.3	0.0	0.0	0.0
March	607	85.3%	0.4	3.6	0	1.5	0	89.6	10.4	0.0	0.0	0.0	0.0
April	546	78.3%	0.1	6.2	0	1.1	0	97.1	2.6	0.4	0.0	0.0	0.0
May	580	80.8%	0.2	4.6	0	0.8	0	97.1	2.9	0.0	0.0	0.0	0.0
June	600	87.5%	0.2	2.8	0	0.7	0	97.0	3.0	0.0	0.0	0.0	0.0
July	215	29.3%	0.4	7.1	0	1.0	0	85.1	14.4	0.5	0.0	0.0	0.0
August	260	35.5%	< 0.1	1.5	0	0.2	0	99.2	0.8	0.0	0.0	0.0	0.0
September	679	100.0%	0.1	4.0	0	0.6	0	97.5	2.5	0.0	0.0	0.0	0.0
October	553	76.8%	0.2	2.9	0	1.0	0	94.9	5.1	0.0	0.0	0.0	0.0
November	566	81.4%	0.2	2.6	0	0.9	0	95.4	4.6	0.0	0.0	0.0	0.0
December	694	98.7%	0.3	3.9	0	1.2	0	91.1	8.9	0.0	0.0	0.0	0.0
Annual ^c	6655	79.0%	0.3	14.3	0	2.2	0	94.4	5.5	0.1	0.0	0.0	0.0

- a. 1-hour Saskatchewan Ambient Air Quality Standard = 172 ppb
b. 24-hour Saskatchewan Ambient Air Quality Standard = 48 ppb
c. Annual Saskatchewan Ambient Air Quality Standard = 8 ppb

Table D-3. Stoughton Station: Summary of airpointer® NO monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	>159
January	712	100.0%	0.8	12.0	-	1.9	-	99.9	0.1	0.0	0.0	0.0	0.0
February	643	100.0%	0.9	7.1	-	2.8	-	98.9	1.1	0.0	0.0	0.0	0.0
March	604	84.7%	0.6	8.4	-	4.2	-	97.7	2.3	0.0	0.0	0.0	0.0
April	541	77.7%	0.6	18.2	-	2.8	-	99.4	0.4	0.2	0.0	0.0	0.0
May	685	95.9%	0.6	12.3	-	1.6	-	99.7	0.3	0.0	0.0	0.0	0.0
June	652	95.7%	0.9	29.0	-	1.6	-	96.6	2.9	0.5	0.0	0.0	0.0
July	215	29.3%	0.5	3.2	-	1.2	-	100.0	0.0	0.0	0.0	0.0	0.0
August	242	33.1%	0.1	1.6	-	0.3	-	100.0	0.0	0.0	0.0	0.0	0.0
September	679	100.0%	1.8	55.4	-	27.8	-	94.3	1.6	4.0	0.1	0.0	0.0
October	553	76.8%	0.6	19.1	-	1.8	-	99.3	0.4	0.4	0.0	0.0	0.0
November	689	100.0%	0.9	6.7	-	2.8	-	99.0	1.0	0.0	0.0	0.0	0.0
December	694	98.7%	0.6	19.7	-	2.6	-	99.4	0.4	0.1	0.0	0.0	0.0
Annual ^c	6909	82.1%	0.8	55.4	-	27.8	-	98.5	1.0	0.5	0.0	0.0	0.0

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. No 24-hour Saskatchewan Ambient Air Quality Standard

c. No annual Saskatchewan Ambient Air Quality Standard

Table D-4. Stoughton Station: Summary of airpointer® NO₂ monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	> 159
January	712	100.0%	1.5	14.0	0	4.3	-	93.5	6.5	0.0	0.0	0.0	0.0
February	643	100.0%	2.1	16.3	0	7.0	-	92.7	7.2	0.2	0.0	0.0	0.0
March	604	84.7%	1.3	16.9	0	4.1	-	97.0	2.8	0.2	0.0	0.0	0.0
April	541	77.7%	0.6	14.7	0	3.0	-	98.7	1.3	0.0	0.0	0.0	0.0
May	685	95.9%	1.2	11.3	0	3.0	-	95.9	4.1	0.0	0.0	0.0	0.0
June	652	95.7%	2.9	21.4	0	6.8	-	80.5	17.6	1.8	0.0	0.0	0.0
July	215	29.3%	1.4	9.4	0	2.1	-	97.2	2.8	0.0	0.0	0.0	0.0
August	242	33.1%	0.6	11.4	0	1.9	-	97.5	2.5	0.0	0.0	0.0	0.0
September	679	100.0%	0.3	9.1	0	1.9	-	99.3	0.7	0.0	0.0	0.0	0.0
October	553	76.8%	0.3	5.1	0	0.9	-	99.8	0.2	0.0	0.0	0.0	0.0
November	689	100.0%	1.6	20.4	0	3.5	-	96.1	3.8	0.1	0.0	0.0	0.0
December	694	98.7%	1.2	9.8	0	3.3	-	97.6	2.4	0.0	0.0	0.0	0.0
Annual ^c	6909	82.1%	1.2	21.4	0	7.0	-	95.1	4.6	0.2	0.0	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 159 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 106 ppb

c. Annual Saskatchewan Ambient Air Quality Standard = 24 ppb

Table D-5. Stoughton Station: Summary of airpointer® NOx monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	>159
January	712	100.0%	2.1	19.9	-	6.2	-	88.3	11.4	0.3	0.0	0.0	0.0
February	643	100.0%	3.0	17.0	-	8.9	-	86.5	13.4	0.2	0.0	0.0	0.0
March	604	84.7%	1.8	22.3	-	4.7	-	92.5	7.3	0.2	0.0	0.0	0.0
April	541	77.7%	0.8	26.0	-	4.9	-	98.0	1.7	0.4	0.0	0.0	0.0
May	685	95.9%	1.5	15.5	-	3.9	-	94.5	5.3	0.3	0.0	0.0	0.0
June	652	95.7%	2.9	40.5	-	7.8	-	81.0	16.4	2.6	0.0	0.0	0.0
July	215	29.3%	1.6	8.8	-	2.2	-	96.7	3.3	0.0	0.0	0.0	0.0
August	242	33.1%	0.6	11.4	-	1.9	-	97.5	2.5	0.0	0.0	0.0	0.0
September	679	100.0%	0.4	10.4	-	2.3	-	98.4	1.6	0.0	0.0	0.0	0.0
October	553	76.8%	0.6	19.6	-	1.7	-	98.4	1.1	0.5	0.0	0.0	0.0
November	689	100.0%	1.6	20.4	-	3.5	-	96.1	3.8	0.1	0.0	0.0	0.0
December	694	98.7%	1.6	21.1	-	3.7	-	95.2	4.6	0.1	0.0	0.0	0.0
Annual ^c	6909	82.1%	1.6	40.5	-	8.9	-	93.0	6.5	0.4	0.0	0.0	0.0

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. No 24-hour Saskatchewan Ambient Air Quality Standard

c. No annual Saskatchewan Ambient Air Quality Standard

Table D-6. Stoughton Station: Summary of airpointer® H₂S monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤1	1 ~ 3.6	3.6 ~ 5	5 ~ 8	8 ~ 11	>11
January	712	100.0%	0.5	1.0	0	0.7	0	100.0	0.0	0.0	0.0	0.0	0.0
February	643	100.0%	0.4	1.7	0	0.7	0	99.8	0.2	0.0	0.0	0.0	0.0
March	610	85.7%	0.2	1.9	0	0.5	0	99.5	0.5	0.0	0.0	0.0	0.0
April	545	78.2%	0.1	0.9	0	0.2	0	100.0	0.0	0.0	0.0	0.0	0.0
May	581	80.9%	0.1	1.4	0	0.3	0	99.3	0.7	0.0	0.0	0.0	0.0
June	600	87.5%	0.2	7.4	0	1.0	0	97.7	1.8	0.2	0.3	0.0	0.0
July	214	29.2%	0.4	8.6	0	0.7	0	92.1	7.0	0.5	0.0	0.5	0.0
August	260	35.5%	0.1	0.9	0	0.2	0	100.0	0.0	0.0	0.0	0.0	0.0
September	679	100.0%	0.1	1.5	0	0.5	0	99.4	0.6	0.0	0.0	0.0	0.0
October	553	76.8%	0.2	2.2	0	0.6	0	99.1	0.9	0.0	0.0	0.0	0.0
November	566	81.4%	0.2	3.7	0	1.2	0	96.1	3.7	0.2	0.0	0.0	0.0
December	694	98.7%	0.1	4.6	0	0.3	0	98.8	1.0	0.1	0.0	0.0	0.0
Annual ^c	6657	79.0%	0.2	8.6	0	1.2	0	98.8	1.1	0.1	0.0	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 11 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 3.6 ppb

c. No annual Saskatchewan Ambient Air Quality Standard

Table D-7. Stoughton Station: Summary of airpointer® PM_{2.5} monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (µg/m ³)	Maximum 1-Hr Conc. (µg/m ³)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (µg/m ³)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 10	10 ~ 15	15 ~ 28	28 ~ 80	>80
January	744	100.0%	6	137	-	24	0	67	15	7	9	2	0
February	672	100.0%	5	26	-	16	0	61	27	8	4	0	0
March	739	99.9%	5	30	-	14	0	61	25	9	4	0	0
April	716	99.4%	5	40	-	11	0	68	24	5	2	0	0
May	720	96.8%	5	52	-	10	0	64	25	8	2	1	0
June	692	96.1%	6	45	-	10	0	46	43	10	1	0	0
July	225	30.2%	9	33	-	13	0	29	32	27	11	1	0
August	272	36.6%	6	39	-	14	0	59	27	7	6	2	0
September	720	100.0%	8	53	-	28	0	43	36	14	4	3	0
October	744	100.0%	10	472	-	55	3	58	23	7	6	6	1
November	720	100.0%	4	36	-	12	0	72	22	5	1	0	0
December	735	98.8%	5	20	-	11	0	66	28	5	1	0	0
Annual ^c	7699	88.0%	6	472	-	55	3	59.7	26.9	8.2	3.8	1.4	0.1

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. 24-hour Canada-Wide Standard = 28 µg/m³

c. No annual Saskatchewan Ambient Air Quality Standard

Table D-8. Stoughton Station: Summary of airpointer® ambient temperature monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Temp. (°C)	Minimum 1-Hr Temp. (°C)	Maximum 1-Hr Temp. (°C)	Percent of Data in each Temperature Range					
						≤-30	-30 ~ -15	-15 ~ 0	0 ~ 15	15 ~ 30	>30
January	744	100.0%	-8.8	-28.4	4.7	0.1	16.9	77.3	5.6	0.0	0.0
February	672	100.0%	-17.8	-37.4	3.4	15.5	44.6	33.5	6.4	0.0	0.0
March	743	99.9%	0.1	-20.0	18.5	0.0	1.6	46.7	50.6	1.1	0.0
April	717	99.6%	3.9	-8.7	25.8	0.0	0.0	34.6	55.8	9.6	0.0
May	742	99.7%	10.5	-5.8	29.4	0.0	0.0	5.0	68.6	26.4	0.0
June	720	100.0%	18.8	5.0	33.6	0.0	0.0	0.0	28.3	67.5	4.2
July	225	30.2%	20.5	7.6	35.0	0.0	0.0	0.0	18.2	72.4	9.3
August	272	36.6%	15.2	5.7	28.6	0.0	0.0	0.0	58.5	41.5	0.0
September	720	100.0%	14.5	-1.0	32.7	0.0	0.0	0.6	54.3	43.3	1.8
October	744	100.0%	6.7	-7.4	30.0	0.0	0.0	12.5	72.7	14.7	0.1
November	720	100.0%	-2.3	-18.7	15.2	0.0	2.6	65.4	31.7	0.3	0.0
December	744	100.0%	-14.6	-37.3	5.5	8.7	42.2	43.5	5.5	0.0	0.0
Annual	7763	88.6%	2.2	-37.4	35.0	2.2	10.0	30.1	38.2	18.7	0.8


Table D-9. Stoughton Station: Summary of airpointer® relative humidity monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average RH (%)	Minimum 1-Hr RH (%)	Maximum 1-Hr RH (%)	Percent of Data in each Relative Humidity Range					
						≤15	15 ~ 30	30 ~ 60	60 ~ 80	80 ~ 90	>90
January	744	100.0%	75	51	88	3.0	0.0	0.5	53.0	43.5	0.0
February	672	100.0%	73	58	87	0.0	0.0	1.6	79.8	18.6	0.0
March	743	99.9%	66	24	90	0.0	1.1	30.8	42.7	25.4	0.0
April	717	99.6%	54	16	89	0.0	20.1	36.3	24.4	19.2	0.0
May	742	99.7%	49	14	89	0.4	26.5	37.5	23.9	11.7	0.0
June	720	100.0%	55	14	89	0.6	11.4	46.5	27.2	14.3	0.0
July	225	30.2%	64	28	90	0.0	1.8	39.1	41.3	17.3	0.4
August	272	36.6%	69	26	90	0.0	2.9	27.9	33.8	34.9	0.4
September	720	100.0%	50	13	88	0.7	19.6	44.4	26.4	8.9	0.0
October	744	100.0%	61	11	89	1.2	9.1	32.9	33.3	23.4	0.0
November	720	100.0%	73	16	89	0.0	1.1	11.3	55.8	31.8	0.0
December	744	100.0%	74	52	87	0.0	0.0	1.1	79.6	19.4	0.0
Annual	7763	88.6%	63	11	90	0.6	8.5	24.8	44.0	22.1	0.0

Table D-10. Stoughton Station: airpointer® wind frequency table for the year 2021

Wind Direction Sector	Percent of Data in each Wind Speed Range, wind speed unit m/s						Totals
	0.3 ~ 1.4	1.4 ~ 3.1	3.1 ~ 7.8	7.8 ~ 10.6	10.6 ~ 13.6	>13.6	
North NorthEast	1.3%	1.5%	0.1%	0.0%	0.0%	0.0%	2.9%
NorthEast	0.7%	0.4%	0.0%	0.0%	0.0%	0.0%	1.1%
East NorthEast	0.7%	0.4%	0.0%	0.0%	0.0%	0.0%	1.1%
East	1.5%	1.2%	0.8%	0.0%	0.0%	0.0%	3.4%
East SouthEast	2.8%	5.1%	7.7%	0.3%	0.1%	0.0%	16.0%
SouthEast	1.0%	2.8%	6.2%	0.7%	0.1%	0.0%	10.7%
South SouthEast	1.1%	2.1%	1.3%	0.0%	0.0%	0.0%	4.4%
South	1.5%	1.4%	0.6%	0.0%	0.0%	0.0%	3.5%
South SouthWest	1.3%	1.1%	0.2%	0.0%	0.0%	0.0%	2.6%
SouthWest	0.8%	1.3%	0.9%	0.0%	0.0%	0.0%	3.0%
West SouthWest	0.8%	2.3%	1.9%	0.0%	0.0%	0.0%	5.0%
West	0.9%	3.0%	2.4%	0.3%	0.2%	0.0%	6.8%
West NorthWest	1.3%	3.9%	5.9%	0.7%	0.1%	0.0%	11.8%
NorthWest	1.4%	3.3%	5.6%	0.2%	0.0%	0.0%	10.4%
North NorthWest	2.2%	3.9%	5.2%	0.1%	0.0%	0.0%	11.3%
North	2.2%	1.8%	0.3%	0.0%	0.0%	0.0%	4.2%
Total	21.4%	35.4%	39.0%	2.2%	0.4%	0.0%	98.4%

Percent Calm (≤ 0.3 m/s)	1.6%
Number of Valid Hourly-Average Data	7688
Total Workable Hours in Time Period	8760



APPENDIX E. ESTERHAZY STATION: CONTINUOUS MONITORING DATA

Table E-1. Esterhazy Station: Summary of airpointer® monitoring results for the year 2021

Parameter	Unit	Hours of Calibration & AIC ^a	Hours of Valid Data	Percent Uptime	Summary Statistics for 1-Hour Average Data		
					Average	Minimum	Maximum
NO	ppb	407	8349	100.0%	0.6	< 0.1	48.3
NO ₂	ppb	407	8349	100.0%	1.3	< 0.1	30.0
NO _x	ppb	407	8349	100.0%	1.9	< 0.1	68.4
O ₃	ppb	407	8347	99.9%	30	1	72
PM _{2.5}	µg/m ³	12	7617	86.8%	8	< 1	354
Ambient Temperature	°C	0	8756	100.0%	4.5	-37.9	34.8
Relative Humidity	%	0	8756	100.0%	59	< 1	90
Wind Speed	m/s	0	8755	99.9%	2.3	Calm	8.0

a. Automatic Instrument Check

Table E-2. Esterhazy Station: Summary of airpointer® NO monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	>159
January	707	99.6%	0.8	37.4	-	3.9	-	98.1	1.6	0.3	0.0	0.0	0.0
February	643	100.0%	0.9	11.1	-	2.1	-	99.7	0.3	0.0	0.0	0.0	0.0
March	706	100.0%	0.6	8.2	-	1.6	-	99.6	0.4	0.0	0.0	0.0	0.0
April	689	100.0%	0.6	6.5	-	1.7	-	99.9	0.1	0.0	0.0	0.0	0.0
May	711	100.0%	0.8	7.0	-	1.8	-	99.7	0.3	0.0	0.0	0.0	0.0
June	682	99.9%	0.5	5.6	-	1.1	-	99.9	0.1	0.0	0.0	0.0	0.0
July	712	100.0%	0.3	4.8	-	0.7	-	100.0	0.0	0.0	0.0	0.0	0.0
August	711	100.0%	0.4	4.0	-	1.1	-	100.0	0.0	0.0	0.0	0.0	0.0
September	682	100.0%	0.4	13.7	-	1.5	-	99.3	0.7	0.0	0.0	0.0	0.0
October	712	100.0%	0.9	36.9	-	4.2	-	97.5	2.0	0.6	0.0	0.0	0.0
November	689	100.0%	0.8	48.3	-	5.2	-	98.3	1.3	0.4	0.0	0.0	0.0
December	705	100.0%	0.6	9.0	-	1.9	-	99.0	1.0	0.0	0.0	0.0	0.0
Annual ^c	8349	100.0%	0.6	48.3	-	5.2	-	99.2	0.7	0.1	0.0	0.0	0.0

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. No 24-hour Saskatchewan Ambient Air Quality Standard

c. No annual Saskatchewan Ambient Air Quality Standard

Table E-3. Esterhazy Station: Summary of airpointer® NO₂ monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	> 159
January	707	99.6%	2.5	26.1	0	8.1	-	86.9	11.5	1.6	0.0	0.0	0.0
February	643	100.0%	2.0	30.0	0	7.2	-	92.4	7.0	0.6	0.0	0.0	0.0
March	706	100.0%	0.9	22.3	0	3.1	-	96.0	3.7	0.3	0.0	0.0	0.0
April	689	100.0%	0.4	16.0	0	2.6	-	98.3	1.6	0.1	0.0	0.0	0.0
May	711	100.0%	1.9	10.7	0	3.9	-	94.9	5.1	0.0	0.0	0.0	0.0
June	682	99.9%	1.7	15.4	0	4.1	-	93.4	6.5	0.1	0.0	0.0	0.0
July	712	100.0%	1.2	8.2	0	3.0	-	98.9	1.1	0.0	0.0	0.0	0.0
August	711	100.0%	0.6	8.0	0	1.8	-	99.3	0.7	0.0	0.0	0.0	0.0
September	682	100.0%	0.4	8.8	0	1.5	-	99.4	0.6	0.0	0.0	0.0	0.0
October	712	100.0%	0.8	15.1	0	3.3	-	96.1	3.8	0.1	0.0	0.0	0.0
November	689	100.0%	1.3	20.2	0	5.6	-	95.6	3.9	0.4	0.0	0.0	0.0
December	705	100.0%	1.9	19.0	0	5.4	-	92.5	6.7	0.9	0.0	0.0	0.0
Annual ^c	8349	100.0%	1.3	30.0	0	8.1	-	95.3	4.3	0.4	0.0	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 159 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 106 ppb

c. Annual Saskatchewan Ambient Air Quality Standard = 24 ppb

Table E-4. Esterhazy Station: Summary of airpointer® NOx monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	>159
January	707	99.6%	3.4	61.4	-	10.0	-	80.4	17.1	2.3	0.1	0.0	0.0
February	643	100.0%	2.8	41.0	-	9.0	-	86.9	12.1	0.9	0.0	0.0	0.0
March	706	100.0%	1.3	28.4	-	3.9	-	94.3	5.1	0.6	0.0	0.0	0.0
April	689	100.0%	0.6	18.4	-	3.1	-	97.4	2.2	0.4	0.0	0.0	0.0
May	711	100.0%	2.7	13.2	-	4.8	-	91.1	8.9	0.0	0.0	0.0	0.0
June	682	99.9%	2.2	19.0	-	5.0	-	90.9	8.8	0.3	0.0	0.0	0.0
July	712	100.0%	1.5	12.1	-	3.2	-	97.5	2.5	0.0	0.0	0.0	0.0
August	711	100.0%	1.3	8.6	-	3.0	-	98.5	1.5	0.0	0.0	0.0	0.0
September	682	100.0%	0.6	13.1	-	2.4	-	97.8	2.2	0.0	0.0	0.0	0.0
October	712	100.0%	1.6	45.1	-	5.7	-	91.7	6.9	1.4	0.0	0.0	0.0
November	689	100.0%	2.1	68.4	-	10.8	-	92.6	6.1	1.2	0.1	0.0	0.0
December	705	100.0%	2.5	25.2	-	7.0	-	88.8	9.9	1.3	0.0	0.0	0.0
Annual ^c	8349	100.0%	1.9	68.4	-	10.8	-	92.3	7.0	0.7	0.0	0.0	0.0

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. No 24-hour Saskatchewan Ambient Air Quality Standard

c. No annual Saskatchewan Ambient Air Quality Standard

Table E-5. Esterhazy Station: Summary of airpointer® O₃ monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 8-Hr Conc. (ppb)	8-Hour Conc. Above CWS ^b (no.)	Percent of Data in each Concentration Range					
								≤10	10 ~ 20	20 ~ 40	40 ~ 63	63 ~ 82	>82
January	707	99.6%	29	39	0	38	0	1.2	5.7	93.0	0.0	0.0	0.0
February	643	100.0%	30	47	0	46	0	0.6	10.7	81.8	6.8	0.0	0.0
March	706	100.0%	32	46	0	43	0	0.6	4.4	86.4	8.6	0.0	0.0
April	689	100.0%	36	60	0	54	0	0.9	1.3	70.5	27.3	0.0	0.0
May	711	100.0%	34	60	0	58	0	0.8	12.0	54.1	33.1	0.0	0.0
June	682	99.9%	36	68	0	65	5	1.3	8.2	54.7	33.7	2.1	0.0
July	712	100.0%	36	72	0	68	5	0.4	10.0	53.8	33.1	2.7	0.0
August	711	100.0%	30	64	0	58	0	1.3	18.0	61.6	19.0	0.1	0.0
September	680	99.7%	28	49	0	45	0	1.5	16.9	73.5	8.1	0.0	0.0
October	712	100.0%	22	51	0	45	0	6.7	38.6	50.8	3.8	0.0	0.0
November	689	100.0%	23	35	0	35	0	3.9	30.3	65.7	0.0	0.0	0.0
December	705	100.0%	26	37	0	36	0	0.7	9.1	90.2	0.0	0.0	0.0
Annual ^c	8347	99.9%	30	72	0	68	10	1.7	13.8	69.7	14.5	0.4	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 82 ppb

b. 8-hour Canada-Wide Standard = 63 ppb

c. No annual Saskatchewan Ambient Air Quality Standard

Table E-6. Esterhazy Station: Summary of airpointer® PM_{2.5} monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (µg/m ³)	Maximum 1-Hr Conc. (µg/m ³)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (µg/m ³)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 10	10 ~ 15	15 ~ 28	28 ~ 80	>80
January	21	2.7%	6	< 1	-	6	0	24	76	0	0	0	0
February	273	40.6%	5	25	-	12	0	66	19	10	4	0	0
March	738	100.0%	5	26	-	13	0	67	20	10	4	0	0
April	720	100.0%	5	32	-	8	0	68	26	4	3	0	0
May	736	98.9%	6	167	-	37	1	68	23	4	3	2	1
June	713	99.9%	6	31	-	10	0	55	36	6	3	0	0
July	744	100.0%	17	142	-	54	5	13	28	24	23	11	2
August	744	100.0%	15	105	-	74	6	38	24	9	12	16	2
September	720	100.0%	6	76	-	13	0	53	33	10	4	1	0
October	744	100.0%	12	354	-	92	4	58	18	8	5	8	2
November	720	100.0%	5	48	-	12	0	65	29	3	2	1	0
December	744	100.0%	4	28	-	9	0	75	20	3	1	0	0
Annual ^c	7593	86.8%	8	354	-	92	16	56.1	25.5	8.2	5.9	3.8	0.6

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. 24-hour Canada-Wide Standard = 28 µg/m³

c. No annual Saskatchewan Ambient Air Quality Standard

Table E-7. Esterhazy Station: Summary of airpointer® ambient temperature monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Temp. (°C)	Minimum 1-Hr Temp. (°C)	Maximum 1-Hr Temp. (°C)	Percent of Data in each Temperature Range					
						≤-30	-30 ~ -15	-15 ~ 0	0 ~ 15	15 ~ 30	>30
January	741	99.6%	-9.7	-31.7	6.1	2.6	18.3	71.1	8.0	0.0	0.0
February	672	100.0%	-17.8	-37.9	4.4	16.7	44.5	32.4	6.4	0.0	0.0
March	744	100.0%	-0.5	-21.7	14.7	0.0	1.5	47.3	51.2	0.0	0.0
April	720	100.0%	4.4	-6.9	23.7	0.0	0.0	28.8	64.2	7.1	0.0
May	744	100.0%	10.8	-4.8	29.6	0.0	0.0	4.2	68.4	27.4	0.0
June	719	99.9%	19.3	5.4	34.1	0.0	0.0	0.0	23.5	72.2	4.3
July	744	100.0%	57.8	7.3	34.6	0.0	0.0	0.0	10.9	79.4	9.7
August	744	100.0%	62.3	6.4	34.8	0.0	0.0	0.0	39.7	54.8	5.5
September	720	100.0%	15.0	0.0	31.4	0.0	0.0	0.7	51.1	47.5	0.7
October	744	100.0%	7.3	-5.8	28.8	0.0	0.0	8.9	76.5	14.7	0.0
November	720	100.0%	-2.0	-17.8	16.2	0.0	3.6	63.5	32.6	0.3	0.0
December	744	100.0%	-14.1	-34.4	5.0	7.3	40.7	46.4	5.6	0.0	0.0
Annual	8756	100.0%	4.5	-37.9	34.8	2.1	8.9	25.3	36.6	25.4	1.7


Table E-8. Esterhazy Station: Summary of airpointer® relative humidity monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average RH (%)	Minimum 1-Hr RH (%)	Maximum 1-Hr RH (%)	Percent of Data in each Relative Humidity Range					
						≤15	15 ~ 30	30 ~ 60	60 ~ 80	80 ~ 90	>90
January	741	99.6%	69	50	85	0.0	0.0	9.8	86.1	4.1	0.0
February	672	100.0%	64	39	83	0.0	0.0	30.1	67.0	3.0	0.0
March	744	100.0%	63	32	85	0.0	0.0	42.9	43.7	13.4	0.0
April	720	100.0%	49	17	82	0.0	21.1	44.7	31.4	2.8	0.0
May	744	100.0%	47	12	90	1.1	26.6	41.8	23.8	6.3	0.4
June	719	99.9%	53	13	90	0.4	14.5	45.8	28.8	10.6	0.0
July	744	100.0%	58	23	92	0.0	8.3	43.8	33.9	12.6	1.3
August	744	100.0%	62	17	90	0.0	6.6	35.1	34.4	23.9	0.0
September	720	100.0%	52	0	90	1.0	9.3	53.5	29.9	6.4	0.0
October	744	100.0%	61	17	89	0.0	7.3	36.4	44.1	12.2	0.0
November	720	100.0%	67	29	87	0.0	0.3	23.9	65.3	10.6	0.0
December	744	100.0%	66	46	83	0.0	0.0	15.3	80.8	3.9	0.0
Annual	8756	100.0%	59	0	92	0.2	7.8	35.2	47.4	9.2	0.1

Table E-9. Esterhazy Station: airpointer® wind frequency table for the year 2021

Wind Direction Sector	Percent of Data in each Wind Speed Range, wind speed unit m/s						Totals
	0.3 ~ 1.4	1.4 ~ 3.1	3.1 ~ 7.8	7.8 ~ 10.6	10.6 ~ 13.6	>13.6	
North NorthEast	0.9%	1.5%	0.1%	0.0%	0.0%	0.0%	2.6%
NorthEast	0.6%	1.2%	0.1%	0.0%	0.0%	0.0%	2.0%
East NorthEast	0.7%	1.3%	0.4%	0.0%	0.0%	0.0%	2.4%
East	1.4%	2.3%	0.9%	0.0%	0.0%	0.0%	4.6%
East SouthEast	4.2%	5.6%	2.6%	0.0%	0.0%	0.0%	12.5%
SouthEast	1.6%	3.2%	2.9%	0.0%	0.0%	0.0%	7.7%
South SouthEast	0.8%	1.9%	1.0%	0.0%	0.0%	0.0%	3.7%
South	0.8%	1.5%	0.3%	0.0%	0.0%	0.0%	2.6%
South SouthWest	1.0%	1.2%	0.5%	0.0%	0.0%	0.0%	2.6%
SouthWest	2.4%	1.5%	0.3%	0.0%	0.0%	0.0%	4.2%
West SouthWest	3.2%	5.1%	2.3%	0.0%	0.0%	0.0%	10.7%
West	4.8%	10.4%	9.2%	0.0%	0.0%	0.0%	24.5%
West NorthWest	1.3%	1.8%	1.0%	0.0%	0.0%	0.0%	4.2%
NorthWest	1.1%	2.1%	1.3%	0.0%	0.0%	0.0%	4.5%
North NorthWest	0.9%	2.8%	1.0%	0.0%	0.0%	0.0%	4.7%
North	0.8%	2.5%	0.9%	0.0%	0.0%	0.0%	4.1%
Total	26.6%	46.0%	24.8%	0.0%	0.0%	0.0%	97.4%

Percent Calm (≤ 0.3 m/s)	2.6%
Number of Valid Hourly-Average Data	8755
Total Workable Hours in Time Period	8760



APPENDIX F. TORQUAY STATION: CONTINUOUS MONITORING DATA

Table F-1. Torquay Station: Summary of airpointer® monitoring results for 2021

Parameter	Unit	Hours of Calibration & AIC ^a	Hours of Valid Data	Percent Uptime	Summary Statistics for 1-Hour Average Data		
					Average	Minimum	Maximum
SO ₂	ppb	197	8320	99.7%	0.2	< 0.1	29.5
H ₂ S	ppb	197	8310	99.6%	0.2	<0.1	23.1
PM _{2.5}	µg/m ³	6	8703	99.6%	7	< 1	335
Ambient Temperature	°C	0	8731	99.9%	5.1	-37.2	37.2
Relative Humidity	%	0	8731	99.9%	62	<1	93
Wind Speed	m/s	0	8738	99.9%	3.9	Calm	23.6

a. Automatic Instrument Check

Table F-1. Torquay Station: Summary of airpointer® SO₂ monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤1	1 ~ 5	5 ~ 11	11 ~ 48	48 ~ 172	>172
January	710	99.7%	0.3	12.9	0	1.2	0	98.1	1.6	0.1	0.1	0.0	0.0
February	643	100.0%	0.4	6.0	0	1.0	0	95.3	4.5	0.2	0.0	0.0	0.0
March	700	99.2%	0.3	7.4	0	1.4	0	97.4	2.1	0.4	0.0	0.0	0.0
April	689	100.0%	0.3	4.5	0	0.5	0	97.5	2.5	0.0	0.0	0.0	0.0
May	708	99.4%	0.4	7.0	0	1.2	0	96.3	3.4	0.3	0.0	0.0	0.0
June	674	98.5%	0.2	10.0	0	1.8	0	96.0	3.4	0.6	0.0	0.0	0.0
July	706	100.0%	0.1	9.8	0	0.9	0	97.7	1.8	0.4	0.0	0.0	0.0
August	712	100.0%	0.1	9.6	0	0.9	0	99.0	0.7	0.3	0.0	0.0	0.0
September	681	100.0%	0.1	5.0	0	0.4	0	98.5	1.5	0.0	0.0	0.0	0.0
October	712	100.0%	0.2	29.5	0	2.7	0	96.5	2.2	1.0	0.3	0.0	0.0
November	689	100.0%	< 0.1	1.6	0	0.1	0	99.7	0.3	0.0	0.0	0.0	0.0
December	696	100.0%	0.1	3.6	0	0.5	0	98.1	1.9	0.0	0.0	0.0	0.0
Annual ^c	8320	99.7%	0.2	29.5	0	2.7	0	97.5	2.1	0.3	0.0	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 159 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 106 ppb

c. Annual Saskatchewan Ambient Air Quality Standard = 24 ppb

Table F-2. Torquay Station: Summary of airpointer® H₂S monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤1	1 ~ 3.6	3.6 ~ 5	5 ~ 8	8 ~ 11	>11
January	710	99.7%	0.2	1.4	0	0.4	0	99.7	0.3	0.0	0.0	0.0	0.0
February	643	100.0%	0.2	2.1	0	0.8	0	98.3	1.7	0.0	0.0	0.0	0.0
March	700	99.0%	0.2	2.8	0	0.5	0	99.4	0.6	0.0	0.0	0.0	0.0
April	689	100.0%	0.3	23.1	2	1.9	0	99.1	0.6	0.0	0.0	0.0	0.3
May	708	99.4%	0.2	2.5	0	0.6	0	97.2	2.8	0.0	0.0	0.0	0.0
June	672	98.2%	0.2	3.7	0	1.1	0	95.2	4.6	0.1	0.0	0.0	0.0
July	706	100.0%	0.3	7.1	0	1.3	0	90.9	8.8	0.0	0.3	0.0	0.0
August	712	100.0%	0.2	4.2	0	0.9	0	96.8	2.9	0.3	0.0	0.0	0.0
September	681	100.0%	0.1	1.2	0	0.4	0	99.4	0.6	0.0	0.0	0.0	0.0
October	704	98.9%	0.2	12.3	1	1.9	0	97.3	2.1	0.0	0.4	0.0	0.1
November	689	100.0%	0.3	6.9	0	1.0	0	91.9	7.7	0.1	0.3	0.0	0.0
December	696	100.0%	0.2	3.2	0	0.7	0	95.7	4.3	0.0	0.0	0.0	0.0
Annual ^c	8310	99.6%	0.2	23.1	3	1.9	0	96.7	3.1	0.0	0.1	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 11 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 3.6 ppb

c. No annual Saskatchewan Ambient Air Quality Standard

Table F-6. Torquay Station: Summary of airpointer® PM_{2.5} monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (µg/m ³)	Maximum 1-Hr Conc. (µg/m ³)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (µg/m ³)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 10	10 ~ 15	15 ~ 28	28 ~ 80	>80
January	722	99.7%	5	47	-	24	0	74	10	7	7	2	0
February	672	100.0%	5	90	-	19	0	65	28	3	3	1	0
March	732	99.2%	4	29	-	14	0	69	20	7	4	0	0
April	720	100.0%	6	29	-	9	0	50	40	7	2	0	0
May	740	99.5%	9	135	-	26	0	53	23	8	9	6	1
June	698	96.9%	6	52	-	11	0	56	31	9	3	1	0
July	737	100.0%	15	91	-	40	1	13	28	22	28	9	0
August	744	100.0%	19	335	-	62	8	31	25	9	10	23	3
September	720	100.0%	6	74	-	18	0	66	15	8	8	3	0
October	744	100.0%	8	207	-	35	3	71	12	3	6	7	1
November	720	100.0%	3	33	-	8	0	88	11	1	1	0	0
December	734	100.0%	3	10	-	6	0	90	10	0	0	0	0
Annual ^c	8703	99.6%	7	335	-	62	12	60.4	21.1	7.0	6.8	4.4	0.4

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. 24-hour Canada-Wide Standard = 28 µg/m³

c. No annual Saskatchewan Ambient Air Quality Standard

Table F-7. Torquay Station: Summary of airpointer® ambient temperature monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Temp. (°C)	Minimum 1-Hr Temp. (°C)	Maximum 1-Hr Temp. (°C)	Percent of Data in each Temperature Range					
						≤-30	-30 ~ -15	-15 ~ 0	0 ~ 15	15 ~ 30	>30
January	722	99.7%	-7.7	-32.9	5.8	1.2	15.3	71.5	12.0	0.0	0.0
February	672	100.0%	-16.8	-37.2	4.7	11.6	45.7	31.0	11.8	0.0	0.0
March	744	100.0%	1.0	-23.8	20.0	0.0	1.5	40.3	56.7	1.5	0.0
April	720	100.0%	4.5	-9.4	27.2	0.0	0.0	32.5	55.8	11.7	0.0
May	740	99.5%	10.9	-6.3	29.9	0.0	0.0	6.1	65.8	28.1	0.0
June	715	99.3%	19.4	4.0	34.7	0.0	0.0	0.0	28.1	66.7	5.2
July	737	100.0%	21.6	5.8	35.2	0.0	0.0	0.0	14.8	75.8	9.4
August	744	100.0%	18.6	6.6	37.2	0.0	0.0	0.0	37.5	55.5	7.0
September	720	100.0%	15.4	1.0	34.5	0.0	0.0	0.0	51.9	45.8	2.2
October	744	100.0%	7.4	-8.0	31.4	0.0	0.0	9.4	74.6	15.2	0.8
November	720	100.0%	-0.8	-21.2	16.8	0.0	1.5	51.9	45.4	1.1	0.0
December	733	100.0%	-13.0	-35.1	8.8	6.4	36.2	46.7	10.8	0.0	0.0
Annual	8731	99.9%	5.1	-37.2	37.2	1.5	8.1	24.2	38.9	25.2	2.1


Table F-8. Torquay Station: Summary of airpointer® relative humidity monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average RH (%)	Minimum 1-Hr RH (%)	Maximum 1-Hr RH (%)	Percent of Data in each Relative Humidity Range					
						≤15	15 ~ 30	30 ~ 60	60 ~ 80	80 ~ 90	>90
January	722	99.7%	75	57	88	3.1	0.0	0.9	59.5	36.4	0.0
February	672	100.0%	72	51	90	0.0	0.0	4.3	78.9	16.5	0.3
March	744	100.0%	65	22	92	0.0	3.0	31.9	43.1	19.4	2.7
April	720	100.0%	53	14	91	0.1	20.7	38.5	22.1	17.8	0.8
May	740	99.5%	50	12	93	2.2	25.7	36.9	18.9	14.1	2.3
June	715	99.3%	56	13	92	0.7	12.2	43.9	24.5	17.1	1.7
July	737	100.0%	64	18	93	0.0	5.0	35.8	30.1	22.9	6.1
August	744	100.0%	60	11	93	1.5	11.4	34.1	27.8	20.3	4.8
September	720	100.0%	48	12	93	1.1	23.9	44.3	23.6	6.5	0.6
October	744	100.0%	61	10	92	1.6	7.8	34.3	32.1	22.3	1.9
November	720	100.0%	71	26	93	0.0	1.5	18.8	51.0	25.1	3.6
December	733	100.0%	74	42	91	0.0	0.0	2.9	80.1	16.9	0.1
Annual	8731	99.9%	62	10	93	0.9	9.3	27.2	40.8	19.7	2.1

Table F-9. Torquay Station: airpointer® wind frequency table for December 2021

Wind Direction Sector	Percent of Data in each Wind Speed Range, wind speed unit m/s						Totals
	0.3 ~ 1.4	1.4 ~ 3.1	3.1 ~ 7.8	7.8 ~ 10.6	10.6 ~ 13.6	>13.6	
North NorthEast	0.3%	0.7%	1.1%	0.0%	0.0%	0.0%	2.2%
NorthEast	0.4%	0.5%	0.6%	0.0%	0.0%	0.0%	1.6%
East NorthEast	0.3%	0.8%	0.7%	0.0%	0.0%	0.0%	1.8%
East	0.5%	1.5%	1.8%	0.1%	0.0%	0.0%	3.8%
East SouthEast	0.7%	2.3%	4.4%	0.5%	0.0%	0.0%	8.0%
SouthEast	0.9%	2.1%	2.6%	0.5%	0.0%	0.0%	6.1%
South SouthEast	0.9%	2.1%	2.5%	0.1%	0.0%	0.0%	5.7%
South	1.2%	2.0%	3.0%	0.1%	0.0%	0.0%	6.2%
South SouthWest	1.4%	2.9%	1.7%	0.0%	0.0%	0.0%	6.1%
SouthWest	1.8%	3.6%	3.1%	0.0%	0.0%	0.0%	8.5%
West SouthWest	1.8%	3.3%	3.9%	0.1%	0.0%	0.0%	9.1%
West	1.2%	2.0%	3.2%	0.2%	0.1%	0.0%	6.8%
West NorthWest	0.8%	2.6%	3.6%	0.5%	0.2%	0.0%	7.8%
NorthWest	0.9%	2.8%	5.8%	1.5%	1.0%	0.3%	12.2%
North NorthWest	0.5%	1.8%	4.4%	1.4%	0.5%	0.0%	8.7%
North	0.4%	1.2%	2.6%	0.4%	0.0%	0.0%	4.7%
Total	14.2%	32.2%	45.0%	5.6%	1.9%	0.4%	99.2%

Percent Calm (≤ 0.3 m/s)	0.8%
Number of Valid Hourly-Average Data	8731
Total Workable Hours in Time Period	8742



APPENDIX G. WAUCHOPE STATION: CONTINUOUS MONITORING DATA

Table G-1. Wauchope Station: Summary of airpointer® monitoring results for January 1 to June 5, 2021

Parameter	Unit	Hours of Calibration & AIC ^a	Hours of Valid Data	Percent Uptime	Summary Statistics for 1-Hour Average Data		
					Average	Minimum	Maximum
SO ₂	ppb	144	3061	35.7%	0.4	< 0.1	26.1
H ₂ S	ppb	144	3065	35.7%	0.2	< 0.1	79.9
PM _{2.5}	µg/m ³	5	3122	35.8%	6	< 1	64
Ambient Temperature	°C	0	3261	37.4%	-1.0	-37.6	34.0
Relative Humidity	%	0	3261	37.4%	59	15	91
Wind Speed	m/s	0	3257	37.4%	3.4	Calm	12.6

a. Automatic Instrument Check

Table G-2. Wauchope Station: Summary of airpointer® SO₂ monitoring results for January 1 to June 5, 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤1	1 ~ 5	5 ~ 11	11 ~ 48	48 ~ 172	>172
January	261	37.7%	1.2	26.1	0	10.6	0	85.6	8.8	2.5	3.2	0.0	0.0
February	642	99.8%	0.5	5.3	0	1.1	0	85.7	14.2	0.2	0.0	0.0	0.0
March	707	100.0%	0.2	6.0	0	0.8	0	97.0	2.8	0.1	0.0	0.0	0.0
April	689	100.0%	0.2	5.8	0	0.7	0	97.2	2.6	0.1	0.0	0.0	0.0
May	712	100.0%	0.3	16.2	0	1.7	0	93.7	5.9	0.3	0.1	0.0	0.0
June	50	7.0%	0.9	4.1	0	0.9	0	72.0	28.0	0.0	0.0	0.0	0.0
July	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
August	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
September	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
October	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
November	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
December	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
Annual ^c	3061	35.7%	0.4	26.1	0	10.6	0	92.5	6.8	0.4	0.3	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 172 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 48 ppb

c. Annual Saskatchewan Ambient Air Quality Standard = 8 ppb

Table G-3. Wauchope Station: Summary of airpointer® H₂S monitoring results for January 1 to June 5, 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤1	1 ~ 3.6	3.6 ~ 5	5 ~ 8	8 ~ 11	>11
January	261	37.7%	0.4	79.9	1	0.4	0	97.9	1.8	0.0	0.0	0.0	0.4
February	642	99.8%	0.2	1.1	0	0.4	0	99.8	0.2	0.0	0.0	0.0	0.0
March	707	100.0%	0.2	0.9	0	0.4	0	100.0	0.0	0.0	0.0	0.0	0.0
April	689	100.0%	0.2	0.8	0	0.4	0	100.0	0.0	0.0	0.0	0.0	0.0
May	712	100.0%	0.2	3.1	0	0.5	0	96.1	3.9	0.0	0.0	0.0	0.0
June	54	7.5%	0.4	2.1	0	0.3	0	87.0	13.0	0.0	0.0	0.0	0.0
July	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
August	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
September	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
October	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
November	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
December	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
Annual ^c	3065	35.8%	0.29	79.9	1	0.5	0	98.6	1.3	0.0	0.0	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 11 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 3.6 ppb

c. No annual Saskatchewan Ambient Air Quality Standard

Table G-4. Wauchope Station: Summary of airpointer® PM_{2.5} monitoring results for January 1 to June 5, 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (µg/m ³)	Maximum 1-Hr Conc. (µg/m ³)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (µg/m ³)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 10	10 ~ 15	15 ~ 28	28 ~ 80	>80
January	121	21.2%	11	39	-	19	0	36	13	24	22	6	0
February	671	99.9%	4	29	-	12	0	67	24	7	2	0	0
March	739	100.0%	5	33	-	13	0	61	26	10	3	0	0
April	720	100.0%	5	16	-	9	0	61	31	8	0	0	0
May	744	100.0%	7	64	-	18	0	47	40	8	3	2	0
June	109	15.1%	8	21	-	12	0	30	38	19	13	0	0
July	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
August	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
September	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
October	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
November	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
December	0	0.0%	-	-	-	-	-	-	-	-	-	-	-
Annual ^c	3122	35.8%	6	64	-	19	0	56.5	29.7	9.5	3.6	0.8	0.0

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. 24-hour Canada-Wide Standard = 28 µg/m³

c. No annual Saskatchewan Ambient Air Quality Standard

Table G-5. Wauchope Station: Summary of airpointer® ambient temperature monitoring results for January 1 to June 5, 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Temp. (°C)	Minimum 1-Hr Temp. (°C)	Maximum 1-Hr Temp. (°C)	Percent of Data in each Temperature Range					
						≤-30	-30 ~ -15	-15 ~ 0	0 ~ 15	15 ~ 30	>30
January	297	38.7%	-11.1	-30.4	2.2	0.7	25.6	71.0	2.7	0.0	0.0
February	671	99.9%	-18.4	-37.6	4.5	17.3	44.0	35.6	3.1	0.0	0.0
March	744	100.0%	-0.5	-21.6	17.0	0.0	1.9	52.2	45.6	0.4	0.0
April	720	100.0%	3.7	-8.7	25.8	0.0	0.0	34.7	56.1	9.2	0.0
May	744	100.0%	10.2	-5.1	28.6	0.0	0.0	5.6	69.2	25.1	0.0
June	109	15.1%	22.5	8.4	34.0	0.0	0.0	0.0	17.4	64.2	18.3
July	0	0.0%	-	-	-	-	-	-	-	-	-
August	0	0.0%	-	-	-	-	-	-	-	-	-
September	0	0.0%	-	-	-	-	-	-	-	-	-
October	0	0.0%	-	-	-	-	-	-	-	-	-
November	0	0.0%	-	-	-	-	-	-	-	-	-
December	0	0.0%	-	-	-	-	-	-	-	-	-
Annual	3261	37.4%	-1.0	-37.6	34.0	3.6	11.7	34.4	39.8	9.9	0.6


Table G-6. Wauchope Station: Summary of airpointer® relative humidity monitoring results for January 1 to June 5, 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average RH (%)	Minimum 1-Hr RH (%)	Maximum 1-Hr RH (%)	Percent of Data in each Relative Humidity Range					
						≤15	15 ~ 30	30 ~ 60	60 ~ 80	80 ~ 90	>90
January	297	38.7%	75	62	84	0.0	0.0	0.0	80.1	19.9	0.0
February	671	99.9%	69	48	83	0.0	0.0	8.2	82.1	9.7	0.0
March	744	100.0%	63	27	87	0.0	0.7	39.1	44.5	15.7	0.0
April	720	100.0%	51	15	86	0.1	21.7	42.4	29.0	6.8	0.0
May	744	100.0%	50	15	91	0.0	25.0	37.8	23.7	12.9	0.7
June	109	15.1%	40	19	73	0.0	37.6	54.1	8.3	0.0	0.0
July	0	0.0%	-	-	-	-	-	-	-	-	-
August	0	0.0%	-	-	-	-	-	-	-	-	-
September	0	0.0%	-	-	-	-	-	-	-	-	-
October	0	0.0%	-	-	-	-	-	-	-	-	-
November	0	0.0%	-	-	-	-	-	-	-	-	-
December	0	0.0%	-	-	-	-	-	-	-	-	-
Annual	3261	37.4%	59	15	91	0.0	11.8	30.2	46.1	11.8	0.2

Table G-7. Wauchope Station: airpointer® wind frequency table for January 1 to June 5, 2021

Wind Direction Sector	Percent of Data in each Wind Speed Range, wind speed unit m/s						Totals
	0.3 ~ 1.4	1.4 ~ 3.1	3.1 ~ 7.8	7.8 ~ 10.6	10.6 ~ 13.6	>13.6	
North NorthEast	1.2%	1.7%	4.2%	0.2%	0.0%	0.0%	7.3%
NorthEast	0.4%	1.2%	2.3%	0.0%	0.0%	0.0%	3.9%
East NorthEast	0.4%	1.2%	0.7%	0.0%	0.0%	0.0%	2.4%
East	0.6%	1.3%	1.4%	0.0%	0.0%	0.0%	3.4%
East SouthEast	0.8%	1.2%	0.8%	0.0%	0.0%	0.0%	2.7%
SouthEast	0.9%	2.4%	3.8%	0.0%	0.0%	0.0%	7.1%
South SouthEast	2.7%	4.0%	4.6%	0.0%	0.0%	0.0%	11.3%
South	1.1%	1.5%	0.4%	0.0%	0.0%	0.0%	3.0%
South SouthWest	1.3%	1.1%	0.3%	0.0%	0.0%	0.0%	2.6%
SouthWest	1.0%	1.6%	1.2%	0.0%	0.0%	0.0%	3.8%
West SouthWest	1.8%	4.2%	2.3%	0.1%	0.0%	0.0%	8.4%
West	0.9%	3.8%	7.9%	0.5%	0.2%	0.0%	13.3%
West NorthWest	0.9%	1.6%	3.0%	0.2%	0.1%	0.0%	5.6%
NorthWest	0.8%	1.0%	2.7%	0.6%	0.1%	0.0%	5.3%
North NorthWest	1.2%	1.6%	5.5%	0.9%	0.0%	0.0%	9.1%
North	1.7%	2.3%	4.2%	0.5%	0.0%	0.0%	8.6%
Total	17.8%	31.5%	45.3%	3.0%	0.4%	0.0%	98.0%

Percent Calm (≤ 0.3 m/s)	2.0%
Number of Valid Hourly-Average Data	3257
Total Workable Hours in Time Period	3733



APPENDIX H. OXBOW STATION: CONTINUOUS MONITORING DATA

Table H-1. Oxbow Station: Summary of airpointer® monitoring results for December 2021

Parameter	Unit	Hours of Calibration & AIC ^a	Hours of Valid Data	Annual Percent Uptime	Summary Statistics for 1-Hour Average Data		
					Average	Minimum	Maximum
SO ₂	ppb	400	7963	100.0%	0.7	< 0.1	17.3
NO	ppb	400	7965	100.0%	0.3	< 0.1	18.2
NO ₂	ppb	400	7965	100.0%	0.8	< 0.1	17.9
NO _x	ppb	400	7965	100.0%	0.8	< 0.1	34.5
H ₂ S	ppb	400	8371	100.0%	0.2	< 0.1	6.3
PM _{2.5}	µg/m ³	120	8371	99.9%	7	< 1	154
Ambient Temperature	°C	0	8371	99.9%	4.5	-37.5	37.3
Relative Humidity	%	0	8371	100.0%	60	< 1	92
Wind Speed	m/s	0	8371	95.7%	0.8	Calm	168.3

a. Automatic Instrument Check

Table H-2. Oxbow Station: Summary of airpointer® SO₂ monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤1	1 ~ 5	5 ~ 11	11 ~ 48	48 ~ 172	>172
January	702	100.0%	0.7	15.4	0	4.5	0	84.7	13.2	1.7	0.4	0.0	0.0
February	643	100.0%	0.9	12.1	0	3.8	0	74.0	24.1	1.7	0.2	0.0	0.0
March	703	100.0%	0.6	9.7	0	1.9	0	84.2	15.1	0.7	0.0	0.0	0.0
April	688	100.0%	0.4	4.1	0	1.2	0	88.2	11.8	0.0	0.0	0.0	0.0
May	711	100.0%	0.6	7.6	0	1.4	0	83.3	16.2	0.6	0.0	0.0	0.0
June	677	100.0%	0.8	11.7	0	1.5	0	78.1	21.0	0.7	0.1	0.0	0.0
July	351	100.0%	0.5	6.3	0	1.3	0	86.0	13.7	0.3	0.0	0.0	0.0
August	712	100.0%	0.6	7.4	0	1.5	0	85.7	13.6	0.7	0.0	0.0	0.0
September	677	100.0%	0.6	8.0	0	1.3	0	83.8	15.5	0.7	0.0	0.0	0.0
October	708	100.0%	0.6	13.4	0	2.5	0	82.2	16.5	1.0	0.3	0.0	0.0
November	689	100.0%	0.6	17.2	0	2.3	0	83.2	14.9	1.6	0.3	0.0	0.0
December	702	100.0%	0.9	17.3	0	2.5	0	74.2	23.8	1.3	0.7	0.0	0.0
Annual ^c	7963	100.0%	0.7	17.3	0	4.5	0	82.2	16.7	0.9	0.2	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 172 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 48 ppb

c. Annual Saskatchewan Ambient Air Quality Standard = 8 ppb

Table H-3.Oxbow Station: Summary of airpointer® NO monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	>159
January	702	100.0%	0.1	3.8	-	0.5	-	100.0	0.0	0.0	0.0	0.0	0.0
February	643	100.0%	0.3	1.7	-	0.6	-	100.0	0.0	0.0	0.0	0.0	0.0
March	703	100.0%	0.2	1.6	-	0.3	-	100.0	0.0	0.0	0.0	0.0	0.0
April	689	100.0%	0.2	3.2	-	0.5	-	100.0	0.0	0.0	0.0	0.0	0.0
May	712	100.0%	0.2	3.6	-	0.4	-	100.0	0.0	0.0	0.0	0.0	0.0
June	677	100.0%	0.3	7.5	-	1.3	-	99.6	0.4	0.0	0.0	0.0	0.0
July	351	100.0%	0.3	18.2	-	2.0	-	99.4	0.3	0.3	0.0	0.0	0.0
August	712	100.0%	< 0.1	2.8	-	0.2	-	100.0	0.0	0.0	0.0	0.0	0.0
September	677	100.0%	0.1	2.2	-	0.2	-	100.0	0.0	0.0	0.0	0.0	0.0
October	708	100.0%	0.1	5.0	-	1.1	-	99.9	0.1	0.0	0.0	0.0	0.0
November	689	100.0%	0.7	9.7	-	2.1	-	99.6	0.4	0.0	0.0	0.0	0.0
December	702	100.0%	0.9	8.2	-	3.5	-	98.4	1.6	0.0	0.0	0.0	0.0
Annual ^c	7965	100.0%	0.3	18.2	-	3.5	-	99.7	0.2	0.0	0.0	0.0	0.0

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. No 24-hour Saskatchewan Ambient Air Quality Standard

c. No annual Saskatchewan Ambient Air Quality Standard

Table H-4.Oxbow Station: Summary of airpointer® NO₂ monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	> 159
January	702	100.0%	1.2	9.3	0	4.6	-	98.2	1.8	0.0	0.0	0.0	0.0
February	643	100.0%	1.7	6.3	0	3.6	-	99.5	0.5	0.0	0.0	0.0	0.0
March	703	100.0%	0.6	6.5	0	1.7	-	99.9	0.1	0.0	0.0	0.0	0.0
April	689	100.0%	0.3	4.2	0	1.6	-	100.0	0.0	0.0	0.0	0.0	0.0
May	712	100.0%	1.1	10.6	0	3.0	-	96.8	3.2	0.0	0.0	0.0	0.0
June	677	100.0%	1.6	17.9	0	5.1	-	91.0	8.9	0.1	0.0	0.0	0.0
July	351	100.0%	0.6	16.3	0	2.0	-	99.7	0.0	0.3	0.0	0.0	0.0
August	712	100.0%	0.1	3.6	0	0.3	-	100.0	0.0	0.0	0.0	0.0	0.0
September	677	100.0%	0.1	5.4	0	0.6	-	99.9	0.1	0.0	0.0	0.0	0.0
October	708	100.0%	0.2	6.8	0	1.5	-	99.6	0.4	0.0	0.0	0.0	0.0
November	689	100.0%	0.8	13.0	0	2.5	-	99.1	0.9	0.0	0.0	0.0	0.0
December	702	100.0%	1.1	10.0	0	4.5	-	96.9	3.1	0.0	0.0	0.0	0.0
Annual ^c	7965	100.0%	0.8	17.9	0	5.1	-	98.3	1.7	0.0	0.0	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 159 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 106 ppb

c. Annual Saskatchewan Ambient Air Quality Standard = 24 ppb

Table H-5. Oxbow Station: Summary of airpointer® NOx monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 15	15 ~ 53	53 ~ 100	100 ~ 159	>159
January	702	100.0%	1.3	12.6	-	5.1	-	97.4	2.6	0.0	0.0	0.0	0.0
February	643	100.0%	2.0	6.5	-	4.1	-	98.4	1.6	0.0	0.0	0.0	0.0
March	703	100.0%	0.7	7.4	-	1.9	-	99.6	0.4	0.0	0.0	0.0	0.0
April	689	100.0%	0.4	6.7	-	2.0	-	99.7	0.3	0.0	0.0	0.0	0.0
May	712	100.0%	1.2	14.2	-	3.2	-	95.9	4.1	0.0	0.0	0.0	0.0
June	677	100.0%	1.8	18.4	-	5.8	-	89.1	10.3	0.6	0.0	0.0	0.0
July	351	100.0%	0.8	34.5	-	2.6	-	99.1	0.6	0.3	0.0	0.0	0.0
August	712	100.0%	0.4	11.9	-	1.3	-	99.7	0.3	0.0	0.0	0.0	0.0
September	677	100.0%	0.2	3.7	-	0.8	-	100.0	0.0	0.0	0.0	0.0	0.0
October	708	100.0%	0.2	1.5	-	0.5	-	100.0	0.0	0.0	0.0	0.0	0.0
November	689	100.0%	0.2	1.2	-	0.6	-	100.0	0.0	0.0	0.0	0.0	0.0
December	702	100.0%	0.2	2.1	-	0.8	-	100.0	0.0	0.0	0.0	0.0	0.0
Annual ^c	7965	100.0%	0.8	34.5	-	5.8	-	98.2	1.7	0.1	0.0	0.0	0.0

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. No 24-hour Saskatchewan Ambient Air Quality Standard

c. No annual Saskatchewan Ambient Air Quality Standard

Table H-6. Oxbow Station: Summary of airpointer® H₂S monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (ppb)	Maximum 1-Hr Conc. (ppb)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (ppb)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤1	1 ~ 3.6	3.6 ~ 5	5 ~ 8	8 ~ 11	>11
January	699	100.0%	0.2	2.6	0	0.4	0	98.9	1.1	0.0	0.0	0.0	0.0
February	643	100.0%	0.3	2.9	0	0.7	0	99.7	0.3	0.0	0.0	0.0	0.0
March	702	100.0%	0.3	2.5	0	0.6	0	98.9	1.1	0.0	0.0	0.0	0.0
April	688	100.0%	0.3	3.5	0	1.0	0	96.9	3.1	0.0	0.0	0.0	0.0
May	712	100.0%	0.2	1.8	0	0.5	0	98.6	1.4	0.0	0.0	0.0	0.0
June	678	100.0%	0.2	2.5	0	0.6	0	97.2	2.8	0.0	0.0	0.0	0.0
July	351	100.0%	0.3	4.0	0	1.3	0	86.0	12.5	1.4	0.0	0.0	0.0
August	712	100.0%	0.2	2.1	0	0.6	0	98.9	1.1	0.0	0.0	0.0	0.0
September	677	100.0%	0.2	5.4	0	0.7	0	97.8	2.1	0.0	0.1	0.0	0.0
October	708	100.0%	0.2	2.6	0	0.7	0	97.5	2.5	0.0	0.0	0.0	0.0
November	689	100.0%	0.2	6.3	0	0.4	0	97.1	2.8	0.0	0.1	0.0	0.0
December	702	100.0%	0.3	5.4	0	1.0	0	92.9	6.7	0.1	0.3	0.0	0.0
Annual ^c	7961	100.0%	0.2	6.3	1	1.3	0	97.1	2.7	0.1	0.1	0.0	0.0

a. 1-hour Saskatchewan Ambient Air Quality Standard = 11 ppb

b. 24-hour Saskatchewan Ambient Air Quality Standard = 3.6 ppb

c. No annual Saskatchewan Ambient Air Quality Standard

Table H-7. Oxbow Station: Summary of airpointer® PM_{2.5} monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Conc. (µg/m ³)	Maximum 1-Hr Conc. (µg/m ³)	1-Hour Exceedance ^a (no.)	Maximum 24-Hr Conc. (µg/m ³)	24-Hour Exceedance ^b (no.)	Percent of Data in each Concentration Range					
								≤5	5 ~ 10	10 ~ 15	15 ~ 28	28 ~ 80	>80
January	733	100.0%	5	41	-	21	0	71	12	8	9	1	0
February	672	100.0%	5	39	-	15	0	67	22	6	5	0	0
March	732	100.0%	5	28	-	14	0	62	26	8	3	0	0
April	720	100.0%	5	22	-	9	0	58	30	10	2	0	0
May	744	100.0%	6	89	-	25	0	54	28	12	4	1	0
June	302	100.0%	9	41	-	19	0	36	36	12	14	2	0
July	116	100.0%	25	74	-	32	1	0	0	22	49	28	0
August	173	100.0%	7	22	-	12	0	46	37	10	7	0	0
September	720	100.0%	8	40	-	27	0	28	48	15	9	1	0
October	740	99.5%	11	154	-	65	4	49	28	9	5	6	3
November	720	100.0%	5	43	-	15	0	69	27	3	0	1	0
December	744	100.0%	6	104	-	17	0	67	24	4	2	2	0
Annual ^c	7116	99.9%	7	154	-	65	5	56.1	27.4	8.7	5.6	1.9	0.3

a. No 1-hour Saskatchewan Ambient Air Quality Standard

b. 24-hour Canada-Wide Standard = 28 µg/m³

c. No annual Saskatchewan Ambient Air Quality Standard

Table H-8. Oxbow Station: Summary of airpointer® ambient temperature monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average Temp. (°C)	Minimum 1-Hr Temp. (°C)	Maximum 1-Hr Temp. (°C)	Percent of Data in each Temperature Range					
						≤-30	-30 ~ -15	-15 ~ 0	0 ~ 15	15 ~ 30	>30
January	733	98.6%	-8.0	-28.9	5.3	0.1	16.1	74.6	9.1	0.0	0.0
February	672	100.0%	-17.0	-37.5	4.4	13.4	46.0	31.7	8.9	0.0	0.0
March	744	100.0%	0.8	-20.4	18.4	0.0	1.5	42.3	55.2	0.9	0.0
April	720	100.0%	4.8	-7.6	26.3	0.0	0.0	27.6	61.4	11.0	0.0
May	744	100.0%	11.0	-3.9	28.3	0.0	0.0	3.5	69.9	26.6	0.0
June	719	100.0%	19.4	6.6	33.6	0.0	0.0	0.0	23.9	72.2	3.9
July	367	100.0%	23.0	11.7	34.3	0.0	0.0	0.0	5.7	85.6	8.7
August	744	100.0%	18.9	6.9	37.3	0.0	0.0	0.0	34.7	58.9	6.5
September	720	100.0%	15.8	0.1	31.4	0.0	0.0	0.0	48.2	50.7	1.1
October	740	100.0%	8.0	-6.1	31.7	0.0	0.0	10.4	72.6	16.4	0.7
November	720	100.0%	-1.2	-19.7	17.4	0.0	2.5	56.9	39.6	1.0	0.0
December	744	100.0%	-13.2	-33.4	6.6	5.6	41.5	43.8	9.0	0.0	0.0
Annual	8367	99.9%	4.5	-37.5	37.3	1.6	9.2	25.4	38.0	24.4	1.4


Table H-9. Oxbow Station: Summary of airpointer® relative humidity monitoring results for the year 2021

Month	Valid 1-Hr data (no.)	Operational Time (%)	Average RH (%)	Minimum 1-Hr RH (%)	Maximum 1-Hr RH (%)	Percent of Data in each Relative Humidity Range					
						≤15	15 ~ 30	30 ~ 60	60 ~ 80	80 ~ 90	>90
January	733	100.0%	73	58	86	3.0	0.0	0.9	69.4	26.7	0.0
February	672	100.0%	69	49	85	0.0	0.0	10.7	80.1	9.2	0.0
March	744	100.0%	61	22	89	0.0	4.8	38.6	41.4	15.2	0.0
April	720	100.0%	49	13	87	1.3	23.6	40.3	25.8	9.0	0.0
May	744	100.0%	49	15	91	0.0	23.9	41.5	23.7	10.1	0.8
June	719	100.0%	55	17	91	0.0	11.1	46.5	29.5	12.5	0.4
July	367	100.0%	59	19	92	0.0	11.4	35.1	36.0	14.7	2.7
August	744	100.0%	60	13	91	1.1	9.0	38.2	28.2	21.0	2.6
September	720	100.0%	49	18	89	0.0	20.0	48.1	26.0	6.0	0.0
October	740	100.0%	60	11	90	1.5	9.1	36.1	35.4	18.0	0.0
November	720	100.0%	69	25	89	0.0	1.5	19.0	61.8	17.6	0.0
December	744	100.0%	71	50	87	0.0	0.0	5.2	80.5	14.2	0.0
Annual	8367	100.0%	60	11	92	0.6	9.5	29.8	45.0	14.6	0.5

Table H-10. Oxbow Station: airpointer® wind frequency table for the year 2021

Wind Direction Sector	Percent of Data in each Wind Speed Range, wind speed unit m/s						Totals
	0.3 ~ 1.4	1.4 ~ 3.1	3.1 ~ 7.8	7.8 ~ 10.6	10.6 ~ 13.6	>13.6	
North NorthEast	0.5%	1.1%	1.6%	0.0%	0.0%	0.0%	3.3%
NorthEast	0.6%	1.3%	1.7%	0.2%	0.0%	0.0%	3.6%
East NorthEast	0.4%	1.1%	2.0%	0.1%	0.0%	0.0%	3.6%
East	0.5%	1.6%	2.6%	0.1%	0.0%	0.0%	4.8%
East SouthEast	0.5%	2.0%	5.4%	0.2%	0.0%	0.0%	8.1%
SouthEast	0.6%	1.8%	4.3%	0.2%	0.0%	0.0%	7.0%
South SouthEast	0.7%	2.3%	1.2%	0.1%	0.0%	0.0%	4.3%
South	0.7%	1.2%	1.1%	0.2%	0.0%	0.0%	3.2%
South SouthWest	0.5%	1.0%	1.7%	0.1%	0.0%	0.0%	3.3%
SouthWest	0.4%	1.4%	3.3%	0.1%	0.0%	0.0%	5.2%
West SouthWest	0.5%	2.1%	6.1%	0.4%	0.1%	0.0%	9.1%
West	0.5%	2.7%	7.3%	0.7%	0.2%	0.1%	11.5%
West NorthWest	0.6%	2.6%	9.8%	2.3%	0.6%	0.4%	16.3%
NorthWest	0.5%	1.7%	4.4%	1.4%	0.5%	0.0%	8.6%
North NorthWest	0.5%	1.6%	2.7%	0.3%	0.0%	0.0%	5.2%
North	0.3%	1.0%	0.9%	0.0%	0.0%	0.0%	2.2%
Total	8.2%	26.6%	56.0%	6.4%	1.4%	0.6%	99.2%

Percent Calm (0.3 m/s)	0.7%
Number of Valid Hourly-Average Data	8371
Total Workable Hours in Time Period	8748



APPENDIX I. WEYBURN STATION: EXCEEDANCE SUMMARY

Table I-1. Weyburn Station: Summary of exceedances for 1-hour SAAQS for the year 2021

1-Hour Exceedance Pollutant			Other Parameters During the Exceedance Event							
Pollutant	Conc.	Exceedance Time	WS	WD	AQHI	SO ₂	NO ₂	O ₃	H ₂ S	PM _{2.5}
		mmm-dd hh:mm	m/s	deg	-	ppb	ppb	ppb	ppb	µg/m ³
H ₂ S	25.1	Apr-06 07:00	0.3	165	0	1.7	2.9	9.4	25.1	14
H ₂ S	27.6	Apr-06 08:00	0.4	201	0	3.1	5.3	8.4	27.6	7.6
H ₂ S	12.0	Dec-21 17:00	1.2	157	2	5	1	30	12.0	0.5

Table I-2. Weyburn Station: Summary of exceedances for 24-hour SAAQS for the year 2021

1-Hour Exceedance Pollutant			Other Parameters During the Exceedance Event							
Pollutant	Conc.	Exceedance Date	WS	WD	AQHI	SO ₂	NO ₂	O ₃	H ₂ S	PM _{2.5}
		mmm-dd	m/s	deg	-	ppb	ppb	ppb	ppb	µg/m ³
PM _{2.5}	65	Jul-19	11.2	92	5	-	-	31	0.3	65
PM _{2.5}	51	Jul-20	11.9	95	4	0.3	2.0	22	0.5	51
PM _{2.5}	38	Jul-21	7.3	159	4	-	5.7	29	-	38
PM _{2.5}	35	Jul-22	6.5	161	4	-	4.0	35	-	35
PM _{2.5}	35	Jul-18	5.5	162	4	1.5	-	37	0.3	34
PM _{2.5}	34	Jul-17	7.9	121	3	-	0.7	36	0.4	34
PM _{2.5}	33	Jul-27	6.7	150	4	1.7	2.8	43	1.2	33
PM _{2.5}	29	Jul-14	2.8	187	3	1.6	2.7	32	-	29
PM _{2.5}	29	Jul-28	9.0	251	4	-	1.9	36	0.5	29
PM _{2.5}	29	Jul-16	5.1	150	4	2.1	0.7	50	-	29
PM _{2.5}	29	Jul-23	8.3	261	3	0.2	-	33	-	29
PM _{2.5}	60	Aug-5	3.3	155	4	-	1.4	29	0.4	60
PM _{2.5}	53	Aug-6	6.1	149	5	1.3	1.5	38	0.3	53
PM _{2.5}	49	Aug-16	12.1	244	4	-	2.1	32	0.9	49
PM _{2.5}	49	Aug-3	3.0	198	4	4.3	2.5	34	0.8	49
PM _{2.5}	45	Aug-7	7.7	197	4	-	2.0	43	0.3	45
PM _{2.5}	41	Aug-4	10.9	220	4	0.7	1.8	38	-	41
PM _{2.5}	35	Aug-2	2.9	126	3	3.5	1.8	31	1.1	35
PM _{2.5}	34	Aug-15	5.6	242	4	-	-	35	0.9	34
PM _{2.5}	30	Aug-17	16.2	141	3	-	1.3	29	0.7	30
PM _{2.5}	35	Oct-8	5.8	147	3	-	-	21	-	35
PM _{2.5}	33	Oct-7	14.6	321	3	-	-	22	-	33

APPENDIX J. GLEN EWEN STATION: EXCEEDANCE SUMMARY

APPENDIX K. STOUGHTON STATION: EXCEEDANCE SUMMARY

Table K-1. Stoughton Station: Summary of exceedances for 24-hour SAAQS for the year 2021

24-Hour Exceedance Pollutant			Other Parameters During the Exceedance Event							
Pollutant	Conc.	Exceedance Date	WS	WD	AQHI	ET	SO ₂	NO ₂	H ₂ S	PM _{2.5}
		mmm-dd	m/s	deg	-	C	ppb	ppb	ppb	µg/m ³
PM _{2.5}	55	Oct-2	1.7	262	32.8	10.8	0.1	-	0.4	55
PM _{2.5}	36	Oct-7	2.3	317	26.5	12.4	-	-	0.2	36
PM _{2.5}	32	Oct-8	1.6	92	25.0	11.8	0.2	-	0.3	32

APPENDIX L. ESTERHAZY STATION: EXCEEDANCE SUMMARY

Table L-1. Esterhazy Station: Summary of exceedances for 24-hour SAAQS for the year 2021

24-Hour Exceedance Pollutant			Other Parameters During the Exceedance Event							
Pollutant	Conc. µg/m ³	Exceedance Date	WS	WD	AQHI	ET	RH	NO ₂	O ₃	PM _{2.5}
		mmm-dd	m/s	deg	-	C	%	ppb	ppb	µg/m ³
PM _{2.5}	54	Jul-20	2.7	109	4	-	2.3	2.5	26	54
PM _{2.5}	42	Jul-21	2.4	82	4	-	3.0	3.0	31	42
PM _{2.5}	36	Jul-17	2.3	117	4	0.2	0.9	1.1	42	36
PM _{2.5}	35	Jul-19	3.0	76	3.0	0.7	1.2	2.0	26	35
PM _{2.5}	34	Jul-31	1.3	154	3.1	0.4	0.7	1.1	30	34
PM _{2.5}	74	Aug-5	1.1	248	5	0.7	1.8	2.4	30	74
PM _{2.5}	48	Aug-1	0.8	183	4	0.4	-	0.9	31	48
PM _{2.5}	47	Aug-4	2.0	282	4	-	-	-	38	47
PM _{2.5}	39	Aug-6	1.7	155	4.0	-	0.5	0.6	40	39
PM _{2.5}	35	Aug-3	1.6	238	3.8	0.2	-	-	43	35
PM _{2.5}	32	Aug-16	1.9	221	3.4	-	1.4	3.0	32	32
PM _{2.5}	92	Oct-2	1.2	260	6	0.5	-	-	26	92
PM _{2.5}	37	Oct-3	1.8	207	4	0.2	-	-	33	37
PM _{2.5}	33	Oct-7	2.0	261	3	2.1	-	-	24	33
PM _{2.5}	30	Oct-8	1.4	143	2.6	0.4	-	-	22	30

APPENDIX M. TORQUAY STATION: EXCEEDANCE SUMMARY

Table M-1. Torquay Station: Summary of exceedances for 1-hour SAAQS for the year 2021

24-Hour Exceedance Pollutant			Other Parameters During the Exceedance Event				
Pollutant	Conc. ppb	Exceedance Date	WS	WD	SO ₂	H ₂ S	PM _{2.5}
		mmm-dd hh:mm	m/s	deg	ppb	ppb	µg/m ³
H ₂ S	23.1	Apr -5 21:00	1.1	305	0.3	23.1	8
H ₂ S	13.3	Apr -5 22:00	0.8	284	0.2	13.3	7
H ₂ S	12.3	Oct-22 14:00	7.0	103	2.2	12.3	4

Table M-2. Torquay Station: Summary of exceedances for 24-hour SAAQS for the year 2021

24-Hour Exceedance Pollutant			Other Parameters During the Exceedance Event				
Pollutant	Conc. µg/m ³	Exceedance Date	WS	WD	SO ₂	H ₂ S	PM _{2.5}
		mmm-dd	m/s	deg	ppb	ppb	µg/m ³
PM _{2.5}	40	Jul-19	3.0	105	1	33	40
PM _{2.5}	62	Aug-5	1.3	155	-	-	62
PM _{2.5}	61	Aug-3	0.7	229	-	-	61
PM _{2.5}	58	Aug-16	2.8	261	-	0.9	58
PM _{2.5}	52	Aug-2	1.1	157	-	-	52
PM _{2.5}	46	Aug-6	3.4	151	-	-	46
PM _{2.5}	39	Aug-17	3.6	153	-	-	39
PM _{2.5}	34	Aug-15	2.2	241	-	0.3	34
PM _{2.5}	30	Aug-4	3.2	230	-	-	30
PM _{2.5}	35	Oct-7	4.4	325	-	0.1	35
PM _{2.5}	34	Oct-8	2.7	156	-	0.2	34
PM _{2.5}	30	Oct-2	2.9	271	0.1	0.2	30

APPENDIX N. WAUCHOPE STATION: EXCEEDANCE SUMMARY

Table N-1. Wauchope Station: Summary of exceedances for 1-hour SAAQS for the year 2021

1-Hour Exceedance Pollutant			Other Parameters During the Exceedance Event					
Pollutant	Conc.	Exceedance Time	WS	WD	ET	SO ₂	H ₂ S	PM _{2.5}
	ppb	mmm-dd hh:mm	m/s	deg	C	ppb	ppb	µg/m ³
H ₂ S	80.0	Jan-25 15:00	3.7	64	-21.4	6.6	80.0	16

APPENDIX O. OXBOW STATION: EXCEEDANCE SUMMARY

Table O-1. Oxbow Station: Summary of exceedances for 24-hour SAAQS for the year 2021

24-Hour Exceedance Pollutant			Other Parameters During the Exceedance Event								
Pollutant	Conc.	Exceedance Date mmm-dd	WS m/s	WD deg	AQHI -	Rain mm	ET C	SO ₂ ppb	NO ₂ ppb	H ₂ S ppb	PM _{2.5} µg/m ³
PM _{2.5}	33	Jul-24	4.6	287	23.8	0.0	20.5	-	-	-	323
PM _{2.5}	69	Oct-2	3.1	258	40	0.0	13.1	0.3	-	0.3	69
PM _{2.5}	40	Oct-8	3.0	116	30	0.0	12.1	-	-	0.2	40
PM _{2.5}	40	Oct-3	3.6	238	26	0.0	15.9	-	-	0.4	40
PM _{2.5}	30	Oct-7	4.2	295	23	0.0	15.5	-	-	-	30

APPENDIX P. 2021 FINANCIAL STATEMENTS

Southeast Saskatchewan Airshed Association
Financial Statements
December 31, 2021

Management's Responsibility

To the Board of Southeast Saskatchewan Airshed Association:

Management is responsible for the preparation and presentation of the accompanying financial statements, including responsibility for significant accounting judgments and estimates in accordance with Canadian accounting standards for not-for-profit organizations. This responsibility includes selecting appropriate accounting principles and methods, and making decisions affecting the measurement of transactions in which objective judgment is required.

In discharging its responsibilities for the integrity and fairness of the financial statements, management designs and maintains the necessary accounting systems and related internal controls to provide reasonable assurance that transactions are authorized, assets are safeguarded and financial records are properly maintained to provide reliable information for the preparation of financial statements.

The Board of Directors is composed entirely of Directors who are neither management nor employees of the Organization. The Board is responsible for overseeing management in the performance of its financial reporting responsibilities and for approving the financial information. The Board fulfils these responsibilities by reviewing the financial information prepared by management and discussing relevant matters with management and external auditors.

MNP LLP is appointed by the directors to audit the financial statements and report directly to them; their report follows. The external auditors have full and free access to, and may meet periodically and separately with, both the Board and management to discuss their audit findings.

May 31, 2022



To the Board of Southeast Saskatchewan Airshed Association:

Opinion

We have audited the financial statements of Southeast Saskatchewan Airshed Association (the "Organization"), which comprise the statement of financial position as at December 31, 2021, and the statements of operations, changes in net assets and cash flows for the year then ended, and notes to the financial statements, including a summary of significant accounting policies.

In our opinion, the accompanying financial statements present fairly, in all material respects, the financial position of the Organization as at December 31, 2021, and the results of its operations and its cash flows for the year then ended in accordance with Canadian accounting standards for not-for-profit organizations.

Basis for Opinion

We conducted our audit in accordance with Canadian generally accepted auditing standards. Our responsibilities under those standards are further described in the Auditor's Responsibilities for the Audit of the Financial Statements section of our report. We are independent of the Organization in accordance with the ethical requirements that are relevant to our audit of the financial statements in Canada, and we have fulfilled our other ethical responsibilities in accordance with these requirements. We believe that the audit evidence we have obtained is sufficient and appropriate to provide a basis for our opinion.

Responsibilities of Management and Those Charged with Governance for the Financial Statements

Management is responsible for the preparation and fair presentation of the financial statements in accordance with Canadian accounting standards for not-for-profit organizations, and for such internal control as management determines is necessary to enable the preparation of financial statements that are free from material misstatement, whether due to fraud or error.

In preparing the financial statements, management is responsible for assessing the Organization's ability to continue as a going concern, disclosing, as applicable, matters related to going concern and using the going concern basis of accounting unless management either intends to liquidate the Organization or to cease operations, or has no realistic alternative but to do so.

Those charged with governance are responsible for overseeing the Organization's financial reporting process.

Auditor's Responsibilities for the Audit of the Financial Statements

Our objectives are to obtain reasonable assurance about whether the financial statements as a whole are free from material misstatement, whether due to fraud or error, and to issue an auditor's report that includes our opinion. Reasonable assurance is a high level of assurance, but is not a guarantee that an audit conducted in accordance with Canadian generally accepted auditing standards will always detect a material misstatement when it exists. Misstatements can arise from fraud or error and are considered material if, individually or in the aggregate, they could reasonably be expected to influence the economic decisions of users taken on the basis of these financial statements.

As part of an audit in accordance with Canadian generally accepted auditing standards, we exercise professional judgment and maintain professional skepticism throughout the audit. We also:

- Identify and assess the risks of material misstatement of the financial statements, whether due to fraud or error, design and perform audit procedures responsive to those risks, and obtain audit evidence that is sufficient and appropriate to provide a basis for our opinion. The risk of not detecting a material misstatement resulting from fraud is higher than for one resulting from error, as fraud may involve collusion, forgery, intentional omissions, misrepresentations, or the override of internal control.
- Obtain an understanding of internal control relevant to the audit in order to design audit procedures that are appropriate in the circumstances, but not for the purpose of expressing an opinion on the effectiveness of the Organization's internal control.
- Evaluate the appropriateness of accounting policies used and the reasonableness of accounting estimates and related disclosures made by management.
- Conclude on the appropriateness of management's use of the going concern basis of accounting and, based on the audit evidence obtained, whether a material uncertainty exists related to events or conditions that may cast significant doubt on the Organization's ability to continue as a going concern. If we conclude that a material uncertainty exists, we are required to draw attention in our auditor's report to the related disclosures in the financial statements or, if such disclosures are inadequate, to modify our opinion. Our conclusions are based on the audit evidence obtained up to the date of our auditor's report. However, future events or conditions may cause the Organization to cease to continue as a going concern.
- Evaluate the overall presentation, structure and content of the financial statements, including the disclosures, and whether the financial statements represent the underlying transactions and events in a manner that achieves fair presentation.

We communicate with those charged with governance regarding, among other matters, the planned scope and timing of the audit and significant audit findings, including any significant deficiencies in internal control that we identify during our audit.

Estevan, Saskatchewan

June 6, 2022

The logo for MNP LLP, featuring the letters 'MNP' in a large, bold, stylized font, with 'LLP' in a smaller, simpler font to the right.


Chartered Professional Accountants

Southeast Saskatchewan Airshed Association
Statement of Financial Position


As at December 31, 2021

	2021	2020
Assets		
Cash		
Cash	193,599	119,851
Marketable securities (Note 3)	-	104,433
Prepaid expenses	3,833	3,833
Goods and Services Tax receivable	1,677	735
	199,109	228,852
Capital assets (Note 4)	173,077	215,581
	372,186	444,433
Liabilities		
Current		
Accounts payable and accruals	45,370	30,969
Deferred contributions for capital assets (Note 5)	11,913	11,913
	57,283	42,882
Deferred contributions for capital assets (Note 5)	5,957	17,870
	63,240	60,752
Net Assets		
Unrestricted	153,740	93,450
Invested in capital assets	155,206	185,798
Internally restricted	-	104,433
	308,946	383,681
	372,186	444,433

Approved on behalf of the Board of Directors



Director



Director

The accompanying notes are an integral part of these financial statements

Southeast Saskatchewan Airshed Association

Statement of Operations

For the year ended December 31, 2021

	2021	2020
Revenue		
Membership fees	152,640	216,202
Amortization of deferred contributions for capital assets <i>(Note 5)</i>	11,913	11,913
	164,553	228,115
Expenses		
Advertising	2,178	4,704
Air monitoring	69,560	120,474
Amortization	42,505	53,046
Bank charges	133	108
Insurance	7,880	7,895
Management fees <i>(Note 7)</i>	46,414	46,620
Office	11,128	8,389
Professional fees	8,100	6,775
Repairs and maintenance	51,938	54,869
Travel	79	355
	239,915	303,235
Deficiency of revenue over expenses before other items	(75,362)	(75,120)
Other items		
Interest income	627	2,059
Deficiency of revenue over expenses	(74,735)	(73,061)

The accompanying notes are an integral part of these financial statements

Southeast Saskatchewan Airshed Association

Statement of Changes in Net Assets

For the year ended December 31, 2021

	Internally restricted	Unrestricted	Invested in capital assets	2021	2020
Balance, beginning of year	104,433	93,450	185,798	383,681	456,742
Deficiency of revenue over expenses	-	(44,143)	(30,592)	(74,735)	(73,061)
Interfund transfer	(104,433)	104,433	-	-	-
Balance, end of year	-	153,740	155,206	308,946	383,681

The accompanying notes are an integral part of these financial statements

Southeast Saskatchewan Airshed Association

Statement of Cash Flows

For the year ended December 31, 2021

	2021	2020
Cash provided by (used for) the following activities:		
Operating		
Cash receipts from membership fees	152,640	216,202
Cash paid to suppliers	(183,952)	(252,013)
Cash receipts from interest	627	2,059
	(30,685)	(33,752)
Investing		
Purchase of capital assets	-	(6,795)
Purchase of marketable securities	-	(104,433)
Redemption of marketable securities	104,433	102,374
	104,433	(8,854)
Increase (decrease) in cash resources	73,748	(42,606)
Cash resources, beginning of year	119,851	162,457
Cash resources, end of year	193,599	119,851

The accompanying notes are an integral part of these financial statements

Southeast Saskatchewan Airshed Association

Notes to the Financial Statements

For the year ended December 31, 2021

1. Incorporation and nature of the organization

Southeast Saskatchewan Airshed Association (the "Organization") was incorporated under The Non-Profit Corporations Act, 1995 on October 7, 2005, and is exempt from income taxes. In order to maintain its status as a not-for-profit organization under the Act, the Organization must meet certain requirements within the Act. In the opinion of management these requirements have been met.

The Organization collects and monitors ambient air quality data in Southeast Saskatchewan and makes this data available to all members.

Impact on operations of COVID-19 (coronavirus)

There was a continuance of the pandemic from COVID-19 (coronavirus), which has had a significant impact on businesses through the restrictions put in place by the Canadian, provincial and municipal governments regarding travel, business operations and isolation/quarantine orders. In the short-term, this has reduced the Organization's ability to operate as the Organization has experienced reduced membership and increasing cost of services. At this time, it is unknown the extent of the impact the COVID-19 outbreak may have on the Organization as this will depend on future developments that are highly uncertain and that cannot be predicted with confidence.

2. Significant accounting policies

The financial statements have been prepared in accordance with Canadian accounting standards for Not-for-profit organizations as issued by the Accounting Standards Board in Canada and include the following significant accounting policies:

Cash and cash equivalents

Cash and cash equivalents include balances with banks and short-term investments with maturities of three months or less.

Marketable securities

Marketable securities with prices quoted in an active market are measured at fair value while those that are not quoted in an active market are measured at cost less impairment.

Capital assets

Purchased capital assets are recorded at cost. Contributed capital assets are recorded at fair value at the date of contribution if fair value can be reasonably determined.

Amortization is provided using the declining balance method at rates intended to amortize the cost of assets over their estimated useful lives.

	Rate
Equipment	20 %
Fence	10 %

Revenue recognition

The Organization follows the deferral method of accounting for contributions. Restricted contributions are recognized as revenue in the year in which the related expenses are incurred. Unrestricted contributions, including membership fees are recognized as revenue when received.

Measurement uncertainty

The preparation of financial statements in conformity with Canadian accounting standards for not-for-profit organizations requires management to make estimates and assumptions that affect the reported amounts of assets and liabilities and disclosure of contingent assets and liabilities at the date of the financial statements, and the reported amounts of revenues and expenses during the reporting period.

Amortization is based on the estimated useful lives of equipment.

These estimates and assumptions are reviewed periodically and, as adjustments become necessary they are reported in excess of revenue over expenses in the periods in which they become known.

2. Significant accounting policies *(Continued from previous page)*

Long-lived assets

Long-lived assets consist of equipment. Long-lived assets held (or used) are measured and amortized as described in the applicable accounting policies.

When the Organization determines that a long-lived asset no longer has any long-term service potential to the Organization, the excess of its net carrying amount over any residual value is recognized as an expense in the statement of revenue and expenses. Write-downs are not reversed.

Financial instruments

The Organization recognizes financial instruments when the Organization becomes party to the contractual provisions of the financial instrument.

Arm's length financial instruments

Financial instruments originated/acquired or issued/assumed in an arm's length transaction ("arm's length financial instruments") are initially recorded at their fair value.

At initial recognition, the Organization may irrevocably elect to subsequently measure any arm's length financial instrument at fair value. The Organization has not made such an election during the year.

The Organization subsequently measures investments in equity instruments not quoted in an active market at cost less impairment. All other financial assets and liabilities are subsequently measured at amortized cost.

Transaction costs and financing fees are added to the carrying amount for those financial instruments subsequently measured at cost or amortized cost.

Related party financial instruments

The Organization initially measures all other related party financial instruments at cost on initial recognition. When the financial instrument has repayment terms, cost is determined using the undiscounted cash flows, excluding interest, dividend, variable and contingent payments, less any impairment losses previously recognized by the transferor. When the financial instrument does not have repayment terms, but the consideration transferred has repayment terms, cost is determined based on the repayment terms of the consideration transferred. When the financial instrument and the consideration transferred both do not have repayment terms, the cost is equal to the carrying or exchange amount of the consideration transferred or received (refer to Note 7).

Financial instruments that were initially measured at cost are subsequently measured using the cost method less any reduction for impairment.

Transaction costs and financing fees directly attributable to the origination, acquisition, issuance or assumption of related party financial instruments are immediately recognized in deficiency of revenue over expenses.

Financial asset impairment

The Organization assesses impairment of all its financial assets measured at cost or amortized cost. The Organization groups assets for impairment testing when information is not sufficient to permit identification of each individually impaired financial asset in the group; there are numerous assets affected by the same factors; no asset is individually significant. Management considers whether the issuer is having significant financial difficulty; whether there has been a breach in contract, such as a default or delinquency in interest or principal payments in determining whether objective evidence of impairment exists. When there is an indication of impairment, the Organization determines whether it has resulted in a significant adverse change in the expected timing or amount of future cash flows during the year.

With the exception of related party debt instruments and related party equity instruments initially measured at cost, the Organization reduces the carrying amount of any impaired financial assets to the highest of: the present value of cash flows expected to be generated by holding the assets; the amount that could be realized by selling the assets at the statement of financial position date; and the amount expected to be realized by exercising any rights to collateral held against those assets.

Southeast Saskatchewan Airshed Association

Notes to the Financial Statements

For the year ended December 31, 2021

2. Significant accounting policies *(Continued from previous page)*

For related party debt instruments initially measured at cost, the Organization reduces the carrying amount of the asset, to the highest of: the undiscounted cash flows expected to be generated by holding the asset, excluding the interest and dividend payments of the instrument; the present value of cash flows expected to be generated by holding the assets; the amount that could be realized by selling the assets at the balance sheet date; and the amount expected to be realized by selling the assets at the balance sheet date; and the amount expected to be realized by exercising any rights to collateral held against those assets.

Any impairment, which is not considered temporary, is included in current year deficiency of revenue over expenses.

The Organization reverses impairment losses on financial assets when there is a decrease in impairment and the decrease can be objectively related to an event occurring after the impairment loss was recognized. The amount of the reversal is recognized in deficiency of revenue over expenses in the year the reversal occurs.

3. Marketable securities

	2021	2020
Measured at cost:		
CIBC GIC	-	104,433

The GIC was issued December 21, 2020 and matured December 21, 2021, bearing interest at 0.60% per annum on the date of maturity the GIC was not renewed. The GIC was internally restricted for purposes of future capital purchase requirements and now has been moved to operations.

4. Capital assets

	Cost	Accumulated amortization	2021 Net book value	2020 Net book value
Equipment	931,101	763,528	167,573	209,466
Fence	6,795	1,291	5,504	6,115
	937,896	764,819	173,077	215,581

5. Deferred contributions for capital assets

Deferred capital contributions consist of the unamortized amount of contributions received for the purchase of equipment. Recognition of these amounts as revenue is deferred to periods when the related equipment are amortized. Changes in deferred capital contributions are as follows:

	2021	2020
Balance, beginning of year	29,783	41,696
Less: Amount recognized as revenue during the year	(11,913)	(11,913)
Balance, end of year	17,870	29,783
Less: current portion	11,913	11,913
Balance, end of year	5,957	17,870

6. Interfund transactions

During the year, the Board of Directors internally restricted \$nil (2020 - \$104,333) relating to the CIBC GIC included in marketable securities to be used for future capital asset purchases.

Southeast Saskatchewan Airshed Association

Notes to the Financial Statements

For the year ended December 31, 2021

7. Related party transactions

The Organization has entered into a contract agreement for management services with K2L Consulting Inc., between November 2021 and May 2023 or Terry Gibson Consulting between January 2021 - November 2021. The contract is based on hours required, to a maximum of \$50,000 (2020 - \$60,000). Any overage is required to be approved by the Board of Directors. Included in expenses for the current year are \$46,414 (2020 - \$46,620) of management fees. The expenses were incurred in the normal course of operations and measured at the exchange amount, which is the amount of consideration established and agreed to by the related parties.

8. Commitment

The Organization has the following commitment for maintenance and calibrations of air monitoring systems at a rate of \$5,985/month:

2022	71,820
2023	71,820
2024	35,910

9. Financial instruments

The Organization, as part of its operations, carries a number of financial instruments. It is management's opinion that the Organization is not exposed to significant interest, currency, credit, liquidity or other price risks arising from these financial instruments except otherwise disclosed.

Liquidity risk

Liquidity risk is the risk that the Organization will encounter difficulty in meeting obligations associated with financial liabilities. The Organization's exposure to liquidity risk is dependent on the collection of membership fee revenue and obligations to sustain operations.

Interest rate risk

Interest rate risk is the risk that the value of a financial instrument might be adversely affected by a change in the interest rates. Changes in market interest rates may have an effect on the cash flows associated with some financial assets and liabilities, known as cash flow risk, and on the fair value of other financial assets or liabilities, known as price risk.

Marketable securities were subject to interest rate price risk as the bear interest at 0.60% per annum, and matured December 21, 2021.

APPENDIX Q. SESAA BOARD OF DIRECTORS

Board of Directors and Alternates

Bruce Hesselink Board Chair, SaskPower



Bruce grew up in the Estevan area and attended the University of Saskatchewan where he earned a Bachelor's Degree in Agriculture. After twenty-five or so years in agriculture R&D, including Agriculture Canada Research Branch and the PFRA, Bruce joined SaskPower to manage their Shand Greenhouse Program. Currently Bruce is with the Strategic Issues Management group of SaskPower's Environment Department, involved in files such as water and waste management, biodiversity, and air emissions.

Kevin O'Neill Vice Chair

Stu Goranson Secretary Treasurer, Crescent Point Energy



Stuart is a long time rural Weyburn resident, where he continues to reside with his wife and family. Stuart is a Professional Engineer, working in the oil and gas environmental industry for over 25 years. Stuart is currently the Regulatory Coordinator at Crescent Point Energy.

Clayton Stenhouse Board Member



Clayton grew up in the Regina area before attending the University of Lethbridge and Lethbridge College where he earned a Bachelor's Degree in Environmental Science with a Specialization in Fish and Wildlife Technology. Clayton stepped into the mining industry after 12 years as an environmental consultant and certified infrared optical gas imaging specialist throughout Alberta and Saskatchewan. As a registered Professional Agrologist and active Commissioner for Oaths in Saskatchewan, he now hangs his hat in the Estevan area as the Senior Environmental Planner with Westmoreland Mining Holdings LLC – Estevan Mine.

Jennifer Wilkinson Board Member



Jennifer Wilkinson is the Director of Engineering for the City of Weyburn. Jennifer received her Bachelor's in Mechanical Engineering at the University of Saskatchewan. She worked for 14 years in the oil and gas industry in both upstream and downstream before switching to Municipal Operations.

Kelly Gervais Board Member



Kelly was born and raised in Redvers, Saskatchewan. After graduating from University of Saskatchewan in 2005 with bachelor's degree in Mechanical Engineering, he moved to Calgary to start a career in oil & gas industry. He has been a Production Engineer Whitecap Resources (previously Cenovus/EnCana) for the past 15 years and has been living in Weyburn since 2011.

Randal Miller Saskatchewan Industry & Resources



Gerald Knibbs Councillor, Rural Municipality of Tecumseh No. 65



Mr. Knibbs is an organic grain farmer near Stoughton. He currently serves as a counsellor for the R.M. of Tecumsch. He and his wife Dawn were born and raised in the area and are currently raising their family in their community. Air and water quality are important issues now and in the future.

Kristin Waroma Health Representative



Kristin Waroma is the Senior Public Health Inspector for Sun Country Health Region based in the Weyburn office. She has been working in public health since 2008. Her health inspector duties include water, wastewater, food safety, communicable disease control, recreational water, land use reviews, tobacco control, indoor and outdoor air quality and many other programs. She enjoys the challenges of working in busy Southeastern Saskatchewan.

Rebecca Foord Member

Ken Cross Executive Director



Mr. Cross brings over 30 years of Public Health/Environmental Health experience and 10 years of Airpointer technical support to the position. He has held the position of President of the SK Branch of the Canadian Institute of Public Health Inspectors and has served on many provincial and national boards and committees. Ken is committed to working with industry and regulators to ensure the health of the environment of south east Saskatchewan is always protected.

APPENDIX R. SESAA MEMBER COMPANIES

The Southeast Saskatchewan Airshed Association would like to express our gratitude to our members in good standing for their support of SESAA, for their very strong support regarding quality air data collection, and for their commitment to the citizens and environment of southeast Saskatchewan.

For information on how to become a member, please contact Ken Cross, Executive Director at (306) 861-0186.

- 101033165 Saskatchewan Ltd.
- 618555 Saskatchewan Ltd. TDL Petroleum
- Abenteuer Resources Corp.
- Admiralty Oils
- Advantage Oil and Gas
- Aldon Oils
- Antoinway Resources
- Apache Canada Ltd.
- ARC Resources
- ATCO Energy Solutions
- AvenEx Energy
- Barracuda Energy
- Base Resources Inc.
- Baytex
- Black Rider Resources Inc.
- Bluebird Resources
- Bonterra Energy
- Border Energy Ltd
- Brown Bros. Resources
- Brownstone Resources Ltd.
- Bulldog Oil and Gas
- Cajé Holdings Ltd.
- Canada Capital Energy
- Canadian Natural Resources Limited
- Can Era Energy Corp.
- Caprice Resources
- Cenovus Energy Inc.
- C-Group Energy
- Cheveyo Energy
- Chinook Iteration
- Clan Oil
- Coast Resources
- Condor Canada
- Conoco Phillips
- Contact Exploration
- Crescent Point Resources Partnership
- Daylight Energy
- Devon Canada Corporation
- Diaz Resources Ltd.
- EERG Energy ULC
- Elkhorn Resources
- Elswick Energy Ltd.
- Enermark Inc.
- Enerplus Corporation
- Fairborne Energy Ltd.
- Federated Co-op
- Firesky Energy
- Flagstone Energy
- Frank R. Lee Investments
- Freehold Royalties
- Freemantle Petroleum
- GKN Resources Ltd.
- Golden Key Oil
- Gold River Oil and Gas

- Grand Bow Petroleum Limited
- Halvar Resources
- Harvest Operations
- Highrock Energy
- Hillsdale Drilling
- Hummingbird Energy Inc.(Virtus group)
- Husky Oil Operations Limited
- JDM Petroleum
- Jedi Exploration & Development
- K and S Investments Ltd.
- Kenwood Resources Ltd.
- Keystone Royalty
- Kinwest 2008 Energy
- Kiwi Resources Ltd.
- Kootenay Energy
- Lakeco Holdings
- Legacy Oil and Gas
- Lightstream Resources Ltd.
- Long Fortune
- Longview Oil
- Magellan Resources Ltd.
- Mancal Energy Inc.
- Marquee Energy LTD
- Midale Petroleums Ltd.
- Molopo Energy
- Mosaic
- NAL Resources Limited
- Nexstep Resources
- Noramera Bioenergy
- Novus Energy Inc.
- Nuloch Resources Inc.
- Omatius Oil & Gas Ltd.
- Oneex Operations
- Openfield Ventures
- Painted Pony Petroleum
- Pemoco Ltd.
- Penn West Petroleum Ltd.
- Petrex Energy
- Petro One Energy
- Pinecrest Energy
- Phase Energy Ltd.
- Pinto Resources
- Plains Midstream
- Potash Corp.
- Primrose Drilling Ventures Ltd.
- Questerre Energy Corporation
- Red Beds Resources Ltd.
- Regent Resources Ltd.
- Renegade Petroleum
- Rife Resources
- Runcible Oil Corp.
- Saskatchewan Environmental Industry and Managers Association SEIMA
- SaskEnergy Incorporated/ TransGas Limited
- Sask Power
- Prairie Mines and Royalty (Sherritt Coal)
- Silver Bay Resources Ltd.
- Skywest Energy
- Southern Exploration
- Spartan Oil Corp
- Spectrum Resource Group
- Spyglass Resources
- Sure Energy Inc.
- T-45 Oil Corporation
- TAQA North
- T. Bird Oil Ltd.
- Tetonka Resources
- Texus Petroleum Ltd.
- TORC Oil and Gas
- TransGas/SaskEnergy
- Triwest Exploration
- Valleyview Petroleums Ltd.

- Vermillion Resources
- Villanova Resources Inc.
- Villanova 4 Oil
- Viterro Inc.
- Williston Hunter Canada Inc.
- Zargon Oil & Gas Ltd.

END OF REPORT