


SESAA Esterhazy Station - July 2023 Summary Report

Pollutants		Month Records		24-Hour Records				1-Hour Records			
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		SAAQS Standard	Exceed Days	Maximum		SAAQS Standard	Exceed Hours
				Conc.	Time			Conc.	Time		
NO	ppb	1.8	100.0%	2.2	Jul-19	-	-	5.3	Jul-11 11:00	-	-
NO ₂	ppb	1.6	100.0%	3.6	Jul-25	106	0	7.2	Jul-26 21:00	159	0
NO _x	ppb	1.9	100.0%	3.9	Jul-25	-	-	7.5	Jul-01 00:00	-	-
O ₃	ppb	28	100.0%	45	Jul-2	-	-	58	Jul-02 01:00	82	0
PM _{2.5}	ug/m3	12	100.0%	40	Jul-23	28	3	69	Jul-14 08:00	-	-

SAAQS: Saskatchewan Ambient Air Quality Standards

* Air Quality Standard refers to Saskatchewan Ambient Air Quality Standards (SAAQS).

* Dotted lines are for SAAQS limits and solid lines are for averages.




Monthly Update

*All data has been slope, intercept, and baseline corrected. Data may change after validation process.

*All compliance parameters were within the Saskatchewan Ambient Air Quality Standards with the exception of three 24-hour PM 2.5 exceedance associated with wildfire smoke in the area.

*All compliance parameters were above 90% operational.

SESAA Esterhazy Station - July 2023 Summary Report



Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class					
Wind Speed	m/s	0.3 ≤ WS < 1.4	1.4 ≤ WS < 3.1	3.1 ≤ WS < 7.8	7.8 ≤ WS < 10.8	10.8 ≤ WS < 13.6	WS ≥ 13.6
NO ₂	ppb	0 ≤ C < 5	5 ≤ C < 15	15 ≤ C < 30	30 ≤ C < 100	100 ≤ C < 212	C ≥ 212
PM _{2.5}	ug/m ³	0 ≤ C < 2	2 ≤ C < 4	4 ≤ C < 10	10 ≤ C < 20	20 ≤ C < 30	C ≥ 30
O ₃	ppb	0 ≤ C < 10	10 ≤ C < 20	20 ≤ C < 40	40 ≤ C < 60	60 ≤ C < 82	C ≥ 82

Exceedance Summary (24-Hour Average)											
Pollutant	Conc. ppb	Exceedance Date mmm-dd	WS m/s	WD deg	AQHI -	Rain mm	NO ppb	NO ₂ ppb	NO _x ppb	O ₃ ppb	PM _{2.5} ug/m ³
PM _{2.5}	40	Jul-23	1.1	76	4	0.0	1.9	3.1	3.5	36	40
PM _{2.5}	33	Jul-24	2.2	113	4	0.0	1.8	2.7	3.1	37	33
PM _{2.5}	29	Jul-14	1.7	278	3	0.0	1.7	1.3	1.3	24	29













SESAA Glen Ewen Station - July 2023 Summary Report

Pollutants		Month Records		24-Hour Records				1-Hour Records			
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		SAAQS Standard	Exceed Days	Maximum		SAAQS Standard	Exceed Hours
				Conc.	Time			Conc.	Time		
NO	ppb	0.7	37.4%	1.3	Jul-15	-	-	6.4	Jul-27 06:00	-	-
NO ₂	ppb	0.9	37.4%	1.3	Jul-1	106	0	6.2	Jul-27 06:00	159	0
NO _x	ppb	1.3	37.4%	1.7	Jul-1	-	-	11.5	Jul-27 06:00	-	-
SO ₂	ppb	0.2	56.3%	0.4	Jul-3	48	0	7.2	Jul-17 08:00	172	0
O ₃	ppb	27	56.3%	38	Jul-2	-	-	53	Jul-02 13:00	82	0
H ₂ S	ppb	0.2	56.3%	0.2	Jul-28	3.6	0	12.3	Jul-27 05:00	11	1


SAAQS: Saskatchewan Ambient Air Quality Standards

* Air Quality Standard refers to Saskatchewan Ambient Air Quality Standards (SAAQS).

* Dotted lines are for SAAQS limits and solid lines are for averages.



SESAA Glen Ewen Station - July 2023 Summary Report



Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class						
Wind Speed	m/s	0.3 ≤ WS < 1.4	1.4 ≤ WS < 3.1	3.1 ≤ WS < 7.8	7.8 ≤ WS < 10.8	10.8 ≤ WS < 13.6	WS ≥ 13.6	
SO ₂	ppb	0 ≤ C < 1	1 ≤ C < 5	5 ≤ C < 10	10 ≤ C < 57	57 ≤ C < 172	C ≥ 172	
NO ₂	ppb	0 ≤ C < 5	5 ≤ C < 15	15 ≤ C < 30	30 ≤ C < 100	100 ≤ C < 212	C ≥ 212	
O ₃	ppb	0 ≤ C < 10	10 ≤ C < 20	20 ≤ C < 40	40 ≤ C < 60	60 ≤ C < 82	C ≥ 82	
H ₂ S	ppb	0 ≤ C < 1	1 ≤ C < 3.6	3.6 ≤ C < 5	5 ≤ C < 8	8 ≤ C < 10.8	C ≥ 10.8	

Monthly Update

- *All data has been slope, intercept, and baseline corrected. Data may change after validation process.
- *All compliance parameters were within the Saskatchewan Ambient Air Quality Standards with the exception of a 1-hour H₂S exceedance.
- *All compliance parameters were less than 90% operational.
- *325 hours of data for all parameters is flagged as "power failure" due to intermittent power interruptions on site. A fuse was replaced on site.
- *141 hours of data for NO, NO₂ and NO_x was flagged as "analyzer failure" due to intermittent analyzer issues on site.

Exceedance Summary

1-hour Exceedance Information			Summary of Other Parameters During Exceedance							
Pollutant	Conc. ppb	Exceedance Time mmm-dd hh:mm	WS m/s	WD deg	AQI -	Rain mm	SO ₂ ppb	NO ₂ ppb	O ₃ ppb	H ₂ S ppb
H ₂ S	12.3	Jul-27 05:00	0.4	273	5	0.0	0.0	3.4	11	12.3














SESAA Oxbow Station - July 2023 Summary Report

Pollutants		Month Records		24-Hour Records				1-Hour Records			
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		SAAQS Standard	Exceed Days	Maximum		SAAQS Standard	Exceed Hours
				Conc.	Time			Conc.	Time		
NO	ppb	1.0	96.8%	2.3	Jul-17	-	-	3.9	Jul-23 16:00	-	-
NO ₂	ppb	0.4	96.8%	1.1	Jul-9	106	0	5.6	Jul-22 05:00	159	0
NO _x	ppb	0.5	96.8%	1.0	Jul-14	-	-	5.7	Jul-22 05:00	-	-
SO ₂	ppb	0.6	99.5%	1.3	Jul-21	48	0	9.5	Jul-06 11:00	172	0
H ₂ S	ppb	0.6	99.5%	1.2	Jul-30	3.6	0	1.9	Jul-16 06:00	11	0
PM _{2.5}	ug/m ³	13	99.5%	66	Jul-14	28	2	95	Jul-14 21:00	-	-


SAAQS: Saskatchewan Ambient Air Quality Standards

* Air Quality Standard refers to Saskatchewan Ambient Air Quality Standards (SAAQS).

* Dotted lines are for SAAQS limits and solid lines are for averages.



SESAA Oxbow Station - July 2023 Summary Report



Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class						
Wind Speed	m/s	0.3 ≤ WS < 1.4	1.4 ≤ WS < 3.1	3.1 ≤ WS < 7.8	7.8 ≤ WS < 10.8	10.8 ≤ WS < 13.6	WS ≥ 13.6	
SO ₂	ppb	0 ≤ C < 1	1 ≤ C < 5	5 ≤ C < 10	10 ≤ C < 57	57 ≤ C < 172	C ≥ 172	
NO ₂	ppb	0 ≤ C < 5	5 ≤ C < 15	15 ≤ C < 30	30 ≤ C < 100	100 ≤ C < 212	C ≥ 212	
H ₂ S	ppb	0 ≤ C < 1	1 ≤ C < 3.6	3.6 ≤ C < 5	5 ≤ C < 8	8 ≤ C < 10.8	C ≥ 10.8	
PM _{2.5}	ug/m ³	0 ≤ C < 2	2 ≤ C < 4	4 ≤ C < 10	10 ≤ C < 20	20 ≤ C < 30	C ≥ 30	

Monthly Update

- *All data has been slope, intercept, and baseline corrected. Data may change after validation process.
- *All compliance parameters were within the Saskatchewan Ambient Air Quality Standards with the exception of two 24-hour PM_{2.5} exceedances attributed to wildfire smoke in the area.
- *All compliance parameters had greater than 90% operational uptime.
- * 20 hours of data flagged as "analyzer failure" for NO/NO₂/NO_x due to analyzer malfunctions throughout the month.
- * 4 hours of data flagged as "power failure" for all parameters due to power issues on site.

Exceedance Summary

24-hour Exceedance Information			Summary of Other Parameters During Exceedance								
Pollutant	24-hr Avg Conc.	Exceedance Date mmm-dd	WS m/s	WD deg	AQI -	Rain mm	ET C	SO ₂ ppb	NO ₂ ppb	H ₂ S ppb	PM _{2.5} ug/m ³
PM _{2.5}	66	Jul-14	5.4	301	42	0.0	17.7	1.0	-	0.4	66
PM _{2.5}	29	Jul-22	2.1	276	23	0.0	22.0	0.3	-	0.7	29













SESAA Stoughton Station - July 2023 Summary Report

Pollutants		Month Records		24-Hour Records				1-Hour Records			
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		SAAQS Standard	Exceed Days	Maximum		SAAQS Standard	Exceed Hours
				Conc.	Time			Conc.	Time		
NO	ppb	0.3	78.1%	1.4	Jul-7	-	-	4.5	Jul-12 13:00	-	-
NO ₂	ppb	0.9	78.1%	2.1	Jul-1	106	0	9.0	Jul-21 21:00	159	0
NO _x	ppb	1.1	78.1%	2.5	Jul-1	-	-	9.8	Jul-21 21:00	-	-
SO ₂	ppb	0.3	89.1%	0.8	Jul-18	48	0	4.3	Jul-17 08:00	172	0
H ₂ S	ppb	0.3	89.1%	0.8	Jul-22	3.6	0	3.0	Jul-06 11:00	11	0
PM _{2.5}	ug/m ³	13	99.3%	63	Jul-14	28	2	98	Jul-14 19:00	-	-


SAAQS: Saskatchewan Ambient Air Quality Standards

* Air Quality Standard refers to Saskatchewan Ambient Air Quality Standards (SAAQS).

* Dotted lines are for SAAQS limits and solid lines are for averages.



SESAA Stoughton Station - July 2023 Summary Report



Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class					
Wind Speed	m/s	0.3 ≤ WS < 1.4	1.4 ≤ WS < 3.1	3.1 ≤ WS < 7.8	7.8 ≤ WS < 10.8	10.8 ≤ WS < 13.6	WS ≥ 13.6
SO ₂	ppb	0 ≤ C < 1	1 ≤ C < 5	5 ≤ C < 10	10 ≤ C < 57	57 ≤ C < 172	C ≥ 172
NO ₂	ppb	0 ≤ C < 5	5 ≤ C < 15	15 ≤ C < 30	30 ≤ C < 100	100 ≤ C < 212	C ≥ 212
H ₂ S	ppb	0 ≤ C < 1	1 ≤ C < 3.6	3.6 ≤ C < 5	5 ≤ C < 8	8 ≤ C < 10.8	C ≥ 10.8
PM _{2.5}	ug/m ³	0 ≤ C < 2	2 ≤ C < 4	4 ≤ C < 10	10 ≤ C < 20	20 ≤ C < 30	C ≥ 30

Monthly Update

*All data has been slope, intercept, and baseline corrected. Data may change after validation process.

*All compliance parameters were within the Saskatchewan Ambient Air Quality Standards with the exception of two 24-hour PM_{2.5} exceedances associated with wildfire smoke in the area.

*All compliance parameters were less than 90% operational with the exception of PM_{2.5}.

*159 hours of data was flagged as "analyzer failure" for all NO, NO₂ and NO_x and 77 hours for SO₂ and H₂S as intermittent analyzer issues occurred throughout the month. High temperatures caused the analyzers to malfunction.

Exceedance Summary (24-Hour Average)

Pollutant (unit)	24-hr Avg Conc.	Exceedance Date	WS	WD	AQI	Rain	ET	SO ₂	NO ₂	H ₂ S	PM _{2.5}
		mmm-dd	m/s	deg	-	mm	C	ppb	ppb	ppb	ug/m ³
24-hour Exceedance Information			WS	WD	AQI	Rain	ET	SO ₂	NO ₂	H ₂ S	PM _{2.5}
PM _{2.5}	63	Jul-14	3.7	302	42	0.0	15.9	0.2	1.2	0.2	63
PM _{2.5}	29	Jul-22	1.0	279	-	0.0	21.0	-	-	0.8	29




SESAA Torquay Station - July 2023 Summary Report

Pollutants		Month Records		24-Hour Records				1-Hour Records			
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		SAAQS Standard	Exceed Days	Maximum		SAAQS Standard	Exceed Hours
				Conc.	Time			Conc.	Time		
SO ₂	ppb	0.6	46.4%	1.1	Jul-31	48	0	4.3	Jul-31 09:00	172	0
H ₂ S	ppb	0.3	46.4%	< 0.1	-	3.6	0	4.6	Jul-26 06:00	11	0
PM _{2.5}	ug/m3	13	46.5%	26	Jul-22	28	0	76	Jul-27 15:00	-	-

SAAQS: Saskatchewan Ambient Air Quality Standards

* Air Quality Standard refers to Saskatchewan Ambient Air Quality Standards (SAAQS).

* Dotted lines are for SAAQS limits and solid lines are for averages.



Monthly Update


*All data has been slope, intercept, and baseline corrected. Data may change after validation process.

*All compliance parameters were within the Saskatchewan Ambient Air Quality Standards.

*All compliance parameters were less than 90% operational.

*Routine quarterly calibrations were completed on July 17 following PC installation. Data following the calibration is valid.

SESAA Torquay Station - July 2023 Summary Report



Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class					
Wind Speed	m/s	0.3 ≤ WS < 1.4	1.4 ≤ WS < 3.1	3.1 ≤ WS < 7.8	7.8 ≤ WS < 10.8	10.8 ≤ WS < 13.6	WS ≥ 13.6
SO ₂	ppb	0 ≤ C < 1	1 ≤ C < 5	5 ≤ C < 10	10 ≤ C < 57	57 ≤ C < 172	C ≥ 172
NO ₂	ppb	0 ≤ C < 5	5 ≤ C < 15	15 ≤ C < 30	30 ≤ C < 100	100 ≤ C < 212	C ≥ 212
O ₃	ppb	0 ≤ C < 10	10 ≤ C < 20	20 ≤ C < 40	40 ≤ C < 60	60 ≤ C < 82	C ≥ 82
H ₂ S	ppb	0 ≤ C < 1	1 ≤ C < 3.6	3.6 ≤ C < 5	5 ≤ C < 8	8 ≤ C < 10.8	C ≥ 10.8
PM _{2.5}	ug/m ³	0 ≤ C < 2	2 ≤ C < 4	4 ≤ C < 10	10 ≤ C < 20	20 ≤ C < 30	C ≥ 30




SESAA Wauchope Station - July 2023 Summary Report

Pollutants		Month Records		24-Hour Records				1-Hour Records			
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		SAAQS Objective	Exceed Days	Maximum		SAAQS Objective	Exceed Hours
				Conc.	Time			Conc.	Time		
SO ₂	ppb	0.2	100.0%	0.8	Jul-8	48	0	5.4	Jul-27 08:00	172	0
H ₂ S	ppb	1.2	100.0%	7.3	Jul-27	3.6	1	38.8	Jul-27 05:00	11	11
PM _{2.5}	ug/m ³	13	100.0%	48	Jul-14	28	3	81	Jul-14 12:00	-	-

SAAQS: Saskatchewan Ambient Air Quality Standards

* Air Quality Standard refers to Saskatchewan Ambient Air Quality Standards (SAAQS).

* Dotted lines are for SAAQS limits and solid lines are for averages.



Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class					
Wind Speed	m/s	0.3 ≤ WS < 1.4	1.4 ≤ WS < 3.1	3.1 ≤ WS < 7.8	7.8 ≤ WS < 10.8	10.8 ≤ WS < 13.6	WS ≥ 13.6
SO ₂	ppb	0 ≤ C < 1	1 ≤ C < 5	5 ≤ C < 10	10 ≤ C < 57	57 ≤ C < 172	C ≥ 172
H ₂ S	ppb	0 ≤ C < 1	1 ≤ C < 3.6	3.6 ≤ C < 5	5 ≤ C < 8	8 ≤ C < 10.8	C ≥ 10.8
PM _{2.5}	ug/m ³	0 ≤ C < 2	2 ≤ C < 4	4 ≤ C < 10	10 ≤ C < 20	20 ≤ C < 30	C ≥ 30

Monthly Update

*All data has been slope, intercept, and baseline corrected. Data may change after validation process.

*All compliance parameters were within the Saskatchewan Ambient Air Quality Standards with the exception of three 24-hour PM 2.5 exceedances associated with wildfire smoke in the area. Eleven 1-hour and 24-hour H2S exceedances were also recorded.

*All compliance parameters were greater than 90% operational.

SESAA Wauchope Station - June 2023 Summary Report

Exceedance Summary (1-Hour Average)										
1-hour Exceedance Information			Summary of Other Parameters During Exceedance							
Pollutant	Conc. ppb	Exceedance Time mmm-dd hh:mm	WS m/s	WD deg	Rain mm	ET C	SO ₂ ppb	H ₂ S ppb	PM _{2.5} ug/m3	
H2S	38.8	Jul-27 05:00	0.4	332	0.0	8.7	0.1	38.8	6	

Exceedance Summary (24-Hour Average)										
Pollutant	Conc. ppb	Exceedance Date mmm-dd	WS m/s	WD deg	Rain mm	ET C	SO ₂ ppb	H ₂ S ppb	PM _{2.5} ug/m3	
24-hour Exceedance Information			WS	WD	Rain	ET	SO ₂	H ₂ S	PM _{2.5}	
PM2.5	48	Jul-14	4.1	299	0.0	15.7	0.2	0.4	48	
PM2.5	34	Jul-23	1.7	143	0.0	22.0	0.4	1.3	34	
PM2.5	30	Jul-22	1.4	261	0.0	20.9	0.1	1.3	30	
H2S	7.3	Jul-27	2.0	214	0.0	20	0.6	7.3	5	



SESAA Weyburn Station - July 2023 Summary Report

Pollutants		Month Records		24-Hour Records				1-Hour Records			
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		SAAQS Standard	Exceed Days	Maximum		SAAQS Standard	Exceed Hours
				Conc.	Time			Conc.	Time		
NO	ppb	#VALUE!	0.0%	< 0.1	#N/A	-	-	< 0.1	-	-	-
NO ₂	ppb	#VALUE!	0.0%	< 0.1	#N/A	106	0	< 0.1	-	159	0
NO _x	ppb	#VALUE!	0.0%	< 0.1	#N/A	-	-	< 0.1	-	-	-
SO ₂	ppb	1.1	87.8%	4.4	Jul-24	48	0	20.3	Jul-27 07:00	172	0
O ₃	ppb	26	87.8%	37	Jul-23	-	-	54	Jul-23 14:00	82	0
H ₂ S	ppb	0.6	87.8%	2.3	Jul-24	3.6	0	6.4	Jul-31 07:00	11	0
PM _{2.5}	ug/m3	14.7	98.0%	72.9	Jul-14	28	3	105.8	Jul-14 16:00	-	-


SAAQS: Saskatchewan Ambient Air Quality Standards

* Air Quality Standard refers to Saskatchewan Ambient Air Quality Standards (SAAQS).

* Dotted lines are for SAAQS limits and solid lines are for averages.



SESAA Weyburn Station - July 2023 Summary Report



Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class						
Wind Speed	m/s	$0.3 \leq WS < 1.4$	$1.4 \leq WS < 3.1$	$3.1 \leq WS < 7.8$	$7.8 \leq WS < 10.8$	$10.8 \leq WS < 13.6$	$WS \geq 13.6$	
SO ₂	ppb	$0 \leq C < 1$	$1 \leq C < 5$	$5 \leq C < 10$	$10 \leq C < 57$	$57 \leq C < 172$	$C \geq 172$	
NO ₂	ppb	$0 \leq C < 5$	$5 \leq C < 15$	$15 \leq C < 30$	$30 \leq C < 100$	$100 \leq C < 212$	$C \geq 212$	
O ₃	ppb	$0 \leq C < 10$	$10 \leq C < 20$	$20 \leq C < 40$	$40 \leq C < 60$	$60 \leq C < 82$	$C \geq 82$	
H ₂ S	ppb	$0 \leq C < 1$	$1 \leq C < 3.6$	$3.6 \leq C < 5$	$5 \leq C < 8$	$8 \leq C < 10.8$	$C \geq 10.8$	
PM _{2.5}	ug/m ³	$0 \leq C < 2$	$2 \leq C < 4$	$4 \leq C < 10$	$10 \leq C < 20$	$20 \leq C < 30$	$C \geq 30$	

Monthly Update

- *All data has been slope, intercept, and baseline corrected. Data may change after validation process.
- *All compliance parameters were within the Saskatchewan Ambient Air Quality Standards with the exception of three 24-hour PM_{2.5} exceedances associated with wildfire smoke in the area.
- *All compliance parameters were less than 90% operational with the exception of meteorological parameters.
- *81 hours of data for all parameters is flagged as "analyzer failure" intermittent issues related to high site temperatures caused data interruptions.
- *The NO_x analyzer is not operational.

Exceedance Summary (24-Hour Average)

Pollutant	Conc. ppb	Exceedance Date	WS	WD	AQHI	Rain	SO ₂	NO ₂	O ₃	H ₂ S	PM _{2.5}
24-hour Exceedance Information			m/s	deg	-	mm	ppb	ppb	ppb	ppb	ug/m ³
			WS	WD	AQHI	Rain	SO ₂	NO ₂	O ₃	H ₂ S	PM _{2.5}
PM _{2.5}	73	Jul-14	3.1	291	-	0.0	-	-	24	-	73
PM _{2.5}	33	Jul-15	2.8	268	-	0.0	-	-	21	-	33
PM _{2.5}	28	Jul-22	1.1	162	-	0.0	-	-	28	-	28